
Printing date 07/26/2024

Reviewed on 07/26/2024

1 Identification

- · Product identifier
- Trade name: <u>Tetrabutylammonium hydroxide</u> 0.1 M in MEOH/IPA/Toluene
- · Article number: EP088
- Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225
- DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- *Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666*

2 Hazard(s) identification



Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene



US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

ire = 3eactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 108-88-3	Toluene	72.475%
CAS: 67-63-0	Isopropanol	16.424%
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	9.298%
CAS: 67-56-1	Methanol	1.804%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

(Contd. of page 3)

•	tions, protective equipment and emergency procedures	
	ry protective device.	
	equipment. Keep unprotected persons away.	
	precautions: Do not allow to enter sewers/ surface or ground water. Iterial for containment and cleaning up:	
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing		
	nated material as waste according to section 13.	
Ensure adequate		
Reference to oth		
See Section 7 for	information on safe handling.	
	information on personal protection equipment.	
	or disposal information.	
	ı Criteria for Chemicals	
PAC-1:		
CAS: 108-88-3	Toluene	67 ppm
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	1.2 mg/m
CAS: 67-56-1	Methanol	530 ppm
PAC-2:		
CAS: 108-88-3	Toluene	560 ppm
CAS: 67-63-0	Isopropanol	2000* ppi
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	13 mg/m ³
CAS: 67-56-1	Methanol	2,100 ppn
PAC-3:		
CAS: 108-88-3	Toluene	3700* ppm
	Isopropanol	12000** ppr
CAS: 67-63-0		
	Tetrabutylammonium Hydroxide 30-Hydrate	79 mg/m ³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

(Contd. of page 4)

• Further information about storage conditi	ons:
Keep receptacle tightly sealed.	

Store in cool, dry conditions in well sealed receptacles.

 \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 108-88-3 Toluene	
PEL Long-term value: 200 ppm Ceiling limit value: 300; 500* ppm *10-min peak per 8-hr shift	
REL Short-term value: 560 mg/m ³ , 150 ppm Long-term value: 375 mg/m ³ , 100 ppm	
TLV Long-term value: 20 ppm BEI, OTO, A4	
CAS: 67-63-0 Isopropanol	
PEL Long-term value: 980 mg/m ³ , 400 ppm	
REL Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm	
TLV Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4	
CAS: 67-56-1 Methanol	
PEL Long-term value: 260 mg/m ³ , 200 ppm	
REL Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin	
TLV Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc	
	(Contd. on page

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

Inar	edients with biological limit values:
-	: 108-88-3 Toluene
	0.02 mg/L
DEI	LD50 Intraperitoneal: blood
	Time: prior to last shift of workweek
	LD50: Toluene
	0.03 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Toluene
	0.3 mg/g creatinine
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: o-Cresol with hydrolysis (background)
CAS	: 67-63-0 Isopropanol
BEI	40 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
	LD50: Acetone (background, nonspecific)
	: 67-56-1 Methanol
BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
	protective clothing separately.
	d contact with the eyes.
	d contact with the eyes and skin.
	thing equipment:
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u
	ratory protective device that is independent of circulating air.
Prot	ection of hands:
	Protective gloves
The	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ t nical mixture.

(Contd. on page 7)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

(Contd. of page 6)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

 Information on basic physical and c General Information 	inemical properties
· Appearance:	
Form:	Liquid
Color:	Clear
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C (179.6 °F)
· Flash point:	4 °C (39.2 °F)
· Flammability (solid, gaseous):	Highly flammable.
• Auto igniting:	425 °C (797 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	1.2 Vol %
Upper:	12 Vol %
· Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
• Density at 20 °C (68 °F):	0.86395 g/cm ³ (7.20966 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

	(Conte	1. of page
• Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	90.7 %	
VOC content:	90.70 %	
	783.6 g/l / 6.54 lb/gal	
Solids content:	9.3 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	5,544 mg/kg
		16,632 mg/kg
Inhalative	LC50/4h	166 mg/l

· Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- CAS: 108-88-3 Toluene

(Contd. on page 9)

3

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

(Contd. of page 8)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

 \cdot Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN1993
· UN proper shipping name	
$\cdot DOT$	Flammable liquids, n.o.s. (Toluene, Isopropanol
	, Methanol)
· IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Toluene, Isopropanol
,	, Methanol)

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

	(Contd. of page
· Transport hazard class(es)	
DOT	
FLAMMABLE LIQUD	
3	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
	5
· Packing group · DOT, IMDG, IATA	II
	11
Environmental hazards: Marine pollutant:	No
-	
· Special precautions for user · Hazard identification number (Kemler code).	Warning: Flammable liquids
• EMS Number:	<i>F-E,S-E</i>
Segregation groups	(SGG18) Alkalis
Stowage Category	B
• Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 5 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (TOLUENI
	ISOPROPANOL METUANOL 2 H
	, METHANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 11)

⁻ US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

Sara		(Contd. of page 1
	tremely hazardous substances):	
	edients is listed.	
<i>Section 313</i> (<i>Sp</i> <i>CAS: 108-88-3</i>	ecific toxic chemical listings):	
CAS: 108-88-5 CAS: 67-63-0		
	Methanol	
	ubstances Control Act):	
Toluene		ACTIVI
Isopropanol Totrahutulaum	nium III. duanida 20 II. duata	ACTIVE ACTIVE
<i>Methanol</i>	onium Hydroxide 30-Hydrate	ACTIVE
		ACTIVE
Hazardous Air		
CAS: 108-88-3 CAS: 67-56-1		
	Methanol	
Proposition 65	vn to cause cancer:	
	redients is listed.	
	wn to cause reproductive toxicity for females:	
	redients is listed.	
	wn to cause reproductive toxicity for males:	
	redients is listed.	
	vn to cause developmental toxicity:	
CAS: 108-88-3	Toluene	
CAS: 67-56-1	Methanol	
Carcinogenic c	itegories	
-	nental Protection Agency)	
CAS: 108-88-3	Toluene	1
TLV (Threshold	l Limit Value)	
CAS: 108-88-3	·	A
<u><u> </u></u>	Isopropanol	A

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: Toluene

(Contd. on page 12)

US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

	(Contd. of page 11)
Tetrabutylammonium Hydroxide 30-Hydrate	
Isopropanol	
· Hazard statements	
Highly flammable liquid and vapor.	
Causes severe skin burns and eye damage.	
Suspected of damaging fertility or the unborn child.	
May cause drowsiness or dizziness.	
May cause damage to organs through prolonged or repeated exposure.	
May be fatal if swallowed and enters airways.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	r.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	t and easy to do.
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Get medical advice/attention if you feel unwell.	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ns.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2 07/25/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 02-12-2016: Creation date for SDS. STN 07/26/2024 / 1.1
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

(Contd. on page 13)

⁻ US

Printing date 07/26/2024

Reviewed on 07/26/2024

Trade name: Tetrabutylammonium hydroxide 0.1 M in MEOH/IPA/Toluene

	(Contd. of page 12)
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eve Damage 1: Serious eye damage/eye irritation – Category 1	
Toxic to Reproduction 2: Reproductive toxicity – Category 2	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2	
Aspiration Hazard 1: Aspiration hazard – Category 1	
\cdot * Data compared to the previous version altered.	
	US-