Printing date 07/19/2024

*

Reviewed on 07/19/2024

Product identifier	
Trade name: <u>Salicylic Acid</u> 160 gpL in Methanol	
Article number: DC188	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification Classification of the substance or mixture	
GHS02 Flame	
<i>GHS02 Flame</i> Flammable Liquids 2	H225 Highly flammable liquid and vapor.
	H225 Highly flammable liquid and vapor.
Flammable Liquids 2	H225 Highly flammable liquid and vapor. H301 Toxic if swallowed.
Flammable Liquids 2 GHS06 Skull and crossbones	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Toxic to Reproduction 2	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Toxic to Reproduction 2	 H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the syste
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Toxic to Reproduction 2 Specific Target Organ Toxicity - Single Exposure 1	 H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to the central nervous system and the syste

Printing date 07/19/2024

Trade name: Salicylic Acid 160 gpL in Methanol Reviewed on 07/19/2024

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS06 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol salicylic acid · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to the central nervous system and the visual organs. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0

(Contd. on page 3)

US

Printing date 07/19/2024

Trade name: Salicylic Acid 160 gpL in Methanol Reviewed on 07/19/2024

(Contd. of page 2)

79.829%

20.172%

· HMIS-ratings (scale 0 - 4)

HEALTH
$$3$$
Health = 3 FIRE 3 Fire = 3 REACTIVITY 0 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 67-56-1 Methanol CAS: 69-72-7 salicylic acid

4 First-aid measures

\cdot Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- *Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.*
- After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 07/19/2024

*

*

Trade name: Salicylic Acid 160 gpL in Methanol Reviewed on 07/19/2024

(Contd. of page 3)

 Personal preca 	utions, protective equipment and emergency procedures	
	ory protective device.	
	e equipment. Keep unprotected persons away.	
	Precautions: Do not allow to enter sewers/ surface or ground water. Daterial for containment and cleaning up:	
	uiertal for containment and cleaning up: uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizin		
	ninated material as waste according to section 13.	
Ensure adequa		
• Reference to o		
	or information on safe handling.	
	or information on personal protection equipment. for disposal information.	
	on Criteria for Chemicals	
• PAC-1:	·	
CAS: 67-56-1	Methanol	530 ppn
· PAC-2:		
CAS: 67-56-1	Methanol	2,100 ppn
	memunoi	2,100 ppn
DA('2.		
· PAC-3:		72004
CAS: 67-56-1		7200* ppn
		7200* ppn
CAS: 67-56-1 7 Handling ar • Handling: • Precautions fo	nd storage r safe handling	7200* ppn
CAS: 67-56-1 7 Handling an • Handling: • Precautions fo Ensure good ve	nd storage r safe handling entilation/exhaustion at the workplace.	7200* ppn
CAS: 67-56-1 7 Handling an • Handling: • Precautions fo Ensure good ve Open and hand	t <mark>d storage</mark> r safe handling entilation/exhaustion at the workplace. He receptacle with care.	7200* ppn
CAS: 67-56-1 7 Handling an • Handling: • Precautions fo Ensure good ve Open and hand Prevent format	nd storage r safe handling entilation/exhaustion at the workplace. lle receptacle with care. ion of aerosols.	7200* ppn
CAS: 67-56-1 7 Handling an • Handling: • Precautions fo Ensure good ve Open and hand Prevent format • Information al	nd storage r safe handling entilation/exhaustion at the workplace. Ile receptacle with care. ion of aerosols. bout protection against explosions and fires:	7200* ppn
CAS: 67-56-1 7 Handling an • Handling: • Precautions fo Ensure good ve Open and hand Prevent format • Information al Keep ignition s	nd storage r safe handling entilation/exhaustion at the workplace. lle receptacle with care. ion of aerosols.	7200* ppn
CAS: 67-56-1 7 Handling ar • Handling: • Precautions fo Ensure good ve Open and hand Prevent format • Information al Keep ignition s Protect agains	nd storage r safe handling entilation/exhaustion at the workplace. Ile receptacle with care. ion of aerosols. bout protection against explosions and fires: ources away - Do not smoke.	7200* ppn
CAS: 67-56-1 7 Handling an • Handling: • Precautions fo Ensure good ve Open and hand Prevent format • Information al Keep ignition s Protect against Keep respirato	ad storage r safe handling entilation/exhaustion at the workplace. lle receptacle with care. ion of aerosols. bout protection against explosions and fires: ources away - Do not smoke. r electrostatic charges. ry protective device available.	7200* ppn
CAS: 67-56-1 7 Handling an • Handling: • Precautions fo Ensure good ve Open and hand Prevent format • Information al Keep ignition s Protect against Keep respirato • Conditions for • Storage:	nd storage r safe handling milation/exhaustion at the workplace. Ile receptacle with care. ion of aerosols. bout protection against explosions and fires: ources away - Do not smoke. t electrostatic charges. ry protective device available. safe storage, including any incompatibilities	7200* ppn
CAS: 67-56-1 7 Handling ar • Handling: • Precautions fo Ensure good ve Open and hand Prevent format • Information al Keep ignition s Protect against Keep respirato • Conditions for • Storage: • Requirements	ad storage r safe handling entilation/exhaustion at the workplace. lle receptacle with care. ion of aerosols. bout protection against explosions and fires: ources away - Do not smoke. te electrostatic charges. ry protective device available. safe storage, including any incompatibilities to be met by storerooms and receptacles: Store in a cool location.	7200* ppn
CAS: 67-56-1 7 Handling ar • Handling: • Precautions fo Ensure good ve Open and hand Prevent format • Information al Keep ignition s Protect against Keep respirato • Conditions for • Storage: • Requirements	ad storage r safe handling entilation/exhaustion at the workplace. lle receptacle with care. ion of aerosols. bout protection against explosions and fires: ources away - Do not smoke. te electrostatic charges. ry protective device available. safe storage, including any incompatibilities to be met by storerooms and receptacles: Store in a cool location. bout storage in one common storage facility: Not required.	7200* ppn
CAS: 67-56-1 7 Handling ar • Handling: • Precautions fo Ensure good ve Open and hand Prevent format • Information al Keep ignition s Protect against Keep respirato • Conditions for • Storage: • Requirements • Information al • Further inform	ad storage r safe handling entilation/exhaustion at the workplace. lle receptacle with care. ion of aerosols. bout protection against explosions and fires: ources away - Do not smoke. the electrostatic charges. ry protective device available. safe storage, including any incompatibilities to be met by storerooms and receptacles: Store in a cool location. bout storage in one common storage facility: Not required. mation about storage conditions:	7200* ppn
CAS: 67-56-1 7 Handling ar • Handling: • Precautions fo Ensure good ve Open and hand Prevent format • Information al Keep ignition s Protect against Keep respirato • Conditions for • Storage: • Requirements • Information al • Further inform Keep receptacl	ad storage r safe handling entilation/exhaustion at the workplace. lle receptacle with care. ion of aerosols. bout protection against explosions and fires: ources away - Do not smoke. * electrostatic charges. ry protective device available. safe storage, including any incompatibilities to be met by storerooms and receptacles: Store in a cool location. bout storage in one common storage facility: Not required. bation about storage conditions: e tightly sealed.	7200* ppn
CAS: 67-56-1 7 Handling ar • Handling: • Precautions fo Ensure good ve Open and hand Prevent format • Information al Keep ignition s Protect against Keep respirato • Conditions for • Storage: • Requirements • Information al • Further inform Keep receptacl Store in cool, a	ad storage r safe handling entilation/exhaustion at the workplace. lle receptacle with care. ion of aerosols. bout protection against explosions and fires: ources away - Do not smoke. the electrostatic charges. ry protective device available. safe storage, including any incompatibilities to be met by storerooms and receptacles: Store in a cool location. bout storage in one common storage facility: Not required. mation about storage conditions:	7200* ppn

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Salicylic Acid 160 gpL in Methanol

(Contd. of page 4)

~	(Contd. of pag
Cont	rol parameters
Com	ponents with limit values that require monitoring at the workplace:
	collowing constituent is the only constituent of the product which has a PEL, TLV or other recommend sure limit.
	is time, the remaining constituent has no known exposure limits.
CAS	67-56-1 Methanol
PEL	Long-term value: 260 mg/m ³ , 200 ppm
	Short-term value: 325 mg/m ³ , 250 ppm
	Long-term value: 260 mg/m ³ , 200 ppm
	Skin
TLV	Short-term value: 250 ppm
	Long-term value: 200 ppm
	Skin; BEIc
-	dients with biological limit values:
CAS	67-56-1 Methanol
	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift LD50: Methanol (background, nonspecific)
	tional information: The lists that were valid during the creation were used as basis.
Wash Store Avoid Avoid Brea In ca respi	diately remove all soiled and contaminated clothing. hands before breaks and at the end of work. protective clothing separately. l contact with the eyes. l contact with the eyes and skin.
Prote	t hing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure u ratory protective device that is independent of circulating air. ction of hands:
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure t ratory protective device that is independent of circulating air.
The g Due	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure a ratory protective device that is independent of circulating air. ction of hands: M
The g Due chem Selec Mate	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure or ratory protective device that is independent of circulating air. ction of hands:
The g Due chem Select Mate The s varie the g Pene	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure or ratory protective device that is independent of circulating air. ction of hands:
The g Due chem Select Mate The s varie the g Pene	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure is ratory protective device that is independent of circulating air. Section of hands: Protective gloves Protective gloves Protective Protective gloves Protective Protective Protective Protective Protective Protective Protective Protective Protective Protective Protective Protective Protective Protective Protective Prote

(Contd. on page 6)

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Salicylic Acid 160 gpL in Methanol

(Contd. of page 5)

• Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance:	7 1	
Form:	Liquid	
Color:	Clear to pale pink	
Odor: Odor threshold:		
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	64 °C (147.2 °F)	
Flash point:	11 °C (51.8 °F)	
Flammability (solid, gaseous):	Highly flammable.	
Auto igniting:	455 °C (851 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.	
Explosion limits:		
Lower:	5.5 Vol %	
Upper:	44 Vol %	
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Density at 20 °C (68 °F):	0.7932 g/cm ³ (6.61925 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate		
Viscosity:	·	
Dynamic:	Not determined.	
Kinematic:	Not determined.	

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name	: Salicylic Acid
	160 gpL in Methanol

		(Contd. of page 6)
· Solvent content:	70.9.0/	
Organic solvents: VOC content:	79.8 % 79.83 %	
	633.2 g/l / 5.28 lb/gal	
Solids content:	20.2 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)OralLD50119 mg/kg

Dermal LD50 376 mg/kg Inhalative LC50/4h 3.76 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Strong irritant with the danger of severe eye injury.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 8)

Printing date 07/19/2024

Trade name: Salicylic Acid 160 gpL in Methanol Reviewed on 07/19/2024

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1993	
UN proper shipping name		
DOT	Flammable liquids, n.o.s. (Methanol)	
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)	
Transport hazard class(es)		
DOT		
3		
- Class	3 Flammable liquids	
Label	3	

US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2024

Trade name: Salicylic Acid 160 gpL in Methanol Reviewed on 07/19/2024

	(Contd. of page
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	<i>F-E</i> , <u><i>S-E</i></u>
Stowage Category	В
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
-	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

*

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
Methanol	ACTIVE
salicylic acid	ACTIVE
· Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
	(Contd. on page 10

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Salicylic Acid

160 gpL in Methanol

(Contd. of page 9)

Proposition 65
 Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Methanol salicylic acid · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Causes damage to the central nervous system and the visual organs. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor.

(Contd. on page 11)

⁻ US

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: Salicylic Acid 160 gpL in Methanol

(Contd. of page 10)

Specific treatment (see on this label).
Rinse mouth.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Call a poison center/doctor if you feel unwell.
Take off immediately all contaminated clothing and wash it before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2 07/19/2024: Reviewed SDS for accuracy. MH/STN 07/19/2024 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Toxic to Reproduction 2: Reproductive toxicity – Category 2 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1

* Data compared to the previous version altered.