Printing date 05/13/2024 Reviewed on 05/13/2024

1 Identification

· Product identifier

· Trade name: Hydroxylamine Hydrochloride, Laboratory Grade Crystal

· Article number: H3700

· CAS Number: 5470-11-1 · EC number:

226-798-2 • *Index number:* 612-123-00-2

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 AQUA SOLUTIONS

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Toxicity - Oral 3 H301 Toxic if swallowed.



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals.



Acute Toxicity - Dermal 4

Skin Irritation 2

Eye Irritation 2A

Sensitization - Skin 1

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 05/13/2024 Reviewed on 05/13/2024

Trade name: Hydroxylamine Hydrochloride, Laboratory Grade Crystal

(Contd. of page 1)

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS08

GHS05

GHS06 GHS07

#### · Signal word Danger

#### · Hazard statements

May be corrosive to metals.

Toxic if swallowed.

Harmful in contact with skin.

Causes skin irritation.

Causes serious eve irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep only in original container.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 0Reactivity = 0

(Contd. on page 3)

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/13/2024 Reviewed on 05/13/2024

Trade name: Hydroxylamine Hydrochloride, Laboratory Grade Crystal

· HMIS-ratings (scale 0 - 4)

HEALTH 2 Health = 2FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

CAS: 5470-11-1 Hydroxylamine Hydrochloride

· Identification number(s) · EC number: 226-798-2 · Index number: 612-123-00-2

#### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

211

Printing date 05/13/2024 Reviewed on 05/13/2024

Trade name: Hydroxylamine Hydrochloride, Laboratory Grade Crystal

(Contd. of page 3)

\*

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · PAC-1: 0.42 mg/m3
- · PAC-2: 4.7 mg/m<sup>3</sup>
- · PAC-3: 28 mg/m<sup>3</sup>

\*

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

(Contd. of page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/13/2024 Reviewed on 05/13/2024

Trade name: Hydroxylamine Hydrochloride, Laboratory Grade Crystal

### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

## 9 Physical and chemical properties

· Information	on hasic	nhysical	and c	homical	nronerties
· Inioimanon	on vasic	pnysicui	unu c	nemucui	properties

· General Information

· Appearance:

Form: Crystalline
Color: White
Odor: Hydrochloride
Odor threshold: Not determined.

· pH-value:
· Change in condition

Melting point/Melting range:  $155-157 \,^{\circ}C \,(311-314.6 \,^{\circ}F)$ 

Boiling point/Boiling range: Undetermined.

• Flash point: Not applicable.

· Flammability (solid, gaseous): Product is not flammable.

• Decomposition temperature: Not determined.

· Ignition temperature: Not determined.

• Danger of explosion: Product does not present an explosion hazard.

Not applicable.

· Explosion limits:

Lower:Not determined.Upper:Not determined.

· Vapor pressure: Not applicable.

• Density at 20 °C (68 °F): 1.67 g/cm³ (13.93615 lbs/gal)

· Relative density Not determined.

(Contd. on page 6)

Printing date 05/13/2024 Reviewed on 05/13/2024

Trade name: Hydroxylamine Hydrochloride, Laboratory Grade Crystal

		(Contd. of page
· Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
· Solubility in / Miscibility with Water at 20 °C (68 °F):	1000 g/l	
Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No further relevant information available.	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Oral	LD50	100 mg/kg (ATE)
Dermal	<i>LD50</i>	1,100 mg/kg (ATE)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

Reviewed on 05/13/2024 Printing date 05/13/2024

Trade name: Hydroxylamine Hydrochloride, Laboratory Grade Crystal

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

· UN-Numbe	er
------------	----

· IMDG, IATA

· DOT, IMDG, IATA

UN2923

· UN proper shipping name

 $\cdot DOT$ 

Corrosive solids, toxic, n.o.s. (Hydroxylamine Hydrochloride) CORROSIVE SOLID, TOXIC, N.O.S. (Hydroxylamine

Hydrochloride)

- · Transport hazard class(es)
- $\cdot DOT$





· Class · Label 8 Corrosive substances

8, 6.1

· IMDG







· Class ·Label 8 Corrosive substances

8/6.1

(Contd. on page 8)

Printing date 05/13/2024 Reviewed on 05/13/2024

Trade name: Hydroxylamine Hydrochloride, Laboratory Grade Crystal

	(Contd. of page
· IATA	
· Class	8 Corrosive substances
· Label	8 (6.1)
Packing group OOT, IMDG, IATA	III
Environmental hazards:	Environmentally hazardous substance, solid
· Marine pollutant:	No
	Symbol (fish and tree)
Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code):	
EMS Number:	F- $A$ , $S$ - $B$
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
· DOT	
Quantity limitations	On passenger aircraft/rail: 15 kg
Quantity timetations	On cargo aircraft only: 50 kg
· IMDG	
· IMDG · Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
Excepted quantities (EQ)	
	Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 500 g

UN 2923 CORROSIVE SOLID, TOXIC, (HYDROXYLAMINE HYDROCHLORIDE), 8 (6.1), III

### 15 Regulatory information

· UN "Model Regulation":

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.

(Contd. on page 9)

Printing date 05/13/2024 Reviewed on 05/13/2024

Trade name: Hydroxylamine Hydrochloride, Laboratory Grade Crystal

(Contd. of page 8)

- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS07 GHS05 GHS06

- · Signal word Danger
- · Hazard statements

May be corrosive to metals.

Toxic if swallowed.

Harmful in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep only in original container.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Rinse mouth.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 10)

Reviewed on 05/13/2024 Printing date 05/13/2024

### Trade name: Hydroxylamine Hydrochloride, Laboratory Grade Crystal

(Contd. of page 9)

· Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 05/13/2024: Reviewed SDS for accuracy. MH/STN 05/13/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Corrosive to Metals 1: Corrosive to metals – Category 1

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Acute Toxicity - Dermal 4: Acute toxicity - Category 4

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Carcinogenicity 2: Carcinogenicity – Category 2

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

\* Data compared to the previous version altered.