Printing date 07/22/2024

Reviewed on 07/22/2024

Product identifier		
• Trade name: Sodium Pe	ersulfate Solution Phosphoric Acid	
• Article number: DC913	nosphoric Acta	
• Details of the supplier of • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586		AQUA SOLUTIONS
Information department Technical Coordinator Sherman Nelson sherma Emergency telephone nu Chemtrec: 800-424-9300 Canutec: 613-996-6666	nn@aquasolutions.org umber:	
2 Hazard(s) identifica	tion	
· Classification of the sub	stance or mixture	
GHS03 Flame	over circle	
	H272 May intensify fire; oxidizer.	
Oxidizing Liquids 2 GHS08 Health	h hazard	symptoms or breathing difficulties if inhaled.
Oxidizing Liquids 2	n hazard ry 1 H334 May cause allergy or asthma	symptoms or breathing difficulties if inhaled.
Oxidizing Liquids 2 Oxidizing CHS08 Health Sensitization - Respirato	n hazard ry 1 H334 May cause allergy or asthma	symptoms or breathing difficulties if inhaled.
Oxidizing Liquids 2 Oxidizing Liquids 2 GHS08 Health Sensitization - Respirato	h hazard ry 1 H334 May cause allergy or asthma sion	symptoms or breathing difficulties if inhaled.
Oxidizing Liquids 2 Oxidizing Liquids 2 GHS08 Health Sensitization - Respirato GHS05 Corro Eye Damage 1	h hazard ry 1 H334 May cause allergy or asthma sion	symptoms or breathing difficulties if inhaled.
Oxidizing Liquids 2 Oxidizing Liquids 2 GHS08 Health Sensitization - Respirato GHS05 Corro Eye Damage 1 Corro Eye Damage 1 Skin Irritation 2 Skin Irritation 2 Sensitization - Skin 1	h hazard ry 1 H334 May cause allergy or asthma sion H318 Causes serious eye damage.	
Oxidizing Liquids 2 Oxidizing Liquids 2 GHS08 Health Sensitization - Respirato GHS05 Corro Eye Damage 1 Corro Eye Damage 1 Skin Irritation 2 Skin Irritation 2 Sensitization - Skin 1 Label elements	h hazard ry 1 H334 May cause allergy or asthma sion H318 Causes serious eye damage. H315 Causes skin irritation. H317 May cause an allergic skin red	action.
Oxidizing Liquids 2 Oxidizing Liquids 2 GHS08 Health Sensitization - Respirato GHS05 Corro Eye Damage 1 Cyc Damage 1 Skin Irritation 2 Skin Irritation 2 Sensitization - Skin 1 Label elements GHS label elements The	h hazard ry 1 H334 May cause allergy or asthma sion H318 Causes serious eye damage. H315 Causes skin irritation. H317 May cause an allergic skin red	

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name:	Sodium	Persulfate Solution
	contains	s Phosphoric Acid

Signal word Danger	(Contd. of page 1)
Hazard-determining components of labeling:	
Phosphoric Acid 85%	
Sodium Persulfate	
Hazard statements	
May intensify fire; oxidizer.	
Causes skin irritation.	
Causes skin in nation. Causes serious eye damage.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
Precautionary statements	
Keep away from heat.	
Keep/Store away from clothing/combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Vash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Vear protective gloves/protective clothing/eye protection/face protection.	
In case of inadequate ventilation] wear respiratory protection.	
f on skin: Wash with plenty of water.	
f inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breath	ing.
f in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pres	
Continue rinsing.	
'mmediately call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
f skin irritation or rash occurs: Get medical advice/attention.	
f experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
n case of fire: Use CO2, powder or water spray to extinguish.	
Dispose of contents/container in accordance with local/regional/national/international regular	tions.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
$3 \land 0$ Fire = 3	
$\frac{1}{2} \frac{1}{2} \frac{1}$	
OX Reactivity - 0	
The substance possesses oxidizing properties.	
HMIS-ratings (scale 0 - 4)	
$\frac{\text{HEALTH}}{1} Health = 1$	
FIRE 3 $Fire = 3$	
<b>REACTIVITY</b> $\bigcirc$ <i>Reactivity</i> = 0	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
<b>PvB:</b> Not applicable.	
11	

Printing date 07/22/2024

Reviewed on 07/22/2024

#### Trade name: Sodium Persulfate Solution contains Phosphoric Acid

(Contd. of page 2)

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
	Phosphoric Acid 85%	12.011%
CAS: 7775-27-1	Sodium Persulfate	9.237%
• Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	78.752%

#### 4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

Printing date 07/22/2024

Reviewed on 07/22/2024

#### Trade name: Sodium Persulfate Solution contains Phosphoric Acid

· Protective Action Criteria for Chemicals	(Contd. of page 3)
• PAC-1:	
CAS: 7664-38-2 Phosphoric Acid 85%	$3 mg/m^3$
CAS: 7775-27-1 Sodium Persulfate	$0.3 \ mg/m^3$
• PAC-2:	
CAS: 7664-38-2 Phosphoric Acid 85%	30 mg/m <sup>3</sup>
CAS: 7775-27-1 Sodium Persulfate	8.2 mg/m <sup>3</sup>
· PAC-3:	
CAS: 7664-38-2 Phosphoric Acid 85%	150 mg/m <sup>3</sup>
CAS: 7775-27-1 Sodium Persulfate	49 mg/m <sup>3</sup>

## 7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

Control parameters

· Cont	<i>rol parameters</i>
· Com	ponents with limit values that require monitoring at the workplace:
CAS:	: 7664-38-2 Phosphoric Acid 85%
PEL	Long-term value: 1 mg/m <sup>3</sup>
	Short-term value: 3 mg/m <sup>3</sup>
	Long-term value: 1 mg/m <sup>3</sup>
	Short-term value: 3 mg/m <sup>3</sup>
	Long-term value: 1 mg/m <sup>3</sup>
CAS:	: 7775-27-1 Sodium Persulfate
	Long-term value: 0.1 mg/m <sup>3</sup>
	as persulfate
· Addi	tional information: The lists that were valid during the creation were used as basis.
· Expo	osure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

US

Printing date 07/22/2024

Reviewed on 07/22/2024

# Trade name: Sodium Persulfate Solution contains Phosphoric Acid

(Contd. of page 4)

Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and a General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	

Printing date 07/22/2024

Reviewed on 07/22/2024

#### Trade name: Sodium Persulfate Solution contains Phosphoric Acid

		(Contd. of page
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.16442 g/cm³ (9.71708 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	78.8 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	9.2 %	
Other information	No further relevant information available.	

# 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 2,936 mg/kg

Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

 $\cdot$  on the eye: Strong irritant with the danger of severe eye injury.

· Sensitization:

Sensitization possible through inhalation.

(Contd. on page 7)

<sup>-</sup>US

Printing date 07/22/2024

Reviewed on 07/22/2024

#### Trade name: Sodium Persulfate Solution contains Phosphoric Acid

(Contd. of page 6)

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*
- *Recommended cleansing agent: Water, if necessary with cleansing agents.*

## 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN3093

(Contd. on page 8)

US

Printing date 07/22/2024

Reviewed on 07/22/2024

ade name: Sodium Persulfate Solution contains Phosphoric Acid	
	(Contd. of pag
· UN proper shipping name · DOT	Corrosive liquids, oxidizing, n.o.s. (Phosphoric Acid 85%, Sodiu Persulfate)
· IMDG, IATA	CORROSIVE LIQUID, OXIDIZING, N.O.S. (Phosphoric Ac 85%, Sodium Persulfate)
· Transport hazard class(es)	
· DOT	
· Class	8 Corrosive substances
· Label	8, 5.1
Class	8 Corrosive substances
· Label	8/5.1
· Class	8 Corrosive substances
· Label	8 (5.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category	Warning: Corrosive substances 85 F-A,S-Q (SGG1) Acids E
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
• DOT • Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
	(Contd. on pag

Printing date 07/22/2024

Reviewed on 07/22/2024

#### Trade name: Sodium Persulfate Solution contains Phosphoric Acid

	(Contd. of page 8)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3093 CORROSIVE LIQUID, OXIDIZING, N.O.S. (PHOSPHORIC ACID 85%, SODIUM PERSULFATE), 8 (5.1), II

# **15 Regulatory information**

Sara	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 7664-38-2 Phosphoric Acid 85%	
TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Phosphoric Acid 85%	ACTIVI
Sodium Persulfate	ACTIVI
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)

Printing date 07/22/2024

Reviewed on 07/22/2024

Trade name: Sodium Persulfate Solution contains Phosphoric Acid

	(Contd. of page 9)
Hazard pictograms	
GHS03 GHS05 GHS08	
Signal word Danger	
Hazard-determining components of labeling:	
Phosphoric Acid 85%	
Sodium Persulfate	
Hazard statements	
May intensify fire; oxidizer.	
Causes skin irritation.	
Causes serious eye damage.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause an allergic skin reaction.	
Precautionary statements	
Keep away from heat.	
Keep/Store away from clothing/combustible materials.	
Take any precaution to avoid mixing with combustibles.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If on skin: Wash with plenty of water.	
If inhaled: If breathing is difficult, remove person to fresh air and keep comfortabl	e for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact let	nses, if present and easy to do
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Dispose of contents/container in accordance with local/regional/national/international	ional regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried of	out.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 07-22-2024: Reviewed SDS for accuracy. STN/GW 07/22/2024 / 1.1
- *Abbreviations and acronyms:* IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

Printing date 07/22/2024

Reviewed on 07/22/2024

(Contd. of page 10)

#### Trade name: Sodium Persulfate Solution contains Phosphoric Acid

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Oxidizing Liquids 2: Oxidizing liquids – Category 2 Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Sensitization - Respiratory 1: Respiratory sensitisation - Category 1 Sensitization - Skin 1: Skin sensitisation - Category 1 • \* Data compared to the previous version altered.