Printing date 06/19/2024 Reviewed on 06/19/2024

1 Identification

· Product identifier

· Trade name: Selenium Standard 1.0 ppm w/w in 3.5% Nitric Acid

· Article number: 8152

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300

Canutec: 613-996-6666



2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Printing date 06/19/2024 Reviewed on 06/19/2024

Trade name: Selenium Standard 1.0 ppm w/w in 3.5% Nitric Acid

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous comp | ponents: | | |
|-------------------------------------|------------------|---------|--|
| CAS: 7697-37-2 | Nitric Acid | 1.508% | |
| · Table of Nonhazardous Ingredients | | | |
| CAS: 7732-18-5 | Water | 98.492% | |
| CAS: 7446-08-4 | selenium dioxide | 0.0001% | |

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 06/19/2024 Reviewed on 06/19/2024

Trade name: Selenium Standard 1.0 ppm w/w in 3.5% Nitric Acid

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1: | | | |
|------------------|------------------|-----------------------|--|
| CAS: 7697-37-2 N | | 0.16 ppm | |
| CAS: 7446-08-4 s | selenium dioxide | 0.84 mg/m^3 | |
| · PAC-2: | | | |
| CAS: 7697-37-2 N | Vitric Acid | 24 ppm | |
| CAS: 7446-08-4 s | selenium dioxide | 1.6 mg/m³ | |
| · PAC-3: | | | |
| CAS: 7697-37-2 N | Nitric Acid | 92 ppm | |
| CAS: 7446-08-4 s | selenium dioxide | 9.5 mg/m ³ | |

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

(Contd. on page 4)

Printing date 06/19/2024 Reviewed on 06/19/2024

Trade name: Selenium Standard 1.0 ppm w/w in 3.5% Nitric Acid

(Contd. of page 3)

REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: (4) NIC-0.025 ppm

Long-term value: (2) ppm

NIC-A4

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless

Odor: Odorless

Odor threshold: Not determined.

· pH-value: Not determined.

(Contd. on page 5)

Printing date 06/19/2024 Reviewed on 06/19/2024

Trade name: Selenium Standard 1.0 ppm w/w in 3.5% Nitric Acid

| | (Contd. of | page |
|---|---|------|
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | 0 °C (32 °F) 100 °C (212 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Ignition temperature: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: Lower: Upper: | Not determined. Not determined. | |
| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) | |
| Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate | 1.0051 g/cm³ (8.38756 lbs/gal) Not determined. Not determined. Not determined. | |
| Solubility in / Miscibility with Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wate | er): Not determined. | |
| Viscosity: Dynamic: Kinematic: | Not determined. Not determined. | |
| Solvent content: Water: VOC content: | 98.5 % 0.00 % 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

IC.

Printing date 06/19/2024 Reviewed on 06/19/2024

Trade name: Selenium Standard 1.0 ppm w/w in 3.5% Nitric Acid

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 199 mg/l

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7446-08-4 selenium dioxide

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 06/19/2024 Reviewed on 06/19/2024

Trade name: Selenium Standard 1.0 ppm w/w in 3.5% Nitric Acid

 $\cdot \textbf{Recommended cleansing agent:} \ Water, if necessary with cleansing agents.$

(Contd. of page 6)

| UN-Number DOT, IMDG, IATA | UN1760 |
|---|--|
| UN proper shipping name DOT IMDG, IATA | Corrosive liquids, n.o.s. (Nitric Acid) CORROSIVE LIQUID, N.O.S. (Nitric Acid) |
| Transport hazard class(es) | |
| DOT | |
| CORROSIVE | |
| Class | 8 Corrosive substances |
| Label | 8 |
| Class | 8 Corrosive substances |
| Label | 8 |
| Packing group DOT, IMDG, IATA | III |
| Environmental hazards: | Not applicable. |
| Special precautions for user Hazard identification number (Kemler code) EMS Number: Segregation groups | F-A,S-B (SGG1a) Strong acids |
| Stowage Category Stowage Code | A SW2 Clear of living quarters. |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per inter packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |

(Contd. on page 8)

Printing date 06/19/2024 Reviewed on 06/19/2024

Trade name: Selenium Standard 1.0 ppm w/w in 3.5% Nitric Acid

(Contd. of page 7)

· UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

| · Section 355 (extremely hazardous substances). | - | | | | | |
|---|---|----------------|-----------|-----------|------|-----------|
| | | ue cubetancoe) | hazardous | artromaly | 355/ | . Section |

CAS: 7697-37-2 Nitric Acid

· Section 313 (Specific toxic chemical listings):

CAS: 7697-37-2 Nitric Acid

CAS: 7446-08-4 selenium dioxide

· TSCA (Toxic Substances Control Act):

| Water | ACTIVE |
|------------------|---------------|
| Nitric Acid | ACTIVE |
| selenium dioxide | <i>ACTIVE</i> |

· Hazardous Air Pollutants

CAS: 7446-08-4 selenium dioxide

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

CAS: 7446-08-4 selenium dioxide

D

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

Printing date 06/19/2024 Reviewed on 06/19/2024

Trade name: Selenium Standard 1.0 ppm w/w in 3.5% Nitric Acid

(Contd. of page 8)

· Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 0.1, 06/19/2024: Reviewed SDS for accuracy. MH/STN

Revision 0.0, 09/19/2016: Creation date for SDS. STN

06/19/2024 / 1.0

· Abbreviations and acronvms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

 $CAS:\ Chemical\ Abstracts\ Service\ (division\ of\ the\ American\ Chemical\ Society)$

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

 ${\it Skin \ Irritation \ 2: Skin \ corrosion/irritation - Category \ 2}$

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

* * Data compared to the previous version altered.

US