Printing date 06/06/2024

*

Reviewed on 06/06/2024

1 Identification		
· Product identifier		
• Trade name: <u>Mixed</u> 300 pp	<u>Metals Spike</u> n Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se	
• Article number: HO		
Details of the supplie Manufacturer/Suppl Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 775 USA 800-256-2586		AQUA
 Information department Technical Coordinate Sherman Nelson sher Emergency telephon Chemtrec: 800-424-9 Canutec: 613-996-66 	or mann@aquasolutions.org e number: 9300	
2 Hazard(s) identif	ication	
· Classification of the	substance or mixture	
GHS03 Fla	ame over circle	
Oxidizing Liquids 2	H272 May intensify fire; oxidizer.	
GHS05 Co	rrosion	
Skin Corrosion 1A	H314 Causes severe skin burns and eye damage.	
Eye Damage 1	H318 Causes serious eye damage.	
GHS07		
Acute Toxicity - Oral	4 H302 Harmful if swallowed.	
 Label elements GHS label elements Hazard pictograms 	The product is classified and labeled according to the Glol	bally Harmonized System (GHS).
GHS03 GHS05	GHS07	
· Signal word Danger		
• Hazard-determining Nitric Acid	components of labeling:	
Aluminum Nitrate		
		(Contd. on page

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Mixed Metals Spike	
300 ppm Al, 100 ppm	Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 1) · Hazard statements May intensify fire; oxidizer. Harmful if swallowed. Causes severe skin burns and eye damage. · Precautionary statements Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0The substance possesses oxidizing properties. · HMIS-ratings (scale 0 - 4)



• Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

	c terization: Mixtures ture of the substances listed below with nonhazardous additions.	
· Dangerous comp	ponents:	
CAS: 7697-37-2	Nitric Acid	5.1%
CAS: 7784-27-2	Aluminum Nitrate	0.409%
	(Conto	l. on page 3)

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

		(Contd. of page 2)
· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	94.346%
CAS: 7782-61-8	Ferric Nitrate	0.071%
CAS: 7647-01-0	Hydrochloric Acid	0.056%
CAS: 7789-02-8	Chromium Nitrate Nonahydrate	0.008%
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	0.005%
CAS: 19004-19-4	Cupric Nitrate Hydrate	0.004%
CAS: 13478-00-7	Nickel Nitrate, Reagent Grade, Crystal	0.001%
CAS: 7446-08-4	selenium dioxide	0.001%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing: Immediately call a doctor.*

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

(Contd. on page 4)

US

Printing date 06/06/2024

Reviewed on 06/06/2024

Ensure adequate v Reference to other See Section 7 for i See Section 8 for i See Section 13 for		(Contd. of page
PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 7784-27-2	Aluminum Nitrate	83 mg/m ³
CAS: 7782-61-8	Ferric Nitrate	22 mg/m ³
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
CAS: 10196-18-6	Zinc Nitrate, Reagent Grade	27 mg/m ³
CAS: 19004-19-4	Cupric Nitrate Hydrate	42 mg/m ³
CAS: 13478-00-7	Nickel Nitrate, Reagent Grade, Crystal	1.5 mg/m ³
CAS: 7446-08-4	selenium dioxide	0.84 mg/n
PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 7784-27-2	Aluminum Nitrate	920 mg/n
CAS: 7782-61-8	Ferric Nitrate	110 mg/n
CAS: 7647-01-0	Hydrochloric Acid	22 ppm
	Zinc Nitrate, Reagent Grade	300 mg/n
	Cupric Nitrate Hydrate	150 mg/n
CAS: 13478-00-7	Nickel Nitrate, Reagent Grade, Crystal	53 mg/m ³
CAS: 7446-08-4	selenium dioxide	1.6 mg/m
<i>PAC-3:</i>		
	Nitric Acid	92 ppm
	Aluminum Nitrate	5,500 mg/n
	Ferric Nitrate	640 mg/m ³
	Hydrochloric Acid	100 ppm
	Zinc Nitrate, Reagent Grade	1,800 mg/n
	Cupric Nitrate Hydrate	240 mg/m ³
	Nickel Nitrate, Reagent Grade, Crystal	320 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 5)

[–] US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 4)

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 7697-37-2 Nitric Acid

- PEL Long-term value: 5 mg/m³, 2 ppm
- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor, NIC-A4

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Mixed Metals Spike 300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 5)

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties	
General Information		
Appearance:	x · · · x	
Form: Color:	Liquid Clear	
· Odor:	Odorless	
• Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.01961 g/cm ³ (8.50865 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	94.3 %	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	

Printing date 06/06/2024

Reviewed on 06/06/2024

(Contd. of page 6)

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

Solids content:

0.5 %

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 898 mg/kg

Inhalative LC50/4h 58.8 mg/l

· Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 13478-00-7 Nickel Nitrate, Reagent Grade, Crystal	1
CAS: 7446-08-4 selenium dioxide	3
· NTP (National Toxicology Program)	
CAS: 13478-00-7 Nickel Nitrate, Reagent Grade, Crystal	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

(Contd. on page 8)

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 7)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot DOT$	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitra
	Acid)
· Transport hazard class(es)	
·DOT	
CORROSIVE 8	
· Class	8 Corrosive substances

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

	(Contd. of page
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
	(NITRIC ACID), 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

 · Section 355 (extremely hazardous substances):

 CAS: 7697-37-2
 Nitric Acid

 · Section 313 (Specific toxic chemical listings):

 CAS: 7697-37-2
 Nitric Acid

 CAS: 7784-27-2
 Aluminum Nitrate

 CAS: 7782-61-8
 Ferric Nitrate

 CAS: 7789-02-8
 Chromium Nitrate Nonahydrate

 CAS: 10196-18-6
 Zinc Nitrate, Reagent Grade

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Mixed Metals Spike

300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

	(Contd. of page
CAS: 13478-00-7 Nickel Nitrate, Reagent Grade, Crystal	
CAS: 7446-08-4 selenium dioxide	
TSCA (Toxic Substances Control Act):	
Water	ACTIVI
Nitric Acid	ACTIVI
Hydrochloric Acid	ACTIVI
selenium dioxide	ACTIVI
Hazardous Air Pollutants	· ·
CAS: 7647-01-0 Hydrochloric Acid	
CAS: 7446-08-4 selenium dioxide	
Proposition 65	
Chemicals known to cause cancer:	
CAS: 13478-00-7 Nickel Nitrate, Reagent Grade, Crystal	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
CAS: 13478-00-7 Nickel Nitrate, Reagent Grade, Crystal	
- · · ·	

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 7446-08-4 selenium dioxide

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 13478-00-7 Nickel Nitrate, Reagent Grade, Crystal

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Nitric Acid Aluminum Nitrate
Hazard statements May intensify fire; oxidizer. Harmful if swallowed.

Causes severe skin burns and eye damage.

• **Precautionary statements** Keep away from heat. Keep/Store away from clothing/combustible materials.

(Contd. on page 11)

D

⁻ US

Printing date 06/06/2024

Reviewed on 06/06/2024

Trade name: Mixed Metals Spike 300 ppm Al, 100 ppm Fe, 10 ppm Cr, Cu, Ni, Zn, 0.5 ppm Se

(Contd. of page 10)

Take any precaution to avoid mixing with combustibles. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/05/2024: Reviewed SDS for accuracy. MH/STN 06/06/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Oxidizing Liquids 2: Oxidizing liquids - Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1
- * Data compared to the previous version altered.

US -