Printing date 05/23/2024

Reviewed on 05/23/2024

Identification	
Product identifier	
Trade name: Nitric Acid 2% v/v	
in Isopropyl Alcohol	
Article number: ND416	
Details of the supplier of the safety data shee	t 🔰
Manufacturer/Supplier:	AQUA
Aqua Solutions, Inc. 6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.or	·g
<i>Emergency telephone number:</i> <i>Chemtrec: 800-424-9300</i>	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS05 Corrosion	
Skin Connection 14	H214 Causes severe skin hume and we deman
Skin Corrosion 1A	H314 Causes severe skin burns and eye damage.
Skin Corrosion 1A Eye Damage 1	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Eye Damage 1	
Eye Damage 1 GHS07	H318 Causes serious eye damage.
Eye Damage 1 GHS07	
Eye Damage 1 GHS07	H318 Causes serious eye damage.
Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Expos Label elements GHS label elements The product is classified	H318 Causes serious eye damage. Sure 3 H336 May cause drowsiness or dizziness.
Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Expos Label elements	H318 Causes serious eye damage. Sure 3 H336 May cause drowsiness or dizziness.
Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Expos Label elements GHS label elements The product is classified	H318 Causes serious eye damage.
Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Expos Label elements GHS label elements The product is classified	H318 Causes serious eye damage. Sure 3 H336 May cause drowsiness or dizziness.
Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Expos Label elements GHS label elements The product is classified	H318 Causes serious eye damage. Sure 3 H336 May cause drowsiness or dizziness.
Eye Damage 1 GHS07 Specific Target Organ Toxicity - Single Expos Label elements GHS label elements The product is classified	H318 Causes serious eye damage. Sure 3 H336 May cause drowsiness or dizziness.
Eye Damage 1	H318 Causes serious eye damage. Sure 3 H336 May cause drowsiness or dizziness.
Eye Damage 1	H318 Causes serious eye damage. Sure 3 H336 May cause drowsiness or dizziness. and labeled according to the Globally Harmonized System (GHS).
Eye Damage 1	H318 Causes serious eye damage. Sure 3 H336 May cause drowsiness or dizziness. and labeled according to the Globally Harmonized System (GHS).
Eye Damage 1	H318 Causes serious eye damage. Sure 3 H336 May cause drowsiness or dizziness. and labeled according to the Globally Harmonized System (GHS).

Printing date 05/23/2024

Trade name: Nitric Acid 2% v/v in Isopropyl Alcohol Reviewed on 05/23/2024

	(Contd. of page
Hazard statem	
	ble liquid and vapor.
	skin burns and eye damage.
	wsiness or dizziness.
Precautionary	
	n heat/sparks/open flames/hot surfaces No smoking.
	container and receiving equipment.
	proof electrical/ventilating/lighting/equipment.
Use only non-s	
	nary measures against static discharge.
	dusts or mists.
	ly after handling.
	ors or in a well-ventilated area.
	e gloves/protective clothing/eye protection/face protection.
	Rinse mouth. Do NOT induce vomiting.
IF INHALED:	air): Take off immediately all contaminated clothing. Rinse skin with water/shower. Remove person to fresh air and keep comfortable for breathing.
	se cautiously with water for several minutes. Remove contact lenses, if present and easy to d
Continue rinsi	
	Ill a poison center/doctor.
Specific treatm	ent (see on this label).
Wash contamin	nated clothing before reuse.
In case of fire:	Use CO2, powder or water spray to extinguish.
Store in a well	ventilated place. Keep container tightly closed.
	ventilated place. Keep cool.
Store locked up	
	tents/container in accordance with local/regional/national/international regulations.
Classification	
NFPA ratings	(scale 0 - 4)
	Health = 3
	Fire = 3
	Reactivity = 0
$\checkmark$	-
HMIS-ratings	(scale 0 - 4)
HEALTH 2	Health = 2
FIRE 3	Fire = 3
REACTIVITY 0	Reactivity = 0
Other hazards	
	and vPvB assessment
<b>PBT:</b> Not appl	
vPvB: Not app	licable.
Composition	n/information on ingredients

• **Description:** Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

CAS: 67-63-0 Isopropanol

96.24% (Contd. on page 3)

US -

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Nitric Acid 2% v/v in Isopropyl Alcohol

CAS: 7697-37-2 Nitric Acid

(Contd. of page 2) 3.761%

### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- $\cdot$  Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

-	<b>tions, protective equipment and emergency procedures</b> y protective device.	
*	equipment. Keep unprotected persons away.	
	<b>recautions:</b> Do not allow to enter sewers/ surface or ground water.	
	terial for containment and cleaning up:	
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing	agent.	
Dispose contami	nated material as waste according to section 13.	
Ensure adequate	ventilation.	
· Reference to oth	er sections	
•	information on safe handling.	
•	information on personal protection equipment.	
	r disposal information.	
	a Criteria for Chemicals	
· PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 7697-37-2	Nitric Acid	0.16 ppm
· PAC-2:		
CAS: 67-63-0	Isopropanol	2000* ppm

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Nitric Acid 2% v/v in Isopropyl Alcohol

(Contd. of page 3)

· PAC-3:		
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 7697-37-2	Nitric Acid	92 ppm

## 7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

#### · Control parameters

· Com	· Components with limit values that require monitoring at the workplace:	
CAS	: 67-63-0 Isopropanol	
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm	
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm	
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4	
CAS	: 7697-37-2 Nitric Acid	
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm	
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm	
TLV	Short-term value: (4) NIC-0.025* ppm Long-term value: (2) ppm *inh. fraction + vapor, NIC-A4	
	(Contd. on page 5)	

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Nitric Acid 2% v/v in Isopropyl Alcohol

(Contd. of page 4)

Ingredients with biological limit values:	(Contd. of page
CAS: 67-63-0 Isopropanol	
BEI 40 mg/L	
LD50 Intraperitoneal: urine	
Time: end of shift at end of workweek	
LD50: Acetone (background, nonspecific)	
Additional information: The lists that were valid during the creation v	were used as basis.
Exposure controls	
Personal protective equipment:	
General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
Breathing equipment:	
In case of brief exposure or low pollution use respiratory filter device.	. In case of intensive or longer exposure
respiratory protective device that is independent of circulating air.	
Protection of hands:	
Protective gloves	
The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be chemical mixture.	
Selection of the glove material on consideration of the penetration time Material of gloves	es, rates of diffusion and the degradation
The selection of the suitable gloves does not only depend on the mater varies from manufacturer to manufacturer. As the product is a prepare the glove material can not be calculated in advance and has therefore	ation of several substances, the resistanc
Penetration time of glove material	
The exact break through time has to be found out by the manufactu observed.	arer of the protective gloves and has to
Eye protection:	
Tightly sealed goggles	
Body protection: Protective work clothing	
Physical and chemical properties	
v <u> </u>	
Information on basic physical and chemical properties	
General Information	

· Appearance:

Form:	Liquid
Color:	Yellow
· Odor:	IPA

(Contd. on page 6)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Nitric Acid 2% v/v in Isopropyl Alcohol

Odor threshold:	(Contd. of page Not determined.
<i>pH-value at 20 °C (68 °F):</i>	<2
Change in condition	
Melting point/Melting range:	-89.5 °C (-129.1 °F) 82 °C (179.6 °F)
Boiling point/Boiling range:	
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	0.79936 g/cm³ (6.67066 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	<b>pr):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	96.2 %
VOC content:	96.24 %
	769.3 g/l / 6.42 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Nitric Acid 2% v/v in Isopropyl Alcohol

(Contd. of page 6)

· Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

#### • Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 79.8 mg/l

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive* 

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)

3

Printing date 05/23/2024

Trade name: Nitric Acid 2% v/v in Isopropyl Alcohol

(Contd. of page 7)

Reviewed on 05/23/2024

• Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.* 

UN-Number	
DOT, IMDG, IATA	UN2924
UN proper shipping name	
DOT	Flammable liquids, corrosive, n.o.s. (Isopropanol , Nitric Acid)
IMDG, IATA	, Nince Acta) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Isopropanol , Nitric Acid)
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids 3, 8
IMDG	
Class	3 Flammable liquids
Label	3/8
IATA	
Class	3 Flammable liquids
Label	3 (8)
Packing group DOT, IMDG, IATA	II

JS —

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Nitric Acid 2% v/v in Isopropyl Alcohol

	(Contd. of page
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code)	: 338
EMS Number:	F- $E$ , $S$ - $C$
Segregation groups	(SGG1a) Strong acids
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 5 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S
-	(ISOPROPANOL
	, NITRIC ACID), 3 (8), II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

·Sara	
· Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
• Section 313 (Specific toxic chemical listings):	
All ingredients are listed.	
· TSCA (Toxic Substances Control Act):	
Isopropanol	ACTIV
Nitric Acid	ACTIV
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
	(Contd. on page

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Nitric Acid 2% v/v in Isopropyl Alcohol

(Contd. of page 9)

A4

US

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 67-63-0 Isopropanol

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling: Isopropanol Nitric Acid · Hazard statements Highly flammable liquid and vapor. Causes severe skin burns and eye damage. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. (Contd. on page 11)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Nitric Acid 2% v/v in Isopropyl Alcohol

(Contd. of page 10)

Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Environment protection department.

#### · Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/23/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 08-27-2014. STN 05/23/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

• \* Data compared to the previous version altered.