Printing date 06/03/2024

Reviewed on 06/03/2024

Product identifier		
Trade name: Tetramet	thylammonium	
	le 10.0% (w/w) Aqueous	
Article number: T4030)	
	of the safety data sheet	
Manufacturer/Supplie	<i>r</i> :	
Aqua Solutions, Inc. 6913 Highway 225		SOLUTIONS
DEER PARK, TX 7753	6	
USA		
800-256-2586		
Information department		
Technical Coordinator	hann@aquasolutions.org	
Emergency telephone		
Chemtrec: 800-424-93	00	
Canutec: 613-996-6666	6	
Hazard(s) identific	ation	
Classification of the su		
GHS02 Flan	ne	
	ne H225 Highly flammable liquid and vap	por.
		por.
Flammable Liquids 2		por.
Flammable Liquids 2	H225 Highly flammable liquid and va	por.
Flammable Liquids 2	H225 Highly flammable liquid and va	por.
Flammable Liquids 2	H225 Highly flammable liquid and vap l and crossbones	por.
Flammable Liquids 2	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin.	por.
Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion	
Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey	
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion	
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1 Label elements	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey H318 Causes serious eye damage.	re damage.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1 Label elements GHS label elements Th	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey H318 Causes serious eye damage.	re damage.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1 Label elements	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey H318 Causes serious eye damage.	re damage.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1 Label elements GHS label elements Th	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey H318 Causes serious eye damage.	re damage.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1 Label elements GHS label elements Th	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey H318 Causes serious eye damage.	re damage.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1 Label elements GHS label elements Th Hazard pictograms	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey H318 Causes serious eye damage.	re damage.
Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS02 GHS05 C	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey H318 Causes serious eye damage. the product is classified and labeled accord.	re damage.
Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS02 GHS05 C Signal word Danger	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey H318 Causes serious eye damage. the product is classified and labeled accord.	re damage.
Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS02 GHS05 C Signal word Danger Hazard-determining co	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey H318 Causes serious eye damage. the product is classified and labeled accord. GHS06	
Flammable Liquids 2 GHS06 Skull Acute Toxicity - Derma GHS05 Corr Skin Corrosion 1B Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS02 GHS05 C Signal word Danger	H225 Highly flammable liquid and vap l and crossbones al 1 H310 Fatal in contact with skin. rosion H314 Causes severe skin burns and ey H318 Causes serious eye damage. the product is classified and labeled accord. GHS06	re damage.

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Tetramethylammonium Hydroxide 10.0% (w/w) Aqueous

(Contd. of page 1) (Contd. of page 1)
Causes severe skin burns and eye damage.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dusts or mists.
Do not get in eyes, on skin, or on clothing.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Take off immediately all contaminated clothing and wash it before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
$\begin{array}{c} \textbf{3} \\ \textbf{Health} = 4 \\ Fire = 3 \end{array}$
4 0 Fire = 3 Reactivity = 0
$\mathbf{V} = \mathbf{V}$
· HMIS-ratings (scale 0 - 4)
$\frac{\text{HEALTH}}{\text{Health}} = *4$
FIRE 3 Fire = 3
REACTIVITY 0 Reactivity = 0
• Other hazards
· Other mazards · Results of PBT and vPvB assessment
· PBT: Not applicable.
• vPvB : Not applicable.
3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 75-59-2 tetramethylammonium hydroxide

90.0% (Contd. on page 3)

-US

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Tetramethylammonium Hydroxide 10.0% (w/w) Aqueous

(Contd. of page 2)

10.0%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
· Environmental precautions:	
Dilute with plenty of water.	
Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 75-59-2 tetramethylammonium hydroxide	0.0093 mg/m ³
	(Contd. on page 4)

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Tetramethylammonium Hydroxide 10.0% (w/w) Aqueous

(Contd. of page 3)

 $0.1 mg/m^3$

 $0.62 \ mg/m^3$

· PAC-3:

· PAC-2:

CAS: 75-59-2 tetramethylammonium hydroxide

CAS: 75-59-2 tetramethylammonium hydroxide

7 Handling and storage

- · Handling:
- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US –

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Tetramethylammonium Hydroxide 10.0% (w/w) Aqueous

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Ammonia-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	12 °C (53.6 °F)
Flammability (solid, gaseous):	Highly flammable.
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Tetramethylammonium Hydroxide 10.0% (w/w) Aqueous

		(Contd. of page 2
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	10.0 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 5.56 mg/kg

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

 $(Contd. \ on \ page \ 7)$

____US

Printing date 06/03/2024

Reviewed on 06/03/2024

(Contd. of page 6)

Trade name: Tetramethylammonium

Hydroxide 10.0% (w/w) Aqueous

Very toxic

Danger through skin absorption.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1835
· UN proper shipping name	
$\cdot DOT$	Tetramethylammonium hydroxide solution
· IMDG, IATA	TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION

US

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name:	: Tetramethylammonium	
	Hydroxide 10.0% (w/w) Aqueous	

— . 1 1 1 4 3	(Contd. of page
Transport hazard class(es)	
DOT	
8	
Class Label	8 Corrosive substances 8
	0
IMDG, IATA	
<u>ii</u> <u>ii</u>	
8	
Class	8 Corrosive substances
Label	8
	-
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	<i>F-A,S-B</i>
Segregation groups Stowage Category	(SGG2) Ammonium compounds, (SGG18) alkalis A
Segregation Code	SG35 Stow "separated from" SGG1-acids
	5055 Slow separated from 5001 detas
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
	Noi applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 5 L
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E2 Maximum not quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1835 TETRAMETHYLAMMONIUM HYDROXID
	SOLUTION, 8, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Tetramethylammonium Hydroxide 10.0% (w/w) Aqueous

	(Contd. of page
Sara	(contai of page
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
tetramethylammonium hydroxide	ACTIVE
Water	ACTIVE
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: tetramethylammonium hydroxide
Hazard statements Highly flammable liquid and vapor. Fatal in contact with skin. Causes severe skin burns and eye damage.
Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Tetramethylammonium Hydroxide 10.0% (w/w) Aqueous

(Contd. of page 9)

Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: • Date of preparation / last revision

Revision 1.2, 05/31/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 11-14-2016: Creation date for SDS. STN 06/03/2024

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Dermal 1: Acute toxicity - Category 1 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 • * Data compared to the previous version altered.