Printing date 06/03/2024

Reviewed on 06/03/2024

Product identifier	
Trade name: <u>Triethylamine, Certified</u>	
Article number: T8002	
CAS Number:	
121-44-8	
EC number:	
204-469-4	
Index number:	SOLUTIONS
612-004-00-5	
Details of the supplier of the safety data s	sheet
Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225	
DEER PARK, TX 77536	
USA 800 256 2586	
800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolution	<i>is.org</i>
Technical Coordinator	5 org
Sherman Nelson shermann@aquasolution Emergency telephone number:	s.org
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
Hazard(s) identification	e
	e
Hazard(s) identification	e
Hazard(s) identification Classification of the substance or mixture GHS02 Flame	
Hazard(s) identification Classification of the substance or mixture	e H225 Highly flammable liquid and vapor.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2	
Hazard(s) identification Classification of the substance or mixture GHS02 Flame	
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	H225 Highly flammable liquid and vapor.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	H225 Highly flammable liquid and vapor.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS05 Corrosion	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin. H331 Toxic if inhaled.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS05 Corrosion Skin Corrosion 1A	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS05 Corrosion	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin. H331 Toxic if inhaled.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS05 Corrosion Skin Corrosion 1A Eye Damage 1	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS05 Corrosion Skin Corrosion 1A	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Hazard(s) identification Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4	H225 Highly flammable liquid and vapor. H311 Toxic in contact with skin. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage.

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Triethylamine, Certified

(Contd. of page 1)



(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Triethylamine, Certified

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

- · CAS No. Description
- CAS: 121-44-8 N,N-Diethylethanamine
- · Identification number(s)
- EC number: 204-469-4
- Index number: 612-004-00-5

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- *Environmental precautions: Dilute with plenty of water.*

(Contd. on page 4)

US

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Triethylamine, Certified

(Contd. of page 3)

	(conta. of page 3)
Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to section 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1 : 1 ppm	
• PAC-2: 170 ppm	
• PAC-3: 1,000 ppm	

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 121-44-8 N,N-Diethylethanamine

- PEL Long-term value: 100 mg/m³, 25 ppm
- TLV Short-term value: 1 ppm Long-term value: 0.5 ppm Skin, A4
 - *SKIII, A4*

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

US

Printing date 06/03/2024

*

Reviewed on 06/03/2024

(Contd. on page 6)

US

Trade name: Triethylamine, Certified

• Decomposition temperature:

Wash hands before breaks and at the	(Contd. of page 4)
Store protective clothing separately.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
• Breathing equipment: In case of brief exposure or low pollu- respiratory protective device that is in • Protection of hands:	tion use respiratory filter device. In case of intensive or longer exposure use dependent of circulating air.
Protective gloves	
	able and resistant to the product/ the substance/ the preparation. tion to the glove material can be given for the product/ the preparation/ the
	sideration of the penetration times, rates of diffusion and the degradation
The selection of the suitable gloves do varies from manufacturer to manufact	pes not only depend on the material, but also on further marks of quality and turer.
• Penetration time of glove material	
	be found out by the manufacturer of the protective gloves and has to be
observed. • Eye protection:	
• Body protection: Protective work clot	hing
9 Physical and chemical properti	ies
 Information on basic physical and ch General Information 	iemicai properties
· Appearance:	
Form:	Liquid
Color:	Colorless
· Odor:	Ammonia-like
· Odor threshold:	Not determined.
· pH-value:	15
· Change in condition	
Melting point/Melting range:	-115 °C (-175 °F)
Melting point/Melting range: Boiling point/Boiling range:	-115 °C (-175 °F) 88.8 °C (191.8 °F)
Boiling point/Boiling range:	88.8 °C (191.8 °F)

Not determined.

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Triethylamine, Certified

	(Contd. of page 5
· Ignition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	1.2 Vol %
Upper:	8 Vol %
· Vapor pressure at 20 °C (68 °F):	68.99 hPa (51.7 mm Hg)
· Density at 20 °C (68 °F):	0.726 g/cm ³ (6.05847 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water at 20 °C (68 °F):	112 g/l
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral		500 mg/kg (ATE)
		300 mg/kg (ATE)
Inhalative	LC50/4h	3 mg/l (ATE)

• Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

(Contd. on page 7)

US -

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Triethylamine, Certified

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1296	
· UN proper shipping name		
$\cdot DOT$	Triethylamine	
· IMDG, IATA	TRIETHYLAMINE	

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Triethylamine, Certified

Transport hazard class(es)	(Contd. o	18
•		
DOT		
3 8		
Class	3 Flammable liquids	
Label	3, 8	
IMDG		
V V		
Class	3 Flammable liquids	
Label	3/8	
IATA		
3 8		
Class	3 Flammable liquids	
Label	3 (8)	
Packing group		
DOT, IMDG, IATA	II	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Warning: Flammable liquids	
Hazard identification number (Kemler code):		
EMS Number:	F-E,S-C	
Stowage Category	B	
Stowage Code	SW2 Clear of living quarters.	
Segregation Code	SG35 Stow "separated from" SGG1-acids	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 1 L	
	On cargo aircraft only: 5 L	
Hazardous substance:	5000 lbs, 2270 kg	
IMDG		
Limited quantities (LQ)		
Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
	(Contd. or	n pag

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Triethylamine, Certified

• UN "Model Regulation":

UN 1296 TRIETHYLAMINE, 3 (8), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) A4
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. Toxic in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause respiratory irritation. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. (Contd. on page 10)

_____I

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Triethylamine, Certified

(Contd. of page 9) If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor/Product Safety Department.

Specific measures (see on this label).

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

• Date of preparation / last revision Revision 1.2, 06/03/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 10-16-2014. STN 06/03/2024

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Acute Toxicity - Dermal 3: Acute toxicity - Category 3 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 • * Data compared to the previous version altered.

US