Printing date 05/08/2024

\*

Reviewed on 05/08/2024

Identification	
Product identifier	
Trade name: <u>Copper Sulfate Solution</u> Test B-1	
Article number: CCS001	
Details of the supplier of the safety data she Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.o Technical Coordinator Sherman Nelson shermann@aquasolutions.o Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
GHS08 Health hazard	xposure 2 H373 May cause damage to organs through prolonged
GHS08 Health hazard	xposure 2 H373 May cause damage to organs through prolonged repeated exposure.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated E.	
Specific Target Organ Toxicity - Repeated E. GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements	repeated exposure. H314 Causes severe skin burns and eye damage.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated E. GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classified	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated E. GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classified	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated E. GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classified Hazard pictograms	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
GHS08 Health hazard Specific Target Organ Toxicity - Repeated E. GHS05 Corrosion Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The product is classified Hazard pictograms	repeated exposure. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. d and labeled according to the Globally Harmonized System (GHS)

US

Printing date 05/08/2024

Reviewed on 05/08/2024

Trade name: Copper Sulfate Solution Test B-1

	(Contd. of page 1
Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/showe	r
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen	t and easy to do
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulatio	ns.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = $0$	
3 $0$ Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 3 $Health = 3$	
FIRE 0 $Fire = 0$	
$\frac{1}{\text{REACTIVITY 0}} Reactivity = 0$	
neactivity - 0	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
vPvB: Not applicable.	
Composition/information on ingredients	
Chamical abangstanization. Mintunas	
<i>Chemical characterization: Mixtures</i> <i>Description: Mixture of the substances listed below with nonhazardous additions.</i>	
- · · · · · · · · · · · · · · · · · · ·	
Dangerous components:	10 01 201
CAS: 7758-99-8 Cupric Sulfate Pentahydrate	10.013%
CAS: 7647-01-0 Hydrochloric Acid	9.943%
Table of Nonhazardous Ingredients	

CAS: 7732-18-5 Water

## 4 First-aid measures

\*

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

80.044%

Printing date 05/08/2024

Reviewed on 05/08/2024

Trade name: Copper Sulfate Solution Test B-1

(Contd. of page 2)

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### **6** Accidental release measures

· Personal precau	tions, protective equipment and emergency procedures	
	y protective device.	
Wear protective	equipment. Keep unprotected persons away.	
· Environmental p		
Do not allow pro	duct to reach sewage system or any water course.	
Inform respective	e authorities in case of seepage into water course or sewage system.	
Dilute with plent		
	enter sewers/ surface or ground water.	
	terial for containment and cleaning up:	
-	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing		
	nated material as waste according to section 13.	
Ensure adequate		
· Reference to oth		
	information on safe handling.	
	information on personal protection equipment.	
	r disposal information.	
· Protective Action	ı Criteria for Chemicals	
· PAC-1:		
CAS: 7758-99-8	Cupric Sulfate Pentahydrate	12 mg/m <sup>3</sup>
CAS: 7647-01-0	Hydrochloric Acid	1.8 ppm
· PAC-2:		
CAS: 7758-99-8	Cupric Sulfate Pentahydrate	32 mg/m <sup>3</sup>
CAS: 7647-01-0		22 ppm
· PAC-3:	Hydrochloric Acid	
· I AC-5.	Hydrochloric Acid	
	Hydrochloric Acid Cupric Sulfate Pentahydrate	190 mg/m <sup>3</sup>

(Contd. on page 4)

Printing date 05/08/2024

Reviewed on 05/08/2024

Trade name: Copper Sulfate Solution Test B-1

(Contd. of page 3)

### 7 Handling and storage

- · Handling:
- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 7647-01-0 Hydrochloric Acid		
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m <sup>3</sup>	
PEL	Ceiling limit value: 7 mg/m³, 5 ppm	
REL	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 2 ppm	
	A4	

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

us

Printing date 05/08/2024

Reviewed on 05/08/2024

Trade name: Copper Sulfate Solution Test B-1

(Contd. of page 4)

US

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

	7 · 7 /·	
Information on basic physical and c General Information	hemical properties	
Appearance:		
Form:	Liquid	
Color:	Blue	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.14348 g/cm <sup>3</sup> (9.54234 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	

Printing date 05/08/2024

Reviewed on 05/08/2024

Trade name: Copper Sulfate Solution Test B-1

	(Contd	l. of page
· Partition coefficient (n-octan	nol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	80.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	10.0 %	
• Other information	No further relevant information available.	

## **10** Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive* 

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)

US —

Printing date 05/08/2024

Reviewed on 05/08/2024

Trade name: Copper Sulfate Solution Test B-1

(Contd. of page 6)

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN3264
	0115204
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric Acid)
·IMDG	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
	(Hydrochloric Acid, Cupric Sulfate Pentahydrate), MARINI
	POLLUTANT
IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
*****	(Hydrochloric Acid)

(Contd. of page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/08/2024

Reviewed on 05/08/2024

Trade	name:	Copper	Sulfate	Solution
		Test B-1	1	

· Transport hazard class(es)	
·DOT	
CORROSIVE	
· Class · Label	8 Corrosive substances 8
· IMDG	
· Class · Label	8 Corrosive substances 8
	0
· IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Product contains environmentally hazardous substances: Cupric Sulfate Pentahydrate
• Marine pollutant:	Yes Symbol (fish and tree)
• Special precautions for user • Hazard identification number (Kemler code):	Warning: Corrosive substances
· EMS Number:	<i>F-A,S-B</i>
· Segregation groups	(SGG1) Acids
· Stowage Category	B SW2 Clear of living quarters
<ul> <li>Stowage Code</li> <li>Segregation Code</li> </ul>	SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis.
Segregation cour	SG49 Stow "separated from" SGG6-cyanides
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
Demonstra	On cargo aircraft only: 30 L
· Remarks:	Special marking with the symbol (fish and tree).
	(Contd. on page 9)

Printing date 05/08/2024

Reviewed on 05/08/2024

Trade name: Copper Sulfate Solution Test B-1

(Contd. of page 8)

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID), 8, II

# **15 Regulatory information**

\*

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 7758-99-8 Cupric Sulfate Pentahydrate	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Hydrochloric Acid	ACTIVE
· Hazardous Air Pollutants	
CAS: 7647-01-0 Hydrochloric Acid	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value)	
None of the ingredients is listed.	
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

Printing date 05/08/2024

Reviewed on 05/08/2024

Trade name: Copper Sulfate Solution Test B-1

	(Contd. of page
Hazard pictograms	
$\wedge \wedge$	
GHS05 GHS08	
01003 01000	
Signal word Danger	
Hazard-determining components of labeling:	
Hydrochloric Acid	
Cupric Sulfate Pentahydrate	
Hazard statements	
Causes severe skin burns and eye damage.	
May cause damage to organs through prolonged or repeated exposure.	
Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin w	ith water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact le	enses, if present and easy to a
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/interna	tional regulations.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Date of Pre
- Date of Preparation / Last Revision: • Date of preparation / last revision Revision 0.0, 11-05-2015: creation date for SDS. STN Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN 05/08/2024
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

(Contd. on page 11)

<sup>-</sup> US

Printing date 05/08/2024

Reviewed on 05/08/2024

Trade name: Copper Sulfate Solution Test B-1

(Contd. of page 10)

US

	(Conta. of
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2	
• * Data compared to the previous version altered.	