Printing date 05/16/2024

Reviewed on 05/16/2024

1 Identification

- · Product identifier
- Trade name: Colorimetric Color Std. Color = 2.0
- · Article number: LY072B
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification





Sensitization - Respiratory 1

Carcinogenicity 1BH350 May cause cancer.Toxic to Reproduction 1BH360 May damage fertility or the unborn child.Specific Target Organ Toxicity - Repeated Exposure 2H373 May cause damage to organs through prolonged or
repeated exposure.



Skin Corrosion 1A Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

H334 May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labeling: Hydrochloric Acid*

(Contd. on page 2)



⁻ US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Colorimetric Color Std. Color = 2.0

(Contd.	. of page 1)
Cobalt Chloride Hexahydrate	
· Hazard statements	
Causes severe skin burns and eye damage.	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
May cause cancer.	
May damage fertility or the unborn child.	
May cause damage to organs through prolonged or repeated exposure.	
· Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and ea.	sy to do
Continue rinsing.	sy 10 u0.
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 0 Fire = 0	
REACTIVITY 0 Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
2 Comparision (information on incompliants)	
3 Composition/information on ingredients	
Chemical characterization. Mixtures	

· Chemical characterization: Mixtures

 $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$

· Dangerous components:			
CAS: 7647-01-0	Hydrochloric Acid	2.85%	
CAS: 7791-13-1	Cobalt Chloride Hexahydrate	0.179%	
		(Contd. on page 3)	

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Colorimetric Color Std. Color = 2.0

		(Contd. of page 2)	
· Table of Nonhazardous Ingredients			
CAS: 7732-18-5	Water	96.635%	
CAS: 10025-77-1	Ferric Chloride Hexahydrate	0.274%	
CAS: 7758-99-8	Cupric Sulfate Pentahydrate	0.063%	

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
• Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
• Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 4)

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Colorimetric Color Std. Color = 2.0

· Protective Action Criteria for Chemicals	(Contd. of page 3
· PAC-1:	
CAS: 7647-01-0 Hydrochloric Acid	1.8 ppm
CAS: 10025-77-1 Ferric Chloride Hexahydrate	15 mg/m ³
CAS: 7791-13-1 Cobalt Chloride Hexahydrate	0.24 mg/m ³
CAS: 7758-99-8 Cupric Sulfate Pentahydrate	12 mg/m ³
PAC-2:	
CAS: 7647-01-0 Hydrochloric Acid	22 ppm
CAS: 10025-77-1 Ferric Chloride Hexahydrate	39 mg/m ³
CAS: 7791-13-1 Cobalt Chloride Hexahydrate	25 mg/m ³
CAS: 7758-99-8 Cupric Sulfate Pentahydrate	32 mg/m ³
PAC-3:	
CAS: 7647-01-0 Hydrochloric Acid	100 ppm
CAS: 10025-77-1 Ferric Chloride Hexahydrate	240 mg/m ³
CAS: 7791-13-1 Cobalt Chloride Hexahydrate	150 mg/m ³
CAS: 7758-99-8 Cupric Sulfate Pentahydrate	190 mg/m ²

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

	CAS: 7647-01-0 Hydrochloric Acid	
ſ	NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³
	PEL	Ceiling limit value: 7 mg/m³, 5 ppm
	REL	Ceiling limit value: 7 mg/m ³ , 5 ppm
1		(Contd. on page 5)

-US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Colorimetric Color Std. Color = 2.0

Color = 2.0				
	(Contd. of page 4)			
TLV	Ceiling limit value: 2 ppm			
	A4			
• Additional information: The l	ists that were valid during the creation were used as basis.			
· Exposure controls				
· Personal protective equipmen	<i>t:</i>			
· General protective and hygien				
Keep away from foodstuffs, be				
Immediately remove all soiled	•			
Wash hands before breaks and				
Store protective clothing separ	rately.			
Avoid contact with the eyes. Avoid contact with the eyes an	d okin			
• Breathing equipment:	u skin.			
	w pollution use respiratory filter device. In case of intensive or longer exposure use			
	hat is independent of circulating air.			
· Protection of hands:				
 Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eventorian: 				
Tightly sealed gogg				
=, p				

 Information on basic physical an General Information 	nd chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Orange-Brown	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
• <i>pH-value at 20 °C (68 °F):</i>	<2	

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Colorimetric Color Std. Color = 2.0

		(Contd. of page 5)
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0062 g/cm ³ (8.39674 lbs/gal)	
Relative density	Not determined.	
· Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
• Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	96.6 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.5 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Colorimetric Color Std. Color = 2.0

(Contd. of page 6)

2B

11 Toxicological information

· Information on toxicological effects

- Acute toxicity:
- · Primary irritant effect:

 \cdot on the skin: Strong caustic effect on skin and mucous membranes.

- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: Sensitization possible through inhalation.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7791-13-1 Cobalt Chloride Hexahydrate

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 8)

US

[·] Toxicity

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Colorimetric Color Std. Color = 2.0

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	Not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	Not regulated	
· Packing group · DOT, IMDG, IATA	Not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):			
None of the ingredients is listed.			
· Section 313 (Specific toxic chemical listings):			
CAS: 7791-13-1	CAS: 7791-13-1 Cobalt Chloride Hexahydrate		
CAS: 7758-99-8	CAS: 7758-99-8 Cupric Sulfate Pentahydrate		
· TSCA (Toxic Substances Control Act):			
Water		ACTIVE	
Hydrochloric Acid AC		ACTIVE	
· Hazardous Air Pollutants			
CAS: 7647-01-0	Hydrochloric Acid		
CAS: 7791-13-1	Cobalt Chloride Hexahydrate		
		(Contd. on page 9)	

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Colorimetric Color Std.

Color = 2.0

(Contd. of page 8)

· Proposition 65

\cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Hydrochloric Acid Cobalt Chloride Hexahydrate · Hazard statements Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause cancer. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention.

(Contd. on page 10)

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Colorimetric Color Std. Color = 2.0

(Contd. of page 9)

Specific treatment (see on this label). Get medical advice/attention if you feel unwell. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/16/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 12-28-2015: creation date for SDS. STN 05/16/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 Sensitization - Respiratory 1: Respiratory sensitisation - Category 1 Carcinogenicity 1B: Carcinogenicity - Category 1B Toxic to Reproduction 1B: Reproductive toxicity – Category 1B Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 \cdot * Data compared to the previous version altered.

US