Printing date 07/24/2024

Reviewed on 07/24/2024

Identification	
Product identifier	
Trade name: Silver Nitrate 0.01N	
in Isopropanol	
Article number: AM035	
Details of the supplier of the safety data	a sheet
Manufacturer/Supplier:	AOUA
Aqua Solutions, Inc.	
6913 Highway 225 DEER PARK, TX 77536	JOEUTIONS
USA	
800-256-2586	
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasoluti	ions ora
Emergency telephone number:	0115.01 g
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mint	
Classification of the substance or mixt	ure
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
· · · · · · · · · · · · · · · · · · ·	
GHS07	
• Onse,	
Skin Irritation 2	H315 Causes skin irritation.
Eye Irritation 2A	H319 Causes serious eye irritation.
-	Exposure 3 H336 May cause drowsiness or dizziness.
Label elements	
	ssified and labeled according to the Globally Harmonized System (GHS).
Hazard pictograms	
$\wedge$	
<u>&lt;        </u>	
CUICO2 CUICO7	
GHS02 GHS07	
Signal word Danger	
Signal word Danger	beling:
Signal word Danger Hazard-determining components of lal Isopropanol	beling:
Signal word Danger Hazard-determining components of lal Isopropanol Hazard statements	beling:
Signal word Danger Hazard-determining components of lal Isopropanol Hazard statements Highly flammable liquid and vapor.	beling:
Signal word Danger Hazard-determining components of lat Isopropanol Hazard statements Highly flammable liquid and vapor. Causes skin irritation.	beling:
Signal word Danger Hazard-determining components of lal Isopropanol Hazard statements Highly flammable liquid and vapor.	beling:

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Silver Nitrate 0.01N in Isopropanol

	(Contd. of page
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present a	nd easy to a
Continue rinsing.	
Call a poison center/doctor if you feel unwell.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 3	
2 0 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 3 $Fire = 3$	
<b>REACTIVITY</b> Reactivity = $0$	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	
Composition/information on ingredients	

• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0	Isopropanol	88.099%
CAS: 7761-88-8	Silver Nitrate	2.082%
		(Contd. on page 3)

US –

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Silver Nitrate 0.01N in Isopropanol

(Contd. of page 2)

9.82%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

	tions, protective equipment and emergency procedures equipment. Keep unprotected persons away.	
Environmental p		
Do not allow pro	duct to reach sewage system or any water course.	
	e authorities in case of seepage into water course or sewage system.	
Dilute with plent		
Do not allow to e	enter sewers/ surface or ground water.	
	terial for containment and cleaning up:	
Absorb with liqui	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contami	nated material as waste according to section 13.	
Ensure adequate	ventilation.	
Reference to oth	er sections	
See Section 7 for	information on safe handling.	
See Section 8 for	information on personal protection equipment.	
See Section 13 fo	r disposal information.	
Protective Action	n Criteria for Chemicals	
PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
CAS: 7761-88-8	Silver Nitrate	$0.047 \ mg/m^3$

*Printing date 07/24/2024* 

Reviewed on 07/24/2024

Trade name: Silver Nitrate 0.01N in Isopropanol

		(Contd. of page 3)
· PAC-2:		
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 7761-88-8	Silver Nitrate	$0.9 mg/m^3$
· PAC-3:		
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 7761-88-8	Silver Nitrate	5.4 mg/m <sup>3</sup>

#### 7 Handling and storage

#### · Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- $\cdot \textit{Specific end use}(s) \textit{ No further relevant information available}.$

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS	: 67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4
· Ingr	edients with biological limit values:
CAS	: 67-63-0 Isopropanol
	40 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: Acetone (background, nonspecific)
	(Contd. on page 5)

(Contd. of page 4)

US

# Safety Data Sheet acc. to OSHA HCS

• Additional information: The lists that were valid during the creation were used as basis.

Printing date 07/24/2024

· Exposure controls

Reviewed on 07/24/2024

Trade name: Silver Nitrate 0.01N in Isopropanol

· Personal protective equipment:	
· General protective and hygienic me	easures:
Keep away from foodstuffs, beverag	
Immediately remove all soiled and c	
Wash hands before breaks and at th	e end of work.
Avoid contact with the eyes and skin	<i>l.</i>
· Breathing equipment:	
In case of brief exposure or low pol- respiratory protective device that is <b>Protection of hands:</b>	lution use respiratory filter device. In case of intensive or longer exposure use independent of circulating air.
Protective gloves	
The glove material has to be impern	neable and resistant to the product/ the substance/ the preparation.
	lation to the glove material can be given for the product/ the preparation/ the
	onsideration of the penetration times, rates of diffusion and the degradation
The selection of the suitable gloves varies from manufacturer to manufa	does not only depend on the material, but also on further marks of quality and acturer. As the product is a preparation of several substances, the resistance of ated in advance and has therefore to be checked prior to the application.
• Penetration time of glove material	alea in davance and has inerejore to be checked prior to the application.
The exact break through time has	to be found out by the manufacturer of the protective gloves and has to be
	to be found out by the manufacturer of the protective gloves and has to be
The exact break through time has observed. • Eye protection:	to be found out by the manufacturer of the protective gloves and has to be
observed.	
observed. Eye protection: Tightly sealed goggles Body protection: Protective work cl	othing
<ul> <li>observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work cl</li> <li>Physical and chemical properties</li> </ul>	Tothing rties
<ul> <li>observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work cl</li> <li>Physical and chemical properties</li> <li>Information on basic physical and sealed physical and</li></ul>	Tothing rties
<ul> <li>observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work cl</li> <li>Physical and chemical properties</li> <li>Information on basic physical and search of General Information</li> </ul>	othing rties
observed. • Eye protection: • Tightly sealed goggles • Body protection: Protective work cl • Physical and chemical proper • Information on basic physical and • General Information • Appearance:	othing r <mark>ties chemical properties</mark>
<ul> <li>observed.</li> <li>Eye protection:</li> <li>Tightly sealed goggles</li> <li>Body protection: Protective work cl</li> <li>Physical and chemical properties</li> <li>Information on basic physical and search of General Information</li> </ul>	othing rties
observed. • Eye protection: • Tightly sealed goggles • Body protection: Protective work cl • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form:	othing rties chemical properties Liquid
observed. • Eye protection: • Tightly sealed goggles • Body protection: Protective work cl • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color:	othing rties chemical properties Liquid Clear
observed. • Eye protection: • Tightly sealed goggles • Body protection: Protective work cl • Physical and chemical proper • Information on basic physical and • General Information • Appearance: • Form: Color: • Odor:	othing rties chemical properties Liquid Clear IPA
observed. • Eye protection: • Tightly sealed goggles • Body protection: Protective work cl • Physical and chemical proper • Information on basic physical and • General Information • Appearance: • Form: Color: • Odor threshold:	Tothing Tr <mark>ties chemical properties Liquid Clear IPA Not determined.</mark>
observed. • Eye protection: Tightly sealed goggles • Body protection: Protective work cl • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range:	othing rties chemical properties Liquid Clear IPA Not determined. Not determined. Undetermined.
observed. • Eye protection: • Tightly sealed goggles • Body protection: Protective work cl • Physical and chemical proper • Information on basic physical and • General Information • Appearance: • Form: Color: • Odor: • Odor threshold: • pH-value: • Change in condition	othing rties chemical properties Liquid Clear IPA Not determined. Not determined.
observed. • Eye protection: Tightly sealed goggles • Body protection: Protective work cl • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor threshold: • pH-value: • Change in condition Melting point/Melting range:	othing rties chemical properties Liquid Clear IPA Not determined. Not determined. Undetermined.

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade	name:	Sil	ver	Nitrat	e 0	.01N
		in .	Isoj	propan	ıol	

	(Contd. of page :
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	0.81615 g/cm <sup>3</sup> (6.81077 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	<b>r):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	88.1 %
Water:	9.8 %
VOC content:	88.10 %
	719.0 g/l / 6.00 lb/gal
Solids content:	2.1 %
Other information	No further relevant information available.

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

*Printing date 07/24/2024* 

Reviewed on 07/24/2024

Trade name: Silver Nitrate 0.01N

in Isopropanol

(Contd. of page 6)

3

### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 2,402 mg/kg (mouse)

#### · Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Irritant* 

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12** Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

US

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Silver Nitrate 0.01N in Isopropanol

(Contd. of page 7)

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.* 

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	UN1993
DOT, IMDG, IATA	0191775
UN proper shipping name DOT	Flammable liquids, n.o.s. (Isopropanol
	)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Transport hazard class(es)	
DOT	
Class	3 Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code).	: 33
EMS Number:	F-E, <u>S-E</u> B
Stowage Category	D
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Silver Nitrate 0.01N in Isopropanol

(Contd. of page 8)

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL ), 3, II

# **15 Regulatory information**

Section 355 (extr	remely hazardous substances):	
None of the ingre	•	
Section 313 (Spe	cific toxic chemical listings):	
· -	Isopropanol	
CAS: 7761-88-8	Silver Nitrate	
TSCA (Toxic Su	bstances Control Act):	
Isopropanol		ACTIVE
Water		ACTIVE
Silver Nitrate		ACTIVE
Hazardous Air P	Pollutants	•
None of the ingre	edients is listed.	
Proposition 65		
Chemicals know	n to cause cancer:	
None of the ingre	edients is listed.	
Chemicals know	n to cause reproductive toxicity for females:	
None of the ingre	edients is listed.	
Chemicals know	n to cause reproductive toxicity for males:	
None of the ingre	edients is listed.	
Chemicals know	n to cause developmental toxicity:	
None of the ingre	edients is listed.	
Carcinogenic ca	togorios	
-	ental Protection Agency)	
None of the ingre		
TLV (Threshold		
	· ·	
CAS: 67-63-0 Is	opropanol	A4

(Contd. on page 10)

Printing date 07/24/2024

Reviewed on 07/24/2024

Trade name: Silver Nitrate 0.01N in Isopropanol

(Contd. of page 9) · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard-determining components of labeling: Isopropanol · Hazard statements Highly flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2 07/24/2024: Reviewed SDS for accuracy. MH/STN 07/24/2024 / 1.0

(Contd. on page 11)

Printing date 07/24/2024

Reviewed on 07/24/2024

## Trade name: Silver Nitrate 0.01N in Isopropanol

	(Contd. of page 10)
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
FPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	