Printing date 06/10/2024

\*

Reviewed on 06/10/2024

Product identifier		
Trade name: <u>Ferric Al</u>		
<u>ASTM fo</u>	r Chloride	
Article number: 3760		
Details of the supplier	of the safety data sheet	
Manufacturer/Supplier	•	
Aqua Solutions, Inc.		
6913 Highway 225 DEER PARK, TX 77530	5	JOLUTIONS
USA	, ,	
800-256-2586		
Information department	<i>it</i> :	
Technical Coordinator		
	ann@aquasolutions.org	
Technical Coordinator Sherman Nelson sherm	ann@aquasolutions.org	
Emergency telephone i		
Chemtrec: 800-424-930	00	
Canutec: 613-996-6666	5	
Hazard(s) identific	ation	
Classification of the su	bstance or mixture and crossbones	
Classification of the su	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled.	
Classification of the su GHS06 Skull Acute Toxicity - Inhalan GHS05 Corr	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled. osion	
Classification of the su GHS06 Skull Acute Toxicity - Inhalan GHS05 Corr Skin Corrosion 1A	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and ey	e damage.
Classification of the su GHS06 Skull Acute Toxicity - Inhalan GHS05 Corr Skin Corrosion 1A Eye Damage 1	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled. osion	e damage.
Classification of the su GHS06 Skull Acute Toxicity - Inhalan GHS05 Corr Skin Corrosion 1A Eye Damage 1 Label elements	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and ey	~ 
Classification of the su GHS06 Skull Acute Toxicity - Inhalan GHS05 Corr Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th Hazard pictograms	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage.	~ 
Classification of the su GHS06 Skull Acute Toxicity - Inhalan GHS05 Corr Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage.	~ 
Classification of the su GHS06 Skull Acute Toxicity - Inhalan GHS05 Corr Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining co	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. e product is classified and labeled according	~ 
Classification of the su GHS06 Skull Acute Toxicity - Inhalan Cute Toxicity - Inhalan GHS05 Corr Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining co Nitric Acid Hazard statements	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. e product is classified and labeled according	~ 
Classification of the su GHS06 Skull Acute Toxicity - Inhalan GHS05 Correst Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements The Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining con Nitric Acid	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. The product is classified and labeled according	~ 
Classification of the su GHS06 Skull Acute Toxicity - Inhalan Cute Toxicity - Inhalan GHS05 Corr Skin Corrosion 1A Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining co Nitric Acid Hazard statements Toxic if inhaled.	bstance or mixture and crossbones tion 3 H331 Toxic if inhaled. osion H314 Causes severe skin burns and ey H318 Causes serious eye damage. H318 Causes serious eye damage. the product is classified and labeled according omponents of labeling:	~ 

*Printing date 06/10/2024* 

Reviewed on 06/10/2024

Trade name: Ferric Alum Indicator ASTM for Chloride

(Contd. of page 1)
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
$\begin{array}{c} 0 \\ 3 \\ 0 \\ 0 \end{array} \begin{array}{c} Health = 3 \\ Fire = 0 \\ Reactivity = 0 \end{array}$
· HMIS-ratings (scale 0 - 4)
HEALTH $3$ Health = 3FIRE $0$ Fire = 0REACTIVITY $0$
· Other hazards
· Results of PBT and vPvB assessment
• <b>PBT</b> : Not applicable.
• <b>vPvB:</b> Not applicable.
3 Composition/information on ingredients
• <i>Chemical characterization: Mixtures</i> • <i>Description: Mixture of the substances listed below with nonhazardous additions.</i>

· Dangerous components:			
CAS: 7697-37-2	Nitric Acid	47.034%	
CAS: 7783-85-9	Ferrous Ammonium Sulfate	4.118%	
· Table of Nonhazardous Ingredients			
CAS: 7732-18-5	Water	48.849%	

# 4 First-aid measures

\*

### · Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

*Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.* 

### • After inhalation:

Supply fresh air or oxygen; call for doctor.

(Contd. on page 3)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ferric Alum Indicator ASTM for Chloride

(Contd. of page 2)

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- During heating or in case of fire poisonous gases are
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## **6** Accidental release measures

Mount respirator	<b>tions, protective equipment and emergency procedures</b> <i>ry protective device.</i>	
	equipment. Keep unprotected persons away.	
• Environmental p		
Dilute with plent		
Do not allow to e	enter sewers/ surface or ground water.	
	tterial for containment and cleaning up:	
	<i>id-binding material (sand, diatomite, acid binders, universal binders, sawdust).</i>	
Use neutralizing		
	nated material as waste according to section 13.	
Ensure adequate		
Reference to oth		
	information on safe handling.	
	information on personal protection equipment.	
	or disposal information.	
	or disposal information. <b>n Criteria for Chemicals</b>	
Protective Action		
	n Criteria for Chemicals	0.16 ppm
• Protective Action • PAC-1: CAS: 7697-37-2	n Criteria for Chemicals	0.16 ppm 9.6 mg/m <sup>2</sup>
<b>Protective Action</b> <b>PAC-1:</b> CAS: 7697-37-2 CAS: 7783-85-9	n Criteria for Chemicals Nitric Acid	
• Protective Action • PAC-1: CAS: 7697-37-2	n Criteria for Chemicals Nitric Acid Ferrous Ammonium Sulfate	
<ul> <li>Protective Action</li> <li>PAC-1:</li> <li>CAS: 7697-37-2</li> <li>CAS: 7783-85-9</li> <li>PAC-2:</li> <li>CAS: 7697-37-2</li> </ul>	n Criteria for Chemicals Nitric Acid Ferrous Ammonium Sulfate	9.6 mg/m <sup>3</sup>
Protective Action           PAC-1:           CAS: 7697-37-2           CAS: 7783-85-9           PAC-2:           CAS: 7697-37-2           CAS: 7697-37-2           CAS: 7783-85-9	n Criteria for Chemicals Nitric Acid Ferrous Ammonium Sulfate Nitric Acid	9.6 mg/m <sup>2</sup> 24 ppm
<ul> <li>Protective Action</li> <li>PAC-1:</li> <li>CAS: 7697-37-2</li> <li>CAS: 7783-85-9</li> <li>PAC-2:</li> <li>CAS: 7697-37-2</li> </ul>	Nitric Acid Ferrous Ammonium Sulfate Nitric Acid Ferrous Ammonium Sulfate	9.6 mg/m <sup>2</sup> 24 ppm

(Contd. on page 4)

*Printing date 06/10/2024* 

Reviewed on 06/10/2024

### Trade name: Ferric Alum Indicator ASTM for Chloride

(Contd. of page 3)

## 7 Handling and storage

### · Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

## CAS: 7697-37-2 Nitric Acid

### PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

- REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- TLV Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm NIC-A4

• Additional information: The lists that were valid during the creation were used as basis.

### · Exposure controls

· Personal protective equipment:

## $\cdot$ General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade name: Ferric Alum Indicator **ASTM** for Chloride

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties	
General Information	nonneur properties	
Appearance:		
Form:	Liquid	
Color:	Yellow-brown	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.21432 g/cm <sup>3</sup> (10.1335 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	

US

Printing date 06/10/2024

Reviewed on 06/10/2024

### Trade name: Ferric Alum Indicator ASTM for Chloride

		(Contd. of page
Solubility in / Miscibility with	,	
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	48.8 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	4.1 %	
Other information	No further relevant information available.	

## **10 Stability and reactivity**

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

### ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 6.38 mg/l

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- *The product shows the following dangers according to internally approved calculation methods for preparations: Toxic*
- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

Printing date 06/10/2024

Reviewed on 06/10/2024

### Trade name: Ferric Alum Indicator ASTM for Chloride

(Contd. of page 6)

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## <u>12 Ecological information</u>

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

· Waste treatment methods

- *Recommendation:* Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1760	
· UN proper shipping name		
· DOT	Corrosive liquids, n.o.s. (Nitric Acid)	
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Nitric Acid)	

Printing date 06/10/2024

Reviewed on 06/10/2024

Trade	name:	Ferric	Alum	Indicator
		ASTM	for C	hloride

	(Contd. of page
· Transport hazard class(es)	
·DOT	
CORROSIVE 8	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
and the second s	
· Class	8 Corrosive substances
· Label	8
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Product contains environmentally hazardous substances: Ferror Ammonium Sulfate
• Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code)	
• EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids
Stowage Category	B SW2 Clean of living sugrang
· Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
DOT	
• Quantity limitations	On passenger aircraft/rail: 1 L
~ .	On cargo aircraft only: 30 L
·IMDG	
· Limited quantities (LQ)	1L
• Excepted quantities (EQ)	Code: E2
r	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN ''Model Regulation'':	UN 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID), 8, II

# **15 Regulatory information**

\*

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

US

Printing date 06/10/2024

Reviewed on 06/10/2024

### Trade name: Ferric Alum Indicator ASTM for Chloride

_	(Contd. of page 8)
· Sara	
• Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
· Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Nitric Acid	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
$\cdot$ Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
• Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
• Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

Hazard-determining components of labeling: Nitric Acid
Hazard statements Toxic if inhaled. Causes severe skin burns and eye damage.
Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 10)

US

*Printing date 06/10/2024* 

Reviewed on 06/10/2024

### Trade name: Ferric Alum Indicator ASTM for Chloride

(Contd. of page 9)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/10/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-11-2014. STN 06/10/2024 / 1.0 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Acute Toxicity - Inhalation 3: Acute toxicity - Category 3 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1  $\cdot$  \* Data compared to the previous version altered.