

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

## 1 Identification

- **Product identifier**
- **Trade name:** Mixed Internal Standard  
Esterification Reagent
- **Article number:** APC095
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson [shermann@aquasolutions.org](mailto:shermann@aquasolutions.org)  
Technical Coordinator  
Sherman Nelson [shermann@aquasolutions.org](mailto:shermann@aquasolutions.org)
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Oral 3

H301 Toxic if swallowed.

Acute Toxicity - Inhalation 3

H331 Toxic if inhaled.



GHS08 Health hazard

Carcinogenicity 1A

H350 May cause cancer.

Toxic to Reproduction 2

H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure 1

H370 Causes damage to the central nervous system and the visual organs.

Specific Target Organ Toxicity - Repeated Exposure 1

H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.



GHS07

Acute Toxicity - Dermal 4

H312 Harmful in contact with skin.

Skin Irritation 2

H315 Causes skin irritation.

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**

(Contd. of page 1)

Eye Irritation 2A

H319 Causes serious eye irritation.

· **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02   GHS06   GHS07   GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*Chloroform*

*Methanol*

*Sulfuric Acid 96 - 98%*

· **Hazard statements**

*Highly flammable liquid and vapor.*

*Toxic if swallowed or if inhaled.*

*Harmful in contact with skin.*

*Causes skin irritation.*

*Causes serious eye irritation.*

*May cause cancer.*

*Suspected of damaging fertility or the unborn child.*

*Causes damage to the central nervous system and the visual organs.*

*Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.*

· **Precautionary statements**

*Obtain special instructions before use.*

*Do not handle until all safety precautions have been read and understood.*

*Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*

*Ground/bond container and receiving equipment.*

*Use explosion-proof electrical/ventilating/lighting/equipment.*

*Use only non-sparking tools.*

*Take precautionary measures against static discharge.*

*Do not breathe dust/fume/gas/mist/vapors/spray.*

*Wash thoroughly after handling.*

*Do not eat, drink or smoke when using this product.*

*Use only outdoors or in a well-ventilated area.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*If swallowed: Immediately call a poison center/doctor.*

*Specific treatment (see on this label).*

*Rinse mouth.*

*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*IF exposed or concerned: Get medical advice/attention.*

*Call a poison center/doctor if you feel unwell.*

*Get medical advice/attention if you feel unwell.*

*Take off contaminated clothing and wash it before reuse.*

*If skin irritation occurs: Get medical advice/attention.*

*If eye irritation persists: Get medical advice/attention.*

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**

(Contd. of page 2)

*In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.*

*Store in a well-ventilated place. Keep container tightly closed.*

*Store in a well-ventilated place. Keep cool.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 3

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = \*2

Fire = 3

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 67-66-3	Chloroform	65.348%
CAS: 67-56-1	Methanol	28.464%
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	6.155%

· **Table of Nonhazardous Ingredients**

CAS: 79-11-8	Chloroacetic Acid 99%	0.034%
--------------	-----------------------	--------

### 4 First-aid measures

· **Description of first aid measures**

· **General information:**

*Immediately remove any clothing soiled by the product.*

*Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.*

*Remove breathing apparatus only after contaminated clothing have been completely removed.*

*In case of irregular breathing or respiratory arrest provide artificial respiration.*

· **After inhalation:**

*Supply fresh air or oxygen; call for doctor.*

*In case of unconsciousness place patient stably in side position for transportation.*

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*

· **After swallowing:** Do not induce vomiting; immediately call for medical help.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**

(Contd. of page 3)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

CAS: 67-66-3	Chloroform	2 ppm
CAS: 67-56-1	Methanol	530 ppm
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	0.20 mg/m <sup>3</sup>
CAS: 79-11-8	Chloroacetic Acid 99%	1.5 ppm

- **PAC-2:**

CAS: 67-66-3	Chloroform	64 ppm
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	8.7 mg/m <sup>3</sup>
CAS: 79-11-8	Chloroacetic Acid 99%	6.6 ppm

- **PAC-3:**

CAS: 67-66-3	Chloroform	3,200 ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	160 mg/m <sup>3</sup>

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**

(Contd. of page 4)

CAS: 79-11-8 Chloroacetic Acid 99%

15 ppm

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.  
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**CAS: 67-66-3 Chloroform**

PEL Ceiling limit value: 240 mg/m<sup>3</sup>, 50 ppm

REL Short-term value: 9.78\* mg/m<sup>3</sup>, 2\* ppm  
\*60-min; See Pocket Guide App. A

TLV Long-term value: 10 ppm  
A3

**CAS: 67-56-1 Methanol**

PEL Long-term value: 260 mg/m<sup>3</sup>, 200 ppm

REL Short-term value: 325 mg/m<sup>3</sup>, 250 ppm  
Long-term value: 260 mg/m<sup>3</sup>, 200 ppm  
Skin

TLV Short-term value: 250 ppm  
Long-term value: 200 ppm  
Skin; BEI

**CAS: 7664-93-9 Sulfuric Acid 96 - 98%**

PEL Long-term value: 1 mg/m<sup>3</sup>

REL Long-term value: 1 mg/m<sup>3</sup>

TLV Long-term value: 0.2\* mg/m<sup>3</sup>  
\*as thoracic fraction, A2

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**

(Contd. of page 5)

**· Ingredients with biological limit values:**

**CAS: 67-56-1 Methanol**

BEI	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)

**· Additional information:** The lists that were valid during the creation were used as basis.

**· Exposure controls**

**· Personal protective equipment:**

**· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

**· Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

**· Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:**



Tightly sealed goggles

**· Body protection:** Protective work clothing

## 9 Physical and chemical properties

**· Information on basic physical and chemical properties**

**· General Information**

**· Appearance:**

**Form:** Liquid

(Contd. on page 7)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**

(Contd. of page 6)

<b>Color:</b>	Clear
<b>· Odor:</b>	de l'alcool
<b>· Odor threshold:</b>	l Not determined.
<b>· pH-value:</b>	Not determined.
<b>· Change in condition</b>	
<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	64 °C (147.2 °F)
<b>· Flash point:</b>	0 °C (32 °F)
<b>· Flammability (solid, gaseous):</b>	Not applicable.
<b>· Ignition temperature:</b>	455 °C (851 °F)
<b>· Decomposition temperature:</b>	Not determined.
<b>· Auto igniting:</b>	Product is not selfigniting.
<b>· Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
<b>· Explosion limits:</b>	
<b>Lower:</b>	5.5 Vol %
<b>Upper:</b>	44 Vol %
<b>· Vapor pressure at 20 °C (68 °F):</b>	210 hPa (157.5 mm Hg)
<b>· Density at 20 °C (68 °F):</b>	1.30614 g/cm <sup>3</sup> (10.89974 lbs/gal)
<b>· Relative density</b>	Not determined.
<b>· Vapor density</b>	Not determined.
<b>· Evaporation rate</b>	Not determined.
<b>· Solubility in / Miscibility with Water:</b>	Fully miscible.
<b>· Partition coefficient (n-octanol/water):</b>	Not determined.
<b>· Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>· Solvent content:</b>	
<b>Organic solvents:</b>	28.5 %
<b>VOC content:</b>	28.46 %
	371.8 g/l / 3.10 lb/gal
<b>· Solids content:</b>	0.0 %
<b>· Other information</b>	No further relevant information available.

## 10 Stability and reactivity

**· Reactivity** No further relevant information available.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**

(Contd. of page 7)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### ATE (Acute Toxicity Estimate)

Oral	LD50	241 mg/kg
Dermal	LD50	1,054 mg/kg
Inhalative	LC50/4h	3.2 mg/l

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Toxic  
Harmful  
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

CAS: 67-66-3	Chloroform	2B
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	I

- **NTP (National Toxicology Program)**

CAS: 67-66-3	Chloroform	R
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	K

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**










(Contd. of page 8)

- *Danger to drinking water if even extremely small quantities leak into the ground.*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>                                | UN3286  |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG, IATA</b></li> </ul> | <p><i>Flammable liquid, toxic, corrosive, n.o.s. (Methanol, Chloroform, Sulfuric Acid)</i></p> <p><b>FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (Methanol, Chloroform, Sulfuric Acid)</b></p>   |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>                           | <div style="display: flex; justify-content: space-around; align-items: center;">    </div> <p>3 Flammable liquids</p> <p>3, 6.1, 8</p> |
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> </ul>   | <div style="display: flex; justify-content: space-around; align-items: center;">    </div> <p>3 Flammable liquids</p> <p>3/6.1/8</p>   |
| <ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul>   | <div style="display: flex; justify-content: space-around; align-items: center;">    </div> <p>3 Flammable liquids</p>                  |

(Contd. on page 10)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**

(Contd. of page 9)

· <b>Label</b>	3 (6.1, 8)
· <b>Packing group</b> · <b>DOT, IMDG, IATA</b>	II
· <b>Environmental hazards:</b> · <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b> · <b>Hazard identification number (Kemler code):</b> · <b>EMS Number:</b> · <b>Segregation groups</b> · <b>Stowage Category</b> · <b>Stowage Code</b> · <b>Segregation Code</b>	Warning: Flammable liquids 368 F-E,S-C Acids, liquid halogenated hydrocarbons B SW2 Clear of living quarters. SG5 Segregation as for class 3 SG8 Stow "away from" class 4.1
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b> · <b>DOT</b> · <b>Quantity limitations</b>	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
· <b>IMDG</b> · <b>Limited quantities (LQ)</b> · <b>Excepted quantities (EQ)</b>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 3286 FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (METHANOL, CHLOROFORM, SULFURIC ACID), 3 (6.1+8), II

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· <b>Section 355 (extremely hazardous substances):</b>	
CAS: 67-66-3	Chloroform
CAS: 7664-93-9	Sulfuric Acid 96 - 98%
CAS: 79-11-8	Chloroacetic Acid 99%
· <b>Section 313 (Specific toxic chemical listings):</b>	
All ingredients are listed.	
· <b>TSCA (Toxic Substances Control Act):</b>	
Chloroform	ACTIVE
Methanol	ACTIVE
Sulfuric Acid 96 - 98%	ACTIVE
Chloroacetic Acid 99%	ACTIVE
· <b>Hazardous Air Pollutants</b>	
CAS: 67-66-3	Chloroform

(Contd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**

(Contd. of page 10)

CAS: 67-56-1	Methanol
CAS: 79-11-8	Chloroacetic Acid 99%

· **Proposition 65**

· **Chemicals known to cause cancer:**

CAS: 67-66-3	Chloroform
--------------	------------

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

CAS: 67-66-3	Chloroform
CAS: 67-56-1	Methanol

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 67-66-3	Chloroform	B2, L, NL
--------------	------------	-----------

· **TLV (Threshold Limit Value)**

CAS: 67-66-3	Chloroform	A3
CAS: 7664-93-9	Sulfuric Acid 96 - 98%	A2
CAS: 79-11-8	Chloroacetic Acid 99%	A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 67-66-3	Chloroform
--------------	------------

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02   GHS06   GHS07   GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

Chloroform

Methanol

Sulfuric Acid 96 - 98%

· **Hazard statements**

Highly flammable liquid and vapor.

Toxic if swallowed or if inhaled.

Harmful in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

Suspected of damaging fertility or the unborn child.

Causes damage to the central nervous system and the visual organs.

Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

· **Precautionary statements**

Obtain special instructions before use.

(Contd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard  
Esterification Reagent**

(Contd. of page 11)

Do not handle until all safety precautions have been read and understood.  
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 Ground/bond container and receiving equipment.  
 Use explosion-proof electrical/ventilating/lighting/equipment.  
 Use only non-sparking tools.  
 Take precautionary measures against static discharge.  
 Do not breathe dust/fume/gas/mist/vapors/spray.  
 Wash thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 Use only outdoors or in a well-ventilated area.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 If swallowed: Immediately call a poison center/doctor.  
 Specific treatment (see on this label).  
 Rinse mouth.  
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
 Continue rinsing.  
 IF exposed or concerned: Get medical advice/attention.  
 Call a poison center/doctor if you feel unwell.  
 Get medical advice/attention if you feel unwell.  
 Take off contaminated clothing and wash it before reuse.  
 If skin irritation occurs: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Store in a well-ventilated place. Keep cool.  
 Store locked up.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **National regulations:**
- **Additional classification according to Decree on Hazardous Materials:**  
Carcinogenic hazardous material group III (dangerous).
- **Information about limitation of use:**  
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.  
Exceptions can be made by the authorities in certain cases.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- **Contact:**
- **Date of preparation / last revision**  
Revision 1.0 01-10-2022, removed fluoride and sulfate from ingredients. STN  
Revision 2.0, 01-12-2020: Updated sections 1, 2 and 15 to meet Fanns new requirements  
03/02/2022 / -
- **Abbreviations and acronyms:**  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 13)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 03/02/2022

Reviewed on 10/05/2017

**Trade name: Mixed Internal Standard**  
**Esterification Reagent**

(Contd. of page 12)

*ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEI: Biological Exposure Limit**Flammable Liquids 2: Flammable liquids – Category 2**Acute Toxicity - Oral 3: Acute toxicity – Category 3**Acute Toxicity - Dermal 4: Acute toxicity – Category 4**Skin Irritation 2: Skin corrosion/irritation – Category 2**Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A**Carcinogenicity 1A: Carcinogenicity – Category 1A**Toxic to Reproduction 2: Reproductive toxicity – Category 2**Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1**Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1*

US