Printing date 07/01/2024

*

*

Reviewed on 07/01/2024

Product identifier	
Trade name: <u>n-Pentane, Reagent Grade</u>	
Article number: BP053	
CAS Number: 109-66-0	
<i>EC number:</i>	
203-692-4	
Index number:	SOLUTIONS
601-006-00-1	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
Aqua Solutions, Inc. 6913 Highway 225	
<i>DEER PARK, TX 77536</i>	
USA	
800-256-2586	
Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org	
Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
$\mathbf{\vee}$	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
Aspiration Hazard 1	H304 May be fatal if swallowed and enters airways.
\land	
GHS07	
$\mathbf{\nabla}$	
Specific Target Organ Toxicity - Single Exposure 3	H336 May cause drowsiness or dizziness.
Eye Irritation 2B	H320 Causes eye irritation.

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: n-Pentane, Reagent Grade

(Intersection of the second se	Contd. of page 1)
$ \land \land$	
GHS02 GHS07 GHS08	
Signal word Danger	
Hazard statements	
Highly flammable liquid and vapor.	
Causes eye irritation.	
May cause drowsiness or dizziness.	
May be fatal if swallowed and enters airways.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling. Do not touch eyes.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present an	id easy to do
Continue rinsing.	·
Call a poison center/doctor if you feel unwell.	
If eye irritation persists: Get medical help.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 2	
4 Fire = 4	
$\frac{2}{Reactivity} = 0$	
HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 4 $Fire = 4$	
$\frac{1}{\text{REACTIVITY[0]}} Reactivity = 0$	
Other hazards	

- Other hazards Results of PBT and vPvB assessment
- *PBT:* Not applicable. *vPvB:* Not applicable.

(Contd. on page 3)

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: n-Pentane, Reagent Grade

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 109-66-0 Pentane
- · Identification number(s)
- EC number: 203-692-4
- · Index number: 601-006-00-1

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to section 13.
 Ensure adequate ventilation.
 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 13 for disposal information.
 Protective Action Criteria for Chemicals
 PAC-1: 3000* ppm
 Dispose convertion
- **PAC-2:** 33000*** ppm
- **PAC-3:** 200000 ppm

(Contd. on page 4)

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: n-Pentane, Reagent Grade

(Contd. of page 3)

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 109-66-0 Pentane

PEL Long-term value: 2950 mg/m³, 1000 ppm

- REL Long-term value: 350 mg/m³, 120 ppm Ceiling limit value: 1800* mg/m³, 610* ppm *15-min
- TLV Long-term value: 1000 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoia contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment: Not required.
- Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: n-Pentane, Reagent Grade

• Eye protection:

(Contd. of page 4)



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	chemical properties
General Information	
Appearance:	7 1
Form:	Liquid
Color:	Colorless
Odor: Odor threshold:	Aromatic Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-129.7 °C (-201.5 °F)
Boiling point/Boiling range:	36.1 °C (97 °F)
Flash point:	-35 °C (-31 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	285 °C (545 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.4 Vol %
Upper:	7.8 Vol %
Vapor pressure at 20 °C (68 °F):	573 hPa (429.8 mm Hg)
Density at 20 °C (68 °F):	0.62624 g/cm ³ (5.22597 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water at 20 °C (68 °F):	0.01 g/l
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

(Contd. on page 6)

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: n-Pentane, Reagent Grade

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Reviewed on 07/01/2024

(Contd. of page 6)

Trade name: n-Pentane, Reagent Grade

Printing date 07/01/2024

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, IMDG, IATA	UN1265
· UN proper shipping name · DOT · IMDG, IATA	Pentanes PENTANES
Transport hazard class(es) DOT	
· Class · Label	3 Flammable liquids 3
· Class · Label	3 Flammable liquids 3
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	Ι
· Environmental hazards: · Marine pollutant:	Environmentally hazardous substance, liquid No Symbol (fish and tree)
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids 33 F-E,S-D E
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: n-Pentane, Reagent Grade

	(Contd. of page 7
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
- IMDG	
Limited quantities (LQ)	0
Excepted quantities (\widetilde{EQ})	Code: E3
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 300 ml
UN "Model Regulation":	UN 1265 PENTANES, 3, I

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



Signal word Danger
Hazard statements

Highly flammable liquid and vapor.
Causes eye irritation.
May cause drowsiness or dizziness.
May be fatal if swallowed and enters airways.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 9)

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: n-Pentane, Reagent Grade

(Contd. of page 8) Wash thoroughly after handling. Do not touch eyes. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical help. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2 07/01/2024: Reviewed SDS for accuracy. MH/STN 07/01/2024 / -· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Eye Irritation 2B: Serious eye damage/eye irritation – Category 2B Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Aspiration Hazard 1: Aspiration hazard - Category 1 \cdot * Data compared to the previous version altered.