Printing date 06/24/2024 Reviewed on 06/24/2024

1 Identification

· Product identifier

· Trade name: Acetate Buffer, pH 4.6 - 4.7 APHA for Bromide

· Article number: 0027

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Acetic Acid, Glacial

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 06/24/2024 Reviewed on 06/24/2024

Trade name: Acetate Buffer, pH 4.6 - 4.7 APHA for Bromide

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components:             |                           |         |  |
|-------------------------------------|---------------------------|---------|--|
| CAS: 64-19-7 Acetic Acid, Glacial   |                           | 2.818%  |  |
| · Table of Nonhazardous Ingredients |                           |         |  |
| CAS: 7732-18-5                      | Water                     | 82.414% |  |
| CAS: 7647-14-5                      | Sodium Chloride           | 8.412%  |  |
| CAS: 6131-90-4                      | Sodium Acetate Trihydrate | 6.356%  |  |

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 06/24/2024 Reviewed on 06/24/2024

Trade name: Acetate Buffer, pH 4.6 - 4.7 APHA for Bromide

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1:       |                           |           |  |  |  |
|----------------|---------------------------|-----------|--|--|--|
| CAS: 6131-90-4 | Sodium Acetate Trihydrate | 11 mg/m³  |  |  |  |
| CAS: 64-19-7   | Acetic Acid, Glacial      | 5 ppm     |  |  |  |
| · PAC-2:       | · PAC-2:                  |           |  |  |  |
| CAS: 6131-90-4 | Sodium Acetate Trihydrate | 120 mg/m³ |  |  |  |
| CAS: 64-19-7   | Acetic Acid, Glacial      | 35 ppm    |  |  |  |
| · PAC-3:       |                           |           |  |  |  |
| CAS: 6131-90-4 | Sodium Acetate Trihydrate | 690 mg/m³ |  |  |  |
| CAS: 64-19-7   | Acetic Acid, Glacial      | 250 ppm   |  |  |  |

### 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

Printing date 06/24/2024 Reviewed on 06/24/2024

Trade name: Acetate Buffer, pH 4.6 - 4.7 APHA for Bromide

(Contd. of page 3)

#### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

#### CAS: 64-19-7 Acetic Acid, Glacial

PEL Long-term value: 25 mg/m³, 10 ppm REL Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm

TLV Short-term value: 15 ppm Long-term value: 10 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Clear
Odor: Vinegar
Odor threshold: Not determined.

• pH-value at 20 °C (68 °F): 4.7

(Contd. on page 5)

Printing date 06/24/2024 Reviewed on 06/24/2024

Trade name: Acetate Buffer, pH 4.6 - 4.7 APHA for Bromide

| Melting point/Melting range: Boiling point/Boiling range:  Flash point:  Not applicable.  Flammability (solid, gaseous):  Not applicable.  Auto igniting:  600 °C (1,112 °F)  Decomposition temperature:  Not determined.  Ignition temperature:  Product is not selfigniting.  Danger of explosion:  Explosion limits: Lower: Vapor pressure at 20 °C (68 °F):  Poensity at 20 °C (68 °F):  Relative density Vapor density Vapor density  Not determined.  Fully miscible.  Partition coefficient (n-octanol/water): Not determined.   |                                       | (Contd. o                                     | f pag |
|--|---------------------------------------|---|-------|
| Boiling point/Boiling range: 100 °C (212 °F)  Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Auto igniting: 600 °C (1,112 °F)  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Not determined.  Upper: Not determined.  Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.06988 g/cm³ (8.92815 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined.  Solvent content: Organic solvents: 82.4 % Water: 82.4 % Water: 82.4 % WOC content: 14.8 %   | Change in condition                   |   |       |
| Flash point: Not applicable.  Flammability (solid, gaseous): Not applicable.  Auto igniting: 600 °C (1,112 °F)  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.06988 g/cm³ (8.92815 lbs/gal)  Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Viscosity: Not determined.  Solvent content: Not determined.  Solvent content: 0rganic solvents: 82.4 %  Water: 82.4 %  VOC content: 14.8 %   | Melting point/Melting range:          | •   |       |
| Flammability (solid, gaseous): Not applicable.  Auto igniting: 600 °C (1,112 °F)  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.06988 g/cm³ (8.92815 lbs/gal)  Relative density Not determined.  Evapor density Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined.  Kinematic: Not determined.  Solvent content: Organic solvents: 2.8 % Water: 82.4 % VOC content: 2.82 % 30.1 g/1 / 0.25 lb/gal  Solids content: 14.8 %  | Boiling point/Boiling range:          | 100 °C (212 °F)                               |       |
| Auto igniting: 600 °C (1,112 °F)  Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.06988 g/cm³ (8.92815 lbs/gal)  Relative density Not determined.  Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Viscosity: Not determined.  Solvent content: Not determined.  Solvent content: Not determined.  Solvent content: 2.8 %  Water: 82.4 %  VOC content: 2.82 %  30.1 g/t / 0.25 lb/gal  Solids content: 14.8 %   | · Flash point:                        | Not applicable.                               |       |
| Decomposition temperature: Not determined.  Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.06988 g/cm³ (8.92815 lbs/gal) Relative density Not determined.  Vapor density Not determined.  Exaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Viscosity: Not determined.  Solvent content: Not determined.  Solvent content: 0.88 % Water: 82.4 % VOC content: 2.88 % Water: 48.24 % VOC content: 14.8 %  | Flammability (solid, gaseous):        | Not applicable.                               |       |
| Ignition temperature: Product is not selfigniting.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.06988 g/cm³ (8.92815 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Viscosity: Not determined.  Solvent content: Not determined.  Solvent content: 2.8 % Water: 42.4 % VOC content: 2.82 %  VOC content: 14.8 %   | Auto igniting:                        | 600 °C (1,112 °F)                             |       |
| Danger of explosion:  Explosion limits: Lower: Upper: Not determined. Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 1.06988 g/cm³ (8.92815 lbs/gal) Relative density Not determined.  Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined.  Solvent content: Organic solvents: Qrganic solvents: 2.8 % Water: VOC content: 2.82 % 30.1 g/1/0.25 lb/gal  Solids content: 14.8 %  | Decomposition temperature:            | Not determined.                               |       |
| Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.06988 g/cm³ (8.92815 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined. Solvent content: Organic solvents: 2.8 % Water: 2.82 % 30.1 g/l / 0.25 lb/gal  Solids content: 14.8 %   | Ignition temperature:                 | Product is not selfigniting.                  |       |
| Lower:<br>Upper:Not determined.<br>Not determined.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.06988 g/cm³ (8.92815 lbs/gal)Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with<br>Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:<br>Dynamic:<br>Kinematic:Not determined.Solvent content:<br>Organic solvents:<br>Water:<br>VOC content:<br>2.82 %<br>30.1 g/l / 0.25 lb/galSolids content:14.8 %   | Danger of explosion:                  | Product does not present an explosion hazard. |       |
| Upper: Not determined.  Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.06988 g/cm³ (8.92815 lbs/gal) Relative density Not determined. Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Not determined.  Kinematic: Not determined.  Solvent content: Organic solvents: 2.8 % Water: 82.4 % VOC content: 2.82 % 30.1 g/l / 0.25 lb/gal  Solids content: 14.8 %   | Explosion limits:                     |   |       |
| Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)  Density at 20 °C (68 °F): 1.06988 g/cm³ (8.92815 lbs/gal) Relative density Not determined. Vapor density Not determined.  Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 2.8 % Water: 82.4 % VOC content: 2.82 % 30.1 g/l / 0.25 lb/gal  Solids content: 14.8 %   | Lower:                                | Not determined.                               |       |
| Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: Water: 2.8 % Water: 42.4 % VOC content: 2.82 % 30.1 g/l / 0.25 lb/gal  Solids content: 14.8 %  | Upper:                                | Not determined.                               |       |
| Relative density Vapor density Not determined. Evaporation rate Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: Value of the solution o | Vapor pressure at 20 °C (68 °F):      | 23 hPa (17.3 mm Hg)                           |       |
| Vapor density Evaporation rate Not determined. Not determined.  Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: Organic solvents: 2.8 % Water: VOC content: 2.82 % 30.1 g/l / 0.25 lb/gal  Solids content: 14.8 %  | Density at 20 °C (68 °F):             | 1.06988 g/cm³ (8.92815 lbs/gal)               |       |
| Evaporation rate  Solubility in / Miscibility with Water:  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: Water: VOC content: 2.8 % Water: 2.82 % 30.1 g/l / 0.25 lb/gal  Solids content: 14.8 %   | Relative density                      | Not determined.                               |       |
| Solubility in / Miscibility with Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 2.8 % Water: 82.4 % VOC content: 2.82 % 30.1 g/l / 0.25 lb/gal  Solids content: 14.8 %   | Vapor density                         | Not determined.                               |       |
| Water: Fully miscible.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 2.8 % Water: 82.4 % VOC content: 2.82 % 30.1 g/l / 0.25 lb/gal  Solids content: 14.8 %  | Evaporation rate                      | Not determined.                               |       |
| Partition coefficient (n-octanol/water): Not determined.  Viscosity:  Dynamic: Not determined. Kinematic: Not determined.  Solvent content: Organic solvents: 2.8 % Water: 82.4 % VOC content: 2.82 % 30.1 g/l / 0.25 lb/gal  Solids content: 14.8 %   | Solubility in / Miscibility with      |   |       |
| Viscosity:   | Water:                                | Fully miscible.                               |       |
| Dynamic:         Not determined.           Kinematic:         Not determined.           Solvent content:         2.8 %           Water:         82.4 %           VOC content:         2.82 %           30.1 g/l / 0.25 lb/gal           Solids content:         14.8 %   | Partition coefficient (n-octanol/wate | er): Not determined.                          |       |
| Kinematic:         Not determined.           Solvent content:         2.8 %           Organic solvents:         2.8 %           Water:         82.4 %           VOC content:         2.82 %           30.1 g/l / 0.25 lb/gal           Solids content:         14.8 %  | Viscosity:                            |   |       |
| Solvent content:       0 rganic solvents:       2.8 %         Water:       82.4 %         VOC content:       2.82 %         30.1 g/l / 0.25 lb/gal         Solids content:       14.8 %  | Dynamic:                              | Not determined.                               |       |
| Organic solvents:       2.8 %         Water:       82.4 %         VOC content:       2.82 %         30.1 g/l / 0.25 lb/gal         Solids content:       14.8 %  | Kinematic:                            | Not determined.                               |       |
| Water: 82.4 % VOC content: 2.82 % 30.1 g/l / 0.25 lb/gal  Solids content: 14.8 %   | Solvent content:                      |   |       |
| VOC content:       2.82 %         30.1 g/l / 0.25 lb/gal         Solids content:       14.8 %  | Organic solvents:                     | _,,   |       |
| 30.1 g/l / 0.25 lb/gal <b>Solids content:</b> 14.8 %   | Water:                                |   |       |
| Solids content: 14.8 %   | VOC content:                          |   |       |
|  |                                       | 30.1 g/l / 0.25 lb/gal                        |       |
| Other information No further relevant information available.   | Solids content:                       | 14.8 %  |       |
|  | Other information                     | No further relevant information available.    |       |

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 06/24/2024 Reviewed on 06/24/2024

Trade name: Acetate Buffer, pH 4.6 - 4.7 APHA for Bromide

(Contd. of page 5)

\*

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 37,615 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 06/24/2024 Reviewed on 06/24/2024

Trade name: Acetate Buffer, pH 4.6 - 4.7 APHA for Bromide

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 6)

| UN-Number                                       |                 |
|---|-----------------|
| DOT, ADN, IMDG, IATA                            | Not regulated   |
| UN proper shipping name<br>DOT, ADN, IMDG, IATA | Not regulated   |
| Transport hazard class(es)                      |                 |
| DOT, ADN, IMDG, IATA                            |                 |
| Class   | Not regulated   |
| Packing group                                   |                 |
| DOT, IMDG, IATA                                 | Not regulated   |
| Environmental hazards:                          |                 |
| Marine pollutant:                               | No              |
| Special precautions for user                    | Not applicable. |
| Transport in bulk according to Annex II o       | f               |
| MARPOL73/78 and the IBC Code                    | Not applicable. |
| UN "Model Regulation":                          | Not regulated   |

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

| · TSCA | (Toxic | Substances | Control Act): |
|--------|--------|------------|---------------|
| TT7 .  |        |            |               |

WaterACTIVESodium ChlorideACTIVEAcetic Acid, GlacialACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 8)

Printing date 06/24/2024 Reviewed on 06/24/2024

Trade name: Acetate Buffer, pH 4.6 - 4.7 APHA for Bromide

(Contd. of page 7)

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

#### · EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Acetic Acid, Glacial

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 0.1, 06/24/2024: Reviewed SDS for accuracy. MH/STN

Revision 0.0, 09/19/2016: Creation date for SDS. STN

06/24/2024 / 1.1

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 9)

Printing date 06/24/2024 Reviewed on 06/24/2024

Trade name: Acetate Buffer, pH 4.6 - 4.7 APHA for Bromide

(Contd. of page 8)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

Sensitization - Skin 1: Skin sensitisation - Category 1

\* Data compared to the previous version altered.