

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2021

Reviewed on 12/10/2021

## 1 Identification

- **Product identifier**
- **Trade name:** Sodium Arsenite  
5 gpL Solution
- **Article number:** ASH003
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson [shermann@aquasolutions.org](mailto:shermann@aquasolutions.org)
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** *Danger*
- **Hazard-determining components of labeling:**  
*Sodium m-Arsenite*
- **Hazard statements**  
*May cause cancer.*
- **Precautionary statements**  
*Obtain special instructions before use.*  
*Do not handle until all safety precautions have been read and understood.*  
*Wear protective gloves/protective clothing/eye protection/face protection.*  
*IF exposed or concerned: Get medical advice/attention.*  
*Store locked up.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*

(Contd. on page 2)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2021

Reviewed on 12/10/2021

**Trade name: Sodium Arsenite**  
**5 gpL Solution**

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 7784-46-5	Sodium m-Arsenite	0.5%
----------------	-------------------	------

- **Table of Nonhazardous Ingredients**

CAS: 7732-18-5	Water	99.5%
----------------	-------	-------

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2021

Reviewed on 12/10/2021

**Trade name: Sodium Arsenite**  
**5 gpL Solution**

(Contd. of page 2)

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· <b>PAC-1:</b>		
CAS: 7784-46-5	Sodium m-Arsenite	0.91 mg/m <sup>3</sup>

· <b>PAC-2:</b>		
CAS: 7784-46-5	Sodium m-Arsenite	10 mg/m <sup>3</sup>

· <b>PAC-3:</b>		
CAS: 7784-46-5	Sodium m-Arsenite	170 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· <b>Components with limit values that require monitoring at the workplace:</b>	
CAS: 7784-46-5 Sodium m-Arsenite	
PEL	Long-term value: 0.01 mg/m <sup>3</sup> as As; 29CFR1910.1018
REL	Ceiling limit value: 0.002 mg/m <sup>3</sup> as As; 15min; See Pocket Guide App. A

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2021

Reviewed on 12/10/2021

**Trade name: Sodium Arsenite**  
**5 gpL Solution**

(Contd. of page 3)

TLV	Long-term value: 0.01 mg/m <sup>3</sup> as As
-----	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Liquid

**Color:** Clear

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

**Melting point/Melting range:** 0 °C (32 °F)

**Boiling point/Boiling range:** 100 °C (212 °F)

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2021

Reviewed on 12/10/2021

**Trade name: Sodium Arsenite**  
**5 gpL Solution**

(Contd. of page 4)

· <b>Flash point:</b>	<i>Not applicable.</i>
· <b>Flammability (solid, gaseous):</b>	<i>Not applicable.</i>
· <b>Decomposition temperature:</b>	<i>Not determined.</i>
· <b>Auto igniting:</b>	<i>Product is not selfigniting.</i>
· <b>Danger of explosion:</b>	<i>Product does not present an explosion hazard.</i>
· <b>Explosion limits:</b>	
<b>Lower:</b>	<i>Not determined.</i>
<b>Upper:</b>	<i>Not determined.</i>
· <b>Vapor pressure at 20 °C (68 °F):</b>	<i>23 hPa (17.3 mm Hg)</i>
· <b>Density at 20 °C (68 °F):</b>	<i>1 g/cm<sup>3</sup> (8.345 lbs/gal)</i>
· <b>Relative density</b>	<i>Not determined.</i>
· <b>Vapor density</b>	<i>Not determined.</i>
· <b>Evaporation rate</b>	<i>Not determined.</i>
· <b>Solubility in / Miscibility with Water:</b>	<i>Fully miscible.</i>
· <b>Partition coefficient (n-octanol/water):</b>	<i>Not determined.</i>
· <b>Viscosity:</b>	
<b>Dynamic:</b>	<i>Not determined.</i>
<b>Kinematic:</b>	<i>Not determined.</i>
· <b>Solvent content:</b>	
<b>Water:</b>	<i>99.5 %</i>
<b>VOC content:</b>	<i>0.00 %</i>
	<i>0.0 g/l / 0.00 lb/gal</i>
<b>Solids content:</b>	<i>0.0 %</i>
· <b>Other information</b>	<i>No further relevant information available.</i>

## 10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

US  
(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2021

Reviewed on 12/10/2021

**Trade name: Sodium Arsenite**  
**5 gpL Solution**

(Contd. of page 5)

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimate)**

Oral	LD50	8,200 mg/kg (rat)
Dermal	LD50	30,000 mg/kg (rat)
Inhalative	LC50/4h	100 mg/l

**CAS: 7784-46-5 Sodium m-Arsenite**

Oral	LD50	0.5 mg/kg (ATE)
Dermal	LD50	5 mg/kg (ATE)
Inhalative	LC50/4h	0.5 mg/l (ATE)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
*The product shows the following dangers according to internally approved calculation methods for preparations:*
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 7784-46-5	Sodium m-Arsenite	I
----------------	-------------------	---

· **NTP (National Toxicology Program)**

CAS: 7784-46-5	Sodium m-Arsenite	K
----------------	-------------------	---

· **OSHA-Ca (Occupational Safety & Health Administration)**

CAS: 7784-46-5	Sodium m-Arsenite	
----------------	-------------------	--

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**

*Water hazard class 3 (Self-assessment): extremely hazardous for water  
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
 Danger to drinking water if even extremely small quantities leak into the ground.*

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

US

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2021

Reviewed on 12/10/2021



**Trade name: Sodium Arsenite**  
**5 gpL Solution**

(Contd. of page 6)

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to official regulations.*
- **Recommended cleansing agent:** *Water, if necessary with cleansing agents.*

## 14 Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>  | <p style="margin-left: 20px;">UN3287</p>   |
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG, IATA</b></li> </ul>   | <p style="margin-left: 20px;"><i>Toxic liquid, inorganic, n.o.s. (Sodium m-Arsenite)</i><br/> <b>TOXIC LIQUID, INORGANIC, N.O.S. (Sodium m-Arsenite)</b></p> |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>   | <div style="text-align: center;">  <p>6</p> </div>                         |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | <p style="margin-left: 20px;">6.1 Toxic substances<br/>6.1</p>   |
| <ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>   | <div style="text-align: center;">  <p>6</p> </div>                        |
| <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>  | <p style="margin-left: 20px;">6.1 Toxic substances<br/>6.1</p>   |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>  | <p style="margin-left: 20px;">II</p>   |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>   | <p style="margin-left: 20px;">No</p>   |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> <li>· <b>Stowage Code</b></li> </ul> | <p style="margin-left: 20px;"><i>Warning: Toxic substances</i><br/> 61<br/> F-A,S-A<br/> B<br/> SW2 <i>Clear of living quarters.</i></p>                     |
| <ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>  | <p style="margin-left: 20px;"><i>Not applicable.</i></p>   |

(Contd. on page 8)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2021

Reviewed on 12/10/2021

**Trade name: Sodium Arsenite**  
**5 gpL Solution**

(Contd. of page 7)

**· Transport/Additional information:**

**· DOT**

**· Quantity limitations**

On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

**· UN "Model Regulation":**

UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (SODIUM M-ARSENITE), 6.1, II

## 15 Regulatory information

**· Safety, health and environmental regulations/legislation specific for the substance or mixture**

**· Sara**

**· Section 355 (extremely hazardous substances):**

CAS: 7784-46-5 | Sodium m-Arsenite

**· Section 313 (Specific toxic chemical listings):**

CAS: 7784-46-5 | Sodium m-Arsenite

**· TSCA (Toxic Substances Control Act):**

Water

ACTIVE

Sodium m-Arsenite

ACTIVE

**· Hazardous Air Pollutants**

CAS: 7784-46-5 | Sodium m-Arsenite

**· Proposition 65**

**· Chemicals known to cause cancer:**

CAS: 7784-46-5 | Sodium m-Arsenite

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories**

**· EPA (Environmental Protection Agency)**

CAS: 7784-46-5 | Sodium m-Arsenite

A

**· TLV (Threshold Limit Value)**

CAS: 7784-46-5 | Sodium m-Arsenite

AI

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

CAS: 7784-46-5 | Sodium m-Arsenite

**· GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 12/10/2021

Reviewed on 12/10/2021

**Trade name: Sodium Arsenite**  
**5 gpL Solution**

(Contd. of page 8)

· **Hazard pictograms**



GHS08

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*Sodium m-Arsenite*

· **Hazard statements**

*May cause cancer.*

· **Precautionary statements**

*Obtain special instructions before use.*

*Do not handle until all safety precautions have been read and understood.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*IF exposed or concerned: Get medical advice/attention.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **National regulations:**

· **Additional classification according to Decree on Hazardous Materials:**

*Carcinogenic hazardous material group III (dangerous).*

· **Information about limitation of use:**

*Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.*

*Exceptions can be made by the authorities in certain cases.*

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** *Environment protection department.*

· **Contact:**

· **Date of preparation / last revision**

*Revision 2.0, 01-12-2020: Updated sections 1, 2 and 15 to meet Fanns new requirements*

*Revision 0.0, 09-02-2021: Creation date for SDS. STN*

*12/10/2021 / -*

· **Abbreviations and acronyms:**

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

(Contd. on page 10)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 12/10/2021

Reviewed on 12/10/2021

**Trade name: Sodium Arsenite**  
**5 gpL Solution**

*PEL: Permissible Exposure Limit*  
*REL: Recommended Exposure Limit*  
*Carc. IA: Carcinogenicity – Category IA*

(Contd. of page 9)

US