Printing date 05/16/2024

Reviewed on 05/16/2024

inting date 05/16/2024	Reviewed on 05/16/202
I Identification	
· Product identifier	
· Trade name: <u>Potassium Check Std.</u>	
0.7 ppm in Methanol	
• Article number: LY172	
\cdot Details of the supplier of the safety data sheet	
• Manufacturer/Supplier: Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
· Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
• Emergency telephone number: Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
P Hazard(s) identification	
\cdot Classification of the substance or mixture	
$\mathbf{\Lambda}$	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
CUSO6 Shull and another a	
GHS06 Skull and crossbones	
Aguta Taviaity Oral 3	H301 Toxic if sugllowed
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
Specific Tanget Organ Tonisity Sincle Function 1	H270 Causes damages to the control normous motion and the
specific target Organ toxicity - Single Exposure 1	H370 Causes damage to the central nervous system and the visual organs.
· Label elements	
	abeled according to the Globally Harmonized System (GHS).
· Hazard pictograms	
$\wedge \wedge \wedge$	
GHS02 GHS06 GHS08	
011502 011500 011500	
• Signal word Danger	
·Hazard-determining components of labeling:	
Methanol	
	(Contd. on page

US -

Printing date 05/16/2024

Trade name: Potassium Check Std. 0.7 ppm in Methanol Reviewed on 05/16/2024

	td. of page 1)
· Hazard statements	
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes damage to the central nervous system and the visual organs.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 3	
2 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 Health = 3	
FIRE 3 Fire = 3	
$\begin{array}{c} \text{REACTIVITY} \\ \hline \end{array} Reactivity = 0 \end{array}$	
• Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
· $\mathbf{PB1}$: Not applicable. · \mathbf{vPvB} : Not applicable.	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Potassium Check Std. 0.7 ppm in Methanol

(Contd. of page 2)

100.0%

· Dangerous components:

CAS: 67-56-1 Methanol

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation. • **Reference to other sections**
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

• Protective Action Criteria for Chemicals

Protective Action Criteria for C

• PAC-1:

CAS: 67-56-1 Methanol

530 ppm

(Contd. on page 4)

US -

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Potassium Check Std. 0.7 ppm in Methanol

CAS: 127-08-2	Potassium Acetate	(Contd. of page 3) 9.8 mg/m ³
· PAC-2:		
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 127-08-2	Potassium Acetate	110 mg/m ³
· PAC-3:		
CAS: 67-56-1	Methanol	7200* ppm
CAS: 127-08-2	Potassium Acetate	640 mg/m ³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

•	Control	parameters
---	---------	------------

· Com	ponents with limit values that require monitoring at the workplace:
CAS:	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
· Ingre	edients with biological limit values:
CAS:	: 67-56-1 Methanol
	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)
	(Contd. on page 5)
	US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Potassium Check Std. 0.7 ppm in Methanol

Additional information: The lists that were valid during the creation were used as basis.	(Contd. of page 4
Exposure controls	
Personal protective equipment: General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Store protective clothing separately.	
Avoid contact with the eyes and skin.	
Breathing equipment:	
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or lo respiratory protective device that is independent of circulating air. Protection of hands:	nger exposure us
Protective gloves	
The glove material has to be impermeable and resistant to the product/ the substance/ the prepa Due to missing tests no recommendation to the glove material can be given for the product/ th chemical mixture.	
Selection of the glove material on consideration of the penetration times, rates of diffusion and the Material of gloves	he degradation
The selection of the suitable gloves does not only depend on the material, but also on further ma varies from manufacturer to manufacturer. As the product is a preparation of several substances the glove material can not be calculated in advance and has therefore to be checked prior to the	s, the resistance of
Penetration time of glove material	apprication
The exact break through time has to be found out by the manufacturer of the protective glo observed.	ves and has to b
Eye protection:	
Tightly sealed goggles	
Body protection: Protective work clothing	
Physical and chemical properties	
Information on basic physical and chemical properties	

· General Information

· Appearance: Liquid Form: Clear Color: Methanol · Odor: · Odor threshold: Not determined. · pH-value: Not determined. · Change in condition *Melting point/Melting range:* -97.8 °C (-144 °F) Boiling point/Boiling range: 64 °C (147.2 °F) (Contd. on page 6)

US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade	name:	Pot	tassiu	m	Check Std.
		0.7	ррт	in	Methanol

	(Contd. of page 5
· Flash point:	11 °C (51.8 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	455 °C (851 °F)
• Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
• Density at 20 °C (68 °F):	0.79152 g/cm³ (6.60523 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
\cdot Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	100.0 %
VOC content:	100.00 %
	791.5 g/l / 6.61 lb/gal
Solids content:	0.0 %
• Other information	No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Potassium Check Std. 0.7 ppm in Methanol

(Contd. of page 6)

11 Toxicolo	gical inf	formation
	· ·	cological effects
· Acute toxic		
· LD/LC50 v	alues tha	t are relevant for classification:
ATE (Acut	e Toxicity	v Estimate)
Oral	LD50	100 mg/kg
Dermal	LD50	300 mg/kg
Inhalative	LC50/4h	3 mg/l
• Additional The produc Toxic	on: No set toxicolog ct shows th	nsitizing effects known. ical information: he following dangers according to internally approved calculation methods for preparations:
· Carcinoger	0	
,		Agency for Research on Cancer) nts is listed.
· NTP (Nati	onal Toxi	cology Program)
None of the	e ingredie	nts is listed.
· OSHA-Ca	(Occupat	ional Safety & Health Administration)
None of the	e ingredie	nts is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- \cdot Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Potassium Check Std. 0.7 ppm in Methanol

(Contd. of page 7)

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

DOT Flam IMDG, IATA FLAI Transport hazard class(es) DOT	993 nmable liquids, n.o.s. (Methanol) MMABLE LIQUID, N.O.S. (Methanol)
IMDG, IATA FLAN Transport hazard class(es) DOT	
IMDG, IATA FLAN Transport hazard class(es) DOT	
Transport hazard class(es) DOT	MMABLE LIQUID, N.O.S. (Methanol)
RUMMARE LOUD	
Class 3 Flo	
Class 3 Flo	
	ammable liquids
Label 3	
IMDG, IATA	
	ammable liquids
Label 3	
Packing group DOT, IMDG, IATA II	
Environmental hazards:	
Marine pollutant: No	
	ning: Flammable liquids
Hazard identification number (Kemler code): 330	
EMS Number: F-E,	<u>S-E</u>
Stowage Category B	
Transport in bulk according to Annex II ofMARPOL73/78 and the IBC CodeNot a	applicable.
Transport/Additional information:	
DOT	
	passenger aircraft/rail: 1 L
On c	rargo aircraft only: 60 L
IMDG	
Limited quantities (LQ) 1L Excepted quantities (EQ) Code	a. F2
1 1 ~ ~~	e: E2 imum net quantity per inner packaging: 30 ml
	imum net quantity per outer packaging: 50 ml

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Potassium Check Std. 0.7 ppm in Methanol

(Contd. of page 8)

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 67-56-1 Methanol	
· TSCA (Toxic Substances Control Act):	
Methanol	ACTIVE
Potassium Acetate	ACTIVE
· Hazardous Air Pollutants	
CAS: 67-56-1 Methanol	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
CAS: 67-56-1 Methanol	
· Carcinogenic categories	

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: Methanol

(Contd. on page 10)

US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Potassium Check Std. 0.7 ppm in Methanol

	(Contd. of page 9)
Hazard statements	
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes damage to the central nervous system and the visual organs.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ıs.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/16/2024: Reviewed SDS for accuracy. MH/STN 05/16/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Contd. on page 11)

⁻ US

Printing date 05/16/2024

Reviewed on 05/16/2024

Trade name: Potassium Check Std. 0.7 ppm in Methanol

(Contd. of page 10)

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity – Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1 • * Data compared to the previous version altered.