
Printing date 06/03/2024

Reviewed on 05/15/2024

1 Identification

- · Product identifier
- Trade name: Sodium Hydroxide 1.0N NIST Traceable Solution
- Article number: UC057
- Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification



GHS05 Corrosion

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



- · Signal word Danger
- Hazard-determining components of labeling: Sodium Hydroxide
 Hazard statements Causes severe skin burns and eye damage.
 Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.



- US

Printing date 06/03/2024

Reviewed on 05/15/2024

Trade name: Sodium Hydroxide 1.0N NIST Traceable Solution

(Contd. of page 1) Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 30 Fire = 0FIRE **REACTIVITY** O Reactivity = 0 · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 1310-73-2 Sodium Hydroxide

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

3.917%

96.083%

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2024

Reviewed on 05/15/2024

Trade name: Sodium Hydroxide 1.0N NIST Traceable Solution

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

D. 1	dia and a dia and a dia and a dia and a dia and				
• <i>Personal precautions, protective equipment and emergency procedures</i> Mount respiratory protective device.					
*	Wear protective equipment. Keep unprotected persons away.				
· Environmental					
Dilute with plent					
	enter sewers/ surface or ground water.				
	iterial for containment and cleaning up:				
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).				
Use neutralizing					
Dispose contami	nated material as waste according to section 13.				
Ensure adequate	ventilation.				
· Reference to oth	er sections				
See Section 7 for	See Section 7 for information on safe handling.				
See Section 8 for information on personal protection equipment.					
See Section 13 for disposal information.					
· Protective Action Criteria for Chemicals					
· PAC-1:					
CAS: 1310-73-2	Sodium Hydroxide	$0.5 mg/m^{3}$			
· PAC-2:					
CAS: 1310-73-2	Sodium Hydroxide	5 mg/m ³			
· PAC-3:					
CAS: 1310-73-2	Sodium Hydroxide	50 mg/m ³			

7 Handling and storage

· Handling:

- *Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

ÚS –

Printing date 06/03/2024

Reviewed on 05/15/2024

Trade name: Sodium Hydroxide 1.0N NIST Traceable Solution

(Contd. of page 3)

PEL Long-term value: 2 mg/m³ REL Ceiling limit value: 2 mg/m³ TLV Ceiling limit value: 2 mg/m³ Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure a respiratory protective device that is independent of circulating air. Protection of hands: Implement: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ in chemical mixture. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.	-	ponents with limit values that require monitoring at the workplace: : 1310-73-2 Sodium Hydroxide
REL Ceiling limit value: 2 mg/m ³ Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective equipment: General protective equipment: General protective equipment: Mathematicately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breafing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure or respiratory protective device that is independent of circulating air. Protection of hands: Vivo Vivo Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation/ I chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varieris from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application.		•
TLV Ceiling limit value: 2 mg/m ³ Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure are respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ themeidal mixture. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The save through time has to be found out by the manufacturer of the protective gloves and has to be observed. Expertencement		
Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure a respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the gloves material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of gloves and the as to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure of respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality at varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The selection time of glove material The sevent through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		· ·
Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure a respiratory protective device that is independent of circulating air. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Protection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Preteration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		•
General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Protection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Prenetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
 Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure or respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation is chemical mixture. Selection of the gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality avaries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: 	Perso Gond	onal protective equipment: pral protective and hygionic measures:
Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure a respiratory protective device that is independent of circulating air. Protection of hands:		
 Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure or respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ technical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: 		
 Avoid contact with the eyes. Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure or respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the sultable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: 		
 Avoid contact with the eyes and skin. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure or respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation in the degradation of the gloves Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection: 		
Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure of respiratory protective device that is independent of circulating air. Protection of hands: Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Belection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure a respiratory protective device that is independent of circulating air. Protection of hands: WWW Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
respiratory protective device that is independent of circulating air. Protection of hands: We protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:	Prote	ection of hands:
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:	ſ	
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:	111	Protective gloves
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ to chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		shows waterial has to be important add a signature to the product (the substance) (the mean anation
chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality a varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
The exact break through time has to be found out by the manufacturer of the protective gloves and has to observed. Eye protection:		
Eye protection:	The o	exact break through time has to be found out by the manufacturer of the protective gloves and has to b
	obset	rved.
Tightly sealed goggles	Eye p	protection:
tightly sealed goggles		
	Ċ	Tightly sealed goggles
Body protection: Protective work clothing	n 1	nrotection Protective work clothing

- · Information on basic physical and chemical properties
- · General Information · Appearance: Form:
- Color:

Liquid Colorless

(Contd. on page 5)

US

Printing date 06/03/2024

Reviewed on 05/15/2024

Trade name: Sodium Hydroxide 1.0N NIST Traceable Solution

		(Contd. of page
· Odor:	Odorless	
· Odor threshold:	Not determined.	
• <i>pH-value at 20 °C (68 °F):</i>	13.3	
· Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
• Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)		
· Density at 20 °C (68 °F):	1.02122 g/cm³ (8.52208 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
• Evaporation rate	Not determined.	
\cdot Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	96.1 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	4.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: No further relevant information available.}$
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

[·] Chemical stability

Printing date 06/03/2024

Reviewed on 05/15/2024

Trade name: Sodium Hydroxide 1.0N NIST Traceable Solution

(Contd. of page 5)

11 Toxicological information · Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: ATE (Acute Toxicity Estimate) Oral LD50 51,061 mg/kg (rat) · Primarv irritant effect: • on the skin: Strong caustic effect on skin and mucous membranes. • on the eye: Strong caustic effect. Strong irritant with the danger of severe eye injury. · Sensitization: No sensitizing effects known. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. · Carcinogenic categories · IARC (International Agency for Research on Cancer) None of the ingredients is listed. · NTP (National Toxicology Program) None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

• Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

(Contd. on page 7)

US

Printing date 06/03/2024

Trade name: Sodium Hydroxide 1.0N NIST Traceable Solution

(Contd. of page 6)

Reviewed on 05/15/2024

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

· Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	101004
· DOT, IMDG, IATA	UN1824
· UN proper shipping name	
$\cdot DOT$	Sodium hydroxide solution
· IMDG, IATA	SODIUM HYDROXIDE SOLUTION
· Transport hazard class(es)	
·DOT	
CORROSIVE	
8	
· Class	8 Corrosive substances
· Label	8
8	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
• Hazard identification number (Kemi	
• EMS Number:	F-A, S-B
· Segregation groups	(SGG18) Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" SGG1-acids

US –

Printing date 06/03/2024

Reviewed on 05/15/2024

Trade name: Sodium Hydroxide 1.0N NIST Traceable Solution

	(Contd. of page 7
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 30 L
· Remarks:	Not regulated
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Remarks:	Not regulated
· UN "Model Regulation":	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. Sara
· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• **TSCA** (Toxic Substances Control Act): Water

Sodium Hydroxide

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

(Contd. on page 9)

ACTIVE ACTIVE

⁻ US

Printing date 06/03/2024

Reviewed on 05/15/2024

Trade name: Sodium Hydroxide 1.0N NIST Traceable Solution

(Contd. of page 8)

· TLV (Threshold Li	i <mark>mit Value</mark>)
---------------------	----------------------------

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger · Hazard-determining components of labeling: Sodium Hydroxide · Hazard statements Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision: • Date of preparation / last revision Revision 1.2, 06/03/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 10-07-2015. STN 06/03/2024 • Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

(Contd. on page 10)

⁻ US

Printing date 06/03/2024

Reviewed on 05/15/2024

Trade name: Sodium Hydroxide 1.0N NIST Traceable Solution

HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A
Eye Damage 1: Serious eye damage/eye irritation – Category 1

(Contd. of page 9)