Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Crystal Violet D.2% eWv in Acetic Acid Article number: RPP013 Details of the supplier of the safety data sheet Manufacturer/Supplier: Agua Solutions, Inc. 6013 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-242-9300 Canutee: 613-996-6666 Chemtree: 80-0424-9300 Canutee: 613-996-6666 Chemtree: 80-0424-9300 Canutee: 613-996-6666 Caratee: 613-996-6666 Hazard(s) identification Classification of the substance or mixture $\widetilde{\psi}$ GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. $\widetilde{\psi}$ GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. $\widetilde{\psi}$ GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Eye Damage 1 H318 Causes serious eye damage. You GHS07 Acute Toxicity - Dermal 4 H317 May cause an allergic skin reaction.	Product identifier		
Article number: RPP013 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture Image: Classification of the substance or mixture Image: Classification of the substance or disture Image: Classification of the substance of causing cancer. Image:			
Details of the supplier of the safety data sheet Aqua Solutions, Inc. G013 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: $800-424-9300$ Canuec: $613-996-6666$ Idata and (s) identification Classification of the substance or mixture Image: GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. Image: GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. Image: GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Image: GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	<u>0.2% w/v i</u>	n Acetic Acid	
Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-236-2586Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: $613-996-6666$ Information department Technical Coordinator Sherman Nelson Shermann@aquasolutions.org Emergency telephone number: Chemtrec: $613-996-6666$ Mazard(s) identificationClassification of the substance or mixtureImage: GHS02 Flame Flammable Liquids 3H226 Flammable liquid and vapor.Image: GHS08 Health hazard Carcinogenicity 2H351 Suspected of causing cancer.Image: GHS05 CorrosionSkin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1Image: GHS07 Acute Toxicity - Dermal 4H312 Harmful in contact with skin.	Article number: RPP01.	3	
Aqua Solutions, Inc. 6913 Highway 223 DEER PARK, TX 77536 USA 800-256-2586Continuition department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemree: 800-424-9300 Canutec: 613-996-6666Continuation Contract of the substance or mixture $Volume = 0$ $Volume = 0$ $Volume = 0$ $Volume = 0$ $Volume = 0$ $Volume = 0$ $Volume = 0$ $Volume = 0$ $Volume = 0$ $Volume = 0$ $Volume = 0$ $Volum$			
6913 Highway 225 SOLUTIONS DEER PARK, TX 77536 USA $800-256-2586$ Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree:: 800-424-9300 Canutec:: 613-996-6666 Canutec:: 613-996-6666 Hazard(s) identification Classification of the substance or mixture $$ GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. $$ GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. $$ GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. $$ GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.			
DEER PARK, TX 77536 USA S00-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture O GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. O GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. O GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. O GHS05 Corrosion Skin Corrosion IA H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Eye Damage 1 H312 Harmful in contact with skin.			SOLUTIONS
800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture			
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtree: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture \widetilde{vv} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \widetilde{vv} GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. \widetilde{vv} GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Eye Damage 1 H318 Causes serious eye damage. Cute Toxicity - Dermal 4 H312 Harmful in contact with skin.			
Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture \widetilde{V} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \widetilde{V} GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. \widetilde{V} GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. \widetilde{V} GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	800-256-2586		
Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: $800.424.9300$ Canutec: $613.996-6666$ Hazard(s) identification Classification of the substance or mixture \overbrace{vv} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \overbrace{vv} GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. \overbrace{vv} GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. \overbrace{vv} GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.		<i>t:</i>	
Emergency telephone number: Chemtree: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture \widehat{O} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \widehat{O} GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. \widehat{O} GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. \widehat{O} GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.		nn@aquasolutions cre	
Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture \widetilde{V} GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. \widetilde{V} GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. \widetilde{V} GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Eye Damage 1 H318 Causes serious eye damage. \widetilde{V} GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.			
Hazard(s) identification Classification of the substance or mixture Image: GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. Image: GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. Image: GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. Image: GHS07 Acute Toxicity - Dermal 4 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.			
Classification of the substance or mixture GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor.	Canutec: 613-996-6666		
Classification of the substance or mixture GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor.			
Classification of the substance or mixture GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor.	Hazard(s) identifica	tion	
GHS02 Flame Flammable Liquids 3 H226 Flammable liquid and vapor. Image: Carcinogenicity 2 H351 Suspected of causing cancer. Image: Carcinogenicity 2 H314 Causes severe skin burns and eye damage. Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Image: Particular H318 Causes serious eye damage. Image: Carcinogenicity - Dermal 4 H312 Harmful in contact with skin.			
Flammable Liquids 3 H226 Flammable liquid and vapor. Flammable Liquids 3 H226 Flammable liquid and vapor. GHS08 Health hazard GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. GHS05 Corrosion GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Dermal 4	Classification of the sub	stance or mixture	
Flammable Liquids 3 H226 Flammable liquid and vapor. Flammable Liquids 3 H226 Flammable liquid and vapor. GHS08 Health hazard GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. GHS05 Corrosion GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Dermal 4			
GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	GHS02 Flame	2	
GHS08 Health hazard Carcinogenicity 2 H351 Suspected of causing cancer. GHS05 Corrosion Skin Corrosion 1A H314 Causes severe skin burns and eye damage. Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	GHS02 Flame	2	
Carcinogenicity 2 H351 Suspected of causing cancer.			
Carcinogenicity 2 H351 Suspected of causing cancer.			
Skin Corrosion 1A Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	Flammable Liquids 3	H226 Flammable liquid and vapor.	
Skin Corrosion 1A Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	Flammable Liquids 3	H226 Flammable liquid and vapor.	
Skin Corrosion 1AH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.GHS07Koute Toxicity - Dermal 4H312 Harmful in contact with skin.	Flammable Liquids 3	H226 Flammable liquid and vapor. h hazard	
Skin Corrosion 1AH314 Causes severe skin burns and eye damage.Eye Damage 1H318 Causes serious eye damage.GHS07Koute Toxicity - Dermal 4H312 Harmful in contact with skin.	Flammable Liquids 3	H226 Flammable liquid and vapor. h hazard	
Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	Flammable Liquids 3 GHS08 Health Carcinogenicity 2	H226 Flammable liquid and vapor. h hazard H351 Suspected of causing cancer.	
Eye Damage 1 H318 Causes serious eye damage. GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	Flammable Liquids 3 GHS08 Health Carcinogenicity 2	H226 Flammable liquid and vapor. h hazard H351 Suspected of causing cancer.	
GHS07 Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	Flammable Liquids 3 GHS08 Health Carcinogenicity 2 GHS05 Corro	H226 Flammable liquid and vapor. h hazard H351 Suspected of causing cancer.	
Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	Flammable Liquids 3 GHS08 Health Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A	H226 Flammable liquid and vapor. h hazard H351 Suspected of causing cancer. sion H314 Causes severe skin burns and e	
Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.	Flammable Liquids 3 GHS08 Health Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A	H226 Flammable liquid and vapor. h hazard H351 Suspected of causing cancer. sion H314 Causes severe skin burns and e	eye damage.
	Flammable Liquids 3 GHS08 Health Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A Eye Damage 1	H226 Flammable liquid and vapor. h hazard H351 Suspected of causing cancer. sion H314 Causes severe skin burns and e	eye damage.
	Flammable Liquids 3 GHS08 Health Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A Eye Damage 1	H226 Flammable liquid and vapor. h hazard H351 Suspected of causing cancer. sion H314 Causes severe skin burns and e	eye damage.
Sensulzation - Skill 1 H317 may cause an allergic Skill Feaction.	Flammable Liquids 3 GHS08 Health Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07	H226 Flammable liquid and vapor. h hazard H351 Suspected of causing cancer. sion H314 Causes severe skin burns and e H318 Causes serious eye damage.	vye damage.
Label elements	Flammable Liquids 3 GHS08 Health Carcinogenicity 2 GHS05 Corro Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Dermal	H226 Flammable liquid and vapor. h hazard H351 Suspected of causing cancer. sion H314 Causes severe skin burns and e H318 Causes serious eye damage. 4 H312 Harmful in contact with skin.	

Printing date 05/28/2024

Trade name: Crystal Violet 0.2% w/v in Acetic Acid Reviewed on 05/28/2024

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Acetic Acid, Glacial Crystal Violet (Gentian Violet) C.I. 42555 · Hazard statements Flammable liquid and vapor. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of causing cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. *Use explosion-proof electrical/ventilating/lighting/equipment.* Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. *Wear protective gloves/protective clothing/eve protection/face protection.* If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 2Reactivity = 0

(Contd. on page 3)

Printing date 05/28/2024

Trade name: Crystal Violet 0.2% w/v in Acetic Acid

(Contd. of page 2)

99.81%

0.19%

Reviewed on 05/28/2024

· HMIS-ratings (scale 0 - 4)

HEALTH
$$3$$
Health = 3 FIRE 2 Fire = 2 REACTIVITY 0 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 64-19-7 Acetic Acid, Glacial

CAS: 548-62-9 Crystal Violet (Gentian Violet) C.I. 42555

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture

- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Crystal Violet

0.2% w/v in Acetic Acid

(Contd. of page 3)

6 Accidental release measures
· Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· Protective Action Criteria for Chemicals
· PAC-1:
CAS: 64-19-7 Acetic Acid, Glacial 5 ppm
· PAC-2:
CAS: 64-19-7 Acetic Acid, Glacial 35 ppm
· PAC-3:
CAS: 64-19-7 Acetic Acid, Glacial 250 ppm

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Crystal Violet

0.2% w/v in Acetic Acid

(Contd. of page 4)

	collowing constituent is the only constituent of the product which has a PEL, TLV or other recommended sure limit.
	is time, the remaining constituent has no known exposure limits.
CAS:	64-19-7 Acetic Acid, Glacial
PEL	Long-term value: 25 mg/m³, 10 ppm
REL	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
TLV	Short-term value: 15 ppm
	Long-term value: 10 ppm
Addi	tional information: The lists that were valid during the creation were used as basis.
Expa	sure controls
	onal protective equipment:
	ral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	diately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
	protective clothing separately.
	contact with the eyes.
	l contact with the eyes and skin.
	thing equipment:
	se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	ratory protective device that is independent of circulating air.
	ction of hands:
	Protective gloves
	- love material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th
	ical mixture.
	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	rial of gloves
	election of the suitable gloves does not only depend on the material, but also on further marks of quality an
	s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
	love material can not be calculated in advance and has therefore to be checked prior to the application.
	tration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves and has to b
	1
obser	vea. protection:

· Body protection: Protective work clothing

(Contd. on page 6)

US

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Crystal Violet 0.2% w/v in Acetic Acid

(Contd. of page 5)

· Information on basic physical and che	mical properties
· General Information	I I I
· Appearance:	
Form:	Liquid
Color:	Purple
• Odor: • Odor threshold:	Vinegar Not determined.
· pH-value at 20 °C (68 °F):	2.5
	2.5
• Change in condition Melting point/Melting range:	16.6 °C (61.9 °F)
Boiling point/Boiling range:	118 °C (244.4 °F)
· Flash point:	40 °C (104 °F)
· Flammability (solid, gaseous):	Flammable.
	485 °C (905 °F)
· Auto igniting:	Not determined.
Decomposition temperature:	
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
· Explosion limits:	
Lower:	4 Vol %
Upper:	17 Vol %
· Vapor pressure at 20 °C (68 °F):	16 hPa (12 mm Hg)
· Density at 20 °C (68 °F):	1.05326 g/cm ³ (8.78945 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	99.8 %
VOC content:	99.81 % 1,051.3 g/l / 8.77 lb/gal
Solids content:	0.2 %

(Contd. on page 7)

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Crystal Violet

0.2% w/v in Acetic Acid

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 1,062 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 548-62-9 Crystal Violet (Gentian Violet) C.I. 42555

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 8)

2B

[–] US

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Crystal Violet 0.2% w/v in Acetic Acid

(Contd. of page 7)

· Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even extremely small quantities leak into the ground.

· Results of PBT and vPvB assessment

• *PBT:* Not applicable.

· vPvB: Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT, IMDG, IATA UN2920 · UN proper shipping name Corrosive liquids, flammable, n.o.s. (Acetic Acid, Glacial $\cdot DOT$ · IMDG, IATA CORROSIVE LIQUID, FLAMMABLE, N.O.S. (Acetic Acid, Glacial) · Transport hazard class(es) · DOT · Class 8 Corrosive substances · Label 8, 3 · IMDG · Class 8 Corrosive substances (Contd. on page 9) US

US

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Crystal Violet 0.2% w/v in Acetic Acid

	(Contd. of page
· Label	8/3
· IATA	
· Class	8 Corrosive substances
· Label	8 (3)
Packing group DOT, IMDG, IATA	Ш
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
· Ĥazard identification number (Kemler code)	
EMS Number:	F-E,S-C
Segregation groups	(SGG1) Acids
Stowage Category	Ε
· Stowage Code	SW1 Protected from sources of heat.
	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
~ ~	On cargo aircraft only: 30 L
· IMDG	
Limited quantities (LQ)	1L
\cdot Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (ACETI
0	ACID, GLACIAL
), 8 (3), II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
Acetic Acid, Glacial	ACTIVE
	(Contd. on page 10)

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Crystal Violet

0.2% w/v in Acetic Acid

(Contd. of page 9)

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Acetic Acid, Glacial Crystal Violet (Gentian Violet) C.I. 42555 · Hazard statements Flammable liquid and vapor. Harmful in contact with skin. *Causes severe skin burns and eye damage.* May cause an allergic skin reaction. Suspected of causing cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling.

(Contd. on page 11)

Printing date 05/28/2024

Reviewed on 05/28/2024

Trade name: Crystal Violet 0.2% w/v in Acetic Acid

(Contd. of page 10)
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
Wash contaminated clothing before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· National regulations:
· Additional classification according to Decree on Hazardous Materials:
Carcinogenic hazardous material group III (dangerous).
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
16 Other information
·
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
· Department issuing SDS: Environment protection department.
· Contact:
Date of Prenaration / Last Revision.

Date of Preparation / Last Revision: • Date of preparation / last revision Revision 1.2, 05/28/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 04-30-2024: Creation date for SDS. STN 05/28/2024 Abbreviations and accommune:

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Acute Toxicity - Dermal 4: Acute toxicity - Category 4 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 12)

⁻ US

Printing date 05/28/2024

Trade name: Crystal Violet 0.2% w/v in Acetic Acid

(Contd. of page 11)

US

Reviewed on 05/28/2024

Sensitization - Skin 1: Skin sensitisation – Category 1 Carcinogenicity 2: Carcinogenicity – Category 2 • * Data compared to the previous version altered.