Printing date 06/03/2024

*


Reviewed on 05/20/2024

Product identifier		
Trade name: Methanol, Carbonyl Fred	e (ASTM E411-12)	
Article number: UC002		
CAS Number:		
67-56-1		
EC number:		
200-659-6 Index number:		
603-001-00-X		SOLUTIONS
Details of the supplier of the safety dat	ta sheet	
Manufacturer/Supplier:		
Aqua Solutions, Inc.		
6913 Highway 225 DEER PARK, TX 77536		
USA		
800-256-2586		
Information department:		
Technical Coordinator		
Sherman Nelson shermann@aquasoluti	ions.org	
Emergency telephone number:	ions.org	
	ions.org	
<i>Emergency telephone number:</i> <i>Chemtrec:</i> 800-424-9300	ions.org	
<i>Emergency telephone number:</i> <i>Chemtrec: 800-424-9300</i> <i>Canutec: 613-996-6666</i>	ions.org	
<i>Emergency telephone number:</i> <i>Chemtrec:</i> 800-424-9300	ions.org	
<i>Emergency telephone number:</i> <i>Chemtrec: 800-424-9300</i> <i>Canutec: 613-996-6666</i>		
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt		
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification		
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame	ture	
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt	ture	ıble liquid and vapor.
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame Flammable Liquids 2	ture H225 Highly flamma	ible liquid and vapor.
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame	ture H225 Highly flamma	ible liquid and vapor.
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	t ure H225 Highly flamma	
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	ture H225 Highly flamma s H301 Toxic if swallo	wed.
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	ture H225 Highly flamma s H301 Toxic if swallo H311 Toxic in contac	wed. ct with skin.
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	ture H225 Highly flamma s H301 Toxic if swallo	wed. ct with skin.
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3	ture H225 Highly flamma s H301 Toxic if swallo H311 Toxic in contac	wed. ct with skin.
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	ture H225 Highly flamma s H301 Toxic if swallo H311 Toxic in contac	wed. ct with skin.
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard	ture H225 Highly flamma s H301 Toxic if swallo H311 Toxic in contau H331 Toxic if inhale	wed. ct with skin. d.
Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixt GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3	ture H225 Highly flamma s H301 Toxic if swallo H311 Toxic in contau H331 Toxic if inhale	wed. ct with skin. d.

Printing date 06/03/2024

Reviewed on 05/20/2024

Trade name: Methanol, Carbonyl Free (ASTM E411-12)



- *PBT*: Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 3)

Printing date 06/03/2024

Reviewed on 05/20/2024

Trade name: Methanol, Carbonyl Free (ASTM E411-12)

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 67-56-1 Methanol
- · Identification number(s)
- EC number: 200-659-6
- Index number: 603-001-00-X

4 First-aid measures

· Description of first aid measures

· General information:

- Immediately remove any clothing soiled by the product.
- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- \cdot Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

(Contd. on page 4)

[•] US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2024

Reviewed on 05/20/2024

Trade name: Methanol, Carbonyl Free (ASTM E411-12)

· Protective Action Criteria for Chemicals

· PAC-1: 530 ppm

· PAC-2: 2,100 ppm

• PAC-3: 7200* ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:		
CAS	: 67-56-1 Methanol	
PEL	Long-term value: 260 mg/m ³ , 200 ppm	
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI	
0	edients with biological limit values: : 67-56-1 Methanol	
BEI	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)	
· Expo · Pers · Geno Keep	itional information: The lists that were valid during the creation were used as basis. osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing.	

Printing date 06/03/2024

*

· Flash point:

· Auto igniting:

· Flammability (solid, gaseous):

• Decomposition temperature:

· Ignition temperature:

Reviewed on 05/20/2024

Trade name: Methanol, Carbonyl Free (ASTM E411-12)

Wash hands before breaks and at the	(Contd. of page 4)		
Wash hands before breaks and at the end of work. Store protective clothing separately.			
Avoid contact with the eyes and skin.			
Breathing equipment:			
	In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use		
	respiratory protective device that is independent of circulating air.		
· Protection of nanas:	· Protection of hands:		
Protective gloves			
	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the		
	nsideration of the penetration times, rates of diffusion and the degradation		
· Material of gloves			
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and			
	varies from manufacturer to manufacturer.		
• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be			
observed.			
· Eye protection:			
• Body protection: Protective work clothing			
0 Division 1 and all anniand anon and			
9 Physical and chemical propert	les		
 Information on basic physical and chemical properties General Information 			
· Appearance:			
Form:	Fluid		
Color: • Odor:	Colorless Alcohol-like		
· Odor: · Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition Malting point/Malting ranges	-97.8 °C (-144 °F)		
Melting point/Melting range: Boiling point/Boiling range:	$-97.8 \degree C (-144 \degree F)$ 64.4 °C (147.9 °F)		
Dowing point Dowing range.			

11 °C (51.8 °F)

Not determined.

Not determined.

Highly flammable. 455 °C (851 °F)

> (Contd. on page 6) US

Printing date 06/03/2024

Reviewed on 05/20/2024

Trade name: Methanol, Carbonyl Free (ASTM E411-12)

	(Contd. of page 5
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
<i>Lower:</i>	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F):	0.7915 g/cm ³ (6.60507 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

Oral	LD50	100 mg/kg (ATE)
	LD50	300 mg/kg (ATE)
Inhalative	LC50/4h	3 mg/l (ATE)

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.

(Contd. on page 7)

US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2024

Reviewed on 05/20/2024

Trade name: Methanol, Carbonyl Free (ASTM E411-12)

· OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	UN1230	
DOT, IMDG, IATA	UN1230	
UN proper shipping name		
DOT	Methanol	
IMDG, IATA	METHANOL	
Transport hazard class(es)		
DOT		
- •		
FLAMMABLE LIQUD		
3		
Class	3 Flammable liquids	

Printing date 06/03/2024

Reviewed on 05/20/2024

Trade name: Methanol, Carbonyl Free (ASTM E411-12)

	(Contd. of page
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, IMDG, IATA	11
Environmental hazards:	
Environmental nazaras: Marine pollutant:	No
•	
Special precautions for user Hazard identification number (Kemler code)	Warning: Flammable liquids
EMS Number:	F-E,S-D
Stowage Category	R
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
~ `	On cargo aircraft only: 60 L
Hazardous substance:	5000 lbs, 2270 kg
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1230 METHANOL, 3, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency) Substance is not listed.

(Contd. on page 9)

US ·

Printing date 06/03/2024

Reviewed on 05/20/2024

Trade name: Methanol, Carbonyl Free (ASTM E411-12)



16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department.
- Contact: Date of Preparation / Last Revision: Date of preparation / last revision Revision 1.2, 06/03/2024: Reviewed SDS for acc
- Revision 1.2, 06/03/2024: Reviewed SDS for accuracy. MH/STN 06/03/2024
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

(Contd. on page 10)

⁻ US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2024

Reviewed on 05/20/2024

Trade name: Methanol, Carbonyl Free (ASTM E411-12)

	(Contd. of page 9)
IATA: International Air Transport Association	10,
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
* Data compared to the previous version altered.	