Printing date 05/14/2024

Reviewed on 05/14/2024

1 Identification · Product identifier · Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA • Article number: INV006 • Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA800-256-2586 · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable Liquids 2 H225 Highly flammable liquid and vapor. GHS05 Corrosion Eye Damage 1 H318 Causes serious eye damage. GHS07 H315 Causes skin irritation. Skin Irritation 2 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS05 GHS07 · Signal word Danger · Hazard-determining components of labeling: Isopropanol (Contd. on page 2) US

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA

	(Contd. of page 1)
Tetrabutylammonium Hydroxide 30-Hydrate	
· Hazard statements	
Highly flammable liquid and vapor.	
Causes skin irritation.	
Causes serious eye damage.	
May cause drowsiness or dizziness.	
· Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/show	er.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	. 1 . 1
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese	nt and easy to ao.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label). Take off contaminated clothing and usach it before reuse	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool. Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation	ong
· Classification system:	ons.
· NFPA ratings (scale 0 - 4)	
111111 Tuungs (scule 0 - 7)	
Health = 3	
Fire = 3	
3 Reactivity = 0	
HMIS varings (scale 0 4)	
· HMIS-ratings (scale 0 - 4)	
$\begin{array}{c c} \text{HEALTH} & *3 \end{array} Health = *3 \end{array}$	
FIRE 3 $Fire = 3$	
REACTIVITY Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
**	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA

		(Contd. of page 2)	
• Dangerous comp	ponents:		
CAS: 67-63-0	Isopropanol	79.436%	
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	3.16%	
· Table of Nonhazardous Ingredients			
CAS: 7732-18-5	Water	17.404%	

4 First-aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

· Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

	equipment. Keep unprotected persons away.	
Environmental p		
Dilute with plenty		
	nter sewers/ surface or ground water.	
Methods and ma	terial for containment and cleaning up:	
Absorb with liqui	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing		
0	nated material as waste according to section 13.	
Ensure adequate		
Reference to othe		
	information on safe handling.	
	information on personal protection equipment.	
	r disposal information.	
	a Criteria for Chemicals	
PAC-1:		
CAS: 67-63-0	Isopropanol	400 ppm
	Tetrabutylammonium Hydroxide 30-Hydrate	1.2 mg/n

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA

· PAC-2:		(Contd. of page 3)
CAS: 67-63-0	Isopropanol	2000* ppm
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	13 mg/m ³
• PAC-3:		
CAS: 67-63-0	Isopropanol	12000** ppm
CAS: 2052-49-5	Tetrabutylammonium Hydroxide 30-Hydrate	79 mg/m ³

7 Handling and storage

· Handling:

- *Precautions for safe handling* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS	: 67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm
	Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm
	Long-term value: 200 ppm
	BEI, A4
· Ingr	edients with biological limit values:
CAS	: 67-63-0 Isopropanol
BEI	40 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
	LD50: Acetone (background, nonspecific)
	(Contd. on page 5)
	- 115

US

Safety Data Sheet acc. to OSHA HCS

Printing date 05/14/2024

Color: • Odor: Reviewed on 05/14/2024

Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA

(Contd. of page 4) • Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment: • General protective and hygienic measures: *Keep away from foodstuffs, beverages and feed.* Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eves and skin. • Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eve protection: Tightly sealed goggles · Body protection: Protective work clothing 9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid

 I

 · Odor threshold:
 Not determined.

 · pH-value:
 Not determined.

 (Contd. on page 6)

Clear

de l'alcool

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA

	(Contd. of page 5
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 82 °C (179.6 °F)
Flash point:	13 °C (55.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits: Lower: Upper:	2 Vol % 12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.83327 g/cm³ (6.95364 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
Solvent content: Organic solvents: Water: VOC content:	79.4 % 17.4 % 79.44 % 661.9 g/l / 5.52 lb/gal
Solids content:	3.2 %
Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA

(Contd. of page 6)

3

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- \cdot on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:

• General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 8)

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA

(Contd. of page 7)

US

Transport information	
UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Isopropanol
IMDG, IATA) FLAMMABLE LIQUID, N.O.S. (Isopropanol)
Transport hazard class(es)	
DOT	
R AMAGE LUDO	
Class Label	3 Flammable liquids 3
IMDG, IATA	5
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	
LMS Number: Stowage Category	F-E, <u>S-E</u> B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Reviewed on 05/14/2024

Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA

(Contd. of page 8)

· UN "Model Regulation":

Printing date 05/14/2024

UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
CAS: 67-63-0 Isopropanol	
TSCA (Toxic Substances Control Act):	
Isopropanol	ACTIVI
Water	ACTIVE
Tetrabutylammonium Hydroxide 30-Hydrate	ACTIVE
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
CAS: 67-63-0 Isopropanol	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	·
Thosh-Cu (Nauonai Insuiale for Occupational Sufery and Health)	



· Signal word Danger

(Contd. on page 10)

⁻ US

(Contd of mage 0)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA

	(Contd. of page 9)
Hazard-determining components of labeling:	
Isopropanol	
Tetrabutylammonium Hydroxide 30-Hydrate	
Hazard statements	
Highly flammable liquid and vapor.	
Causes skin irritation.	
Causes serious eye damage.	
May cause drowsiness or dizziness.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do.
Continue rinsing.	2
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	5.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision: • Date of preparation / last revision Revision 1.2 05-14-2024: Reviewed SDS for accuracy. GW/STN 05/14/2024
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 11)

[•] US

Printing date 05/14/2024

Reviewed on 05/14/2024

Trade name: Tetrabutyl Ammonium Hydroxide 0.1 Normal in IPA

(Contd. of page 10)

US

NIOSH: National Institute for Occupational Safety	
110511. Hallohal Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Skin Irritation 2: Skin corrosion/irritation – Category 2	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Categor	, 3
* Data compared to the previous version altered.	