Printing date 07/02/2024

*

Reviewed on 07/02/2024

Identification	
· Product identifier	
• Trade name: <u>Amine Sulfuric Acid</u> Working Solution	
• Article number: BP001	
• Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	
Aqua Solutions, Inc. 6913 Highway 225	SOLUTIONS
<i>DEER PARK, TX 77536</i>	
USA 800-256-2586	
• Information department: Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
• Emergency telephone number: Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
P Hazard(s) identification	
· Classification of the substance or mixture	
GHS08 Health hazard	
Carcinogenicity 1A	H350 May cause cancer.
GHS05 Corrosion	
Consos Conosion	
Skin Corrosion 1A	H314 Causes severe skin burns and eye damage.
\checkmark	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Skin Corrosion 1A	
Skin Corrosion 1A	
Skin Corrosion 1A Eye Damage 1 GHS07	H318 Causes serious eye damage.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4	H318 Causes serious eye damage. H302 Harmful if swallowed.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposure	H318 Causes serious eye damage. H302 Harmful if swallowed.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposure • Label elements • GHS label elements The product is classified and	H318 Causes serious eye damage. H302 Harmful if swallowed.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposure • Label elements • GHS label elements The product is classified and	H318 Causes serious eye damage. H302 Harmful if swallowed. 2 3 H335 May cause respiratory irritation.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposure • Label elements • GHS label elements The product is classified and	H318 Causes serious eye damage. H302 Harmful if swallowed. 2 3 H335 May cause respiratory irritation.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposure Label elements	H318 Causes serious eye damage. H302 Harmful if swallowed. 2 3 H335 May cause respiratory irritation.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposure • Label elements • GHS label elements The product is classified and	H318 Causes serious eye damage. H302 Harmful if swallowed. 2 3 H335 May cause respiratory irritation.
Skin Corrosion 1A Eye Damage 1 GHS07 Acute Toxicity - Oral 4 Specific Target Organ Toxicity - Single Exposure • Label elements • GHS label elements The product is classified and • Hazard pictograms	H318 Causes serious eye damage. H302 Harmful if swallowed. 2 3 H335 May cause respiratory irritation.
Skin Corrosion 1A Eye Damage 1	H318 Causes serious eye damage. H302 Harmful if swallowed. 2 3 H335 May cause respiratory irritation.
Skin Corrosion 1A Eye Damage 1	H318 Causes serious eye damage. H302 Harmful if swallowed. 2 3 H335 May cause respiratory irritation.

0.476% (Contd. on page 3)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Amine Sulfuric Acid Working Solution

	(Contd. of page 1)
Hazard statements	
Harmful if swallowed.	
Causes severe skin burns and eye damage.	
May cause cancer.	
May cause respiratory irritation.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present a	and easy to do.
Continue rinsing.	5
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3 0 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH *3 $Health = *3$	
FIRE 0 $Fire = 0$	
REACTIVITY 0 <i>Reactivity</i> = 0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
v Pv B: Not applicable.	
Composition/information on ingredients	
Chamical characterization, Mixtures	
Chemical characterization: Mixtures	
Description: Mixture of the substances listed below with nonhazardous additions.	
Dangerous components:	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	64.48%
	0.15

CAS: 62778-12-5 N,N-Dimethyl-p-phenylene-diamine Oxalate

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Amine Sulfuric Acid Working Solution

(Contd. of page 2)

· Table of Nonhazardous Ingredients

35.044%

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Dilute with plenty of water.
 Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
 Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 4)

US –

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Amine Sulfuric Acid Working Solution

(Contd. of page 3)

0.20 mg/m³

 $8.7 mg/m^3$

 $160 \, mg/m^3$

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· Protective Action Criteria for Chemicals

· PAC-2:

· PAC-1:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

• PAC-3:

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

- PEL Long-term value: 1 mg/m³
- *REL Long-term value: 1 mg/m³*
- TLV Long-term value: 0.2* mg/m³

*as thoracic fraction, A2

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- \cdot General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 5)

US

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Amine Sulfuric Acid Working Solution

(Contd. of page 4)

US

- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Liquid	
Color:	Liquid light tan colored	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Amine Sulfuric Acid Working Solution

		(Contd. of page 5)
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.54163 g/cm ³ (12.8649 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	35.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.5 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 1,050 mg/kg

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

(Contd. on page 7)

Printing date 07/02/2024

Reviewed on 07/02/2024

(Contd. of page 6)

1

K

Trade name: Amine Sulfuric Acid Working Solution

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NTP (National Toxicology Program)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1760	
· UN proper shipping name		
$\cdot DOT$	Corrosive liquids, n.o.s. (Sulfuric Acid)	
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Sulfuric Acid)	

US

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade	name: A	mine S	ulfuric Acid
	W	orking	Solution

	(Contd. of pag
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
all	
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	Ш
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F-A, S-B
Segregation groups	(SGG1) Acids
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
~ ~ ~ ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (SULFURIC ACID), 8,

15 Regulatory information

*

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

(Contd. on page 9)

US -

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Amine Sulfuric Acid Working Solution

	(Contd. of page
Section 313 (Specific toxic chemical listings):	
CAS: 7664-93-9 Sulfuric Acid 96 - 98%	
TSCA (Toxic Substances Control Act):	
Sulfuric Acid 96 - 98%	ACTIVI
Water	ACTIVI
N,N-Dimethyl-p-phenylene-diamine Oxalate	ACTIVI
Hazardous Air Pollutants	
None of the ingredients is listed.	
None of the ingredients is listed. Proposition 65 Chemicals known to cause cancer:	
Proposition 65	
Proposition 65 Chemicals known to cause cancer:	
Proposition 65 Chemicals known to cause cancer: None of the ingredients is listed.	
Proposition 65Chemicals known to cause cancer:None of the ingredients is listed.Chemicals known to cause reproductive toxicity for females:None of the ingredients is listed.	
Proposition 65Chemicals known to cause cancer:None of the ingredients is listed.Chemicals known to cause reproductive toxicity for females:None of the ingredients is listed.	
Proposition 65Chemicals known to cause cancer:None of the ingredients is listed.Chemicals known to cause reproductive toxicity for females:None of the ingredients is listed.Chemicals known to cause reproductive toxicity for males:	

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7664-93-9 Sulfuric Acid 96 - 98%

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: Sulfuric Acid 96 - 98%
N,N-Dimethyl-p-phenylene-diamine Oxalate
Hazard statements
Harmful if swallowed.
Causes severe skin burns and eye damage.
May cause cancer.
May cause respiratory irritation.
Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dusts or mists.
Wash thoroughly after handling.

(Contd. on page 10)

A2

Printing date 07/02/2024

Reviewed on 07/02/2024

Trade name: Amine Sulfuric Acid Working Solution

	(Contd. of page 9)
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present	and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Store in a well-ventilated place. Keep container tightly closed.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations	<i>s</i> .
 National regulations: Additional classification according to Decree on Hazardous Materials: Carcinogenic hazardous material group III (dangerous). 	

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2 07/01/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 07/02/2024 / 1.1 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit Acute Toxicity - Oral 4: Acute toxicity - Category 4

(Contd. on page 11)

Printing date 07/02/2024

Trade name: Amine Sulfuric Acid Working Solution Reviewed on 07/02/2024

(Contd. of page 10)

US

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Carcinogenicity 1A: Carcinogenicity – Category 1A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.