Printing date 05/30/2024

\*

\*

Reviewed on 05/30/2024

Identification	
· Product identifier	
• Trade name: <u>Nital Etch Solution</u> 5% v/v Nitric Acid in Methanol	
• Article number: SPE880	
• Details of the supplier of the safety data sheet • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA SOLUTIONS
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org • <b>Emergency telephone number:</b> Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
P Hazard(s) identification	
GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
	H370 Causes damage to the central nervous system and visual organs.
Specific Target Organ Toxicity - Single Exposure 1	
Specific Target Organ Toxicity - Single Exposure 1	visual organs.

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Nital Etch Solution 5% v/v Nitric Acid in Methanol



Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Nital Etch Solution 5% v/v Nitric Acid in Methanol

(Contd. of page 2)

90.914%

9.086%

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

#### · Dangerous components:

CAS: 67-56-1	Methanol

CAS: 7697-37-2 Nitric Acid

### 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.* 

(Contd. on page 4)

US

Printing date 05/30/2024

Reviewed on 05/30/2024

#### Trade name: Nital Etch Solution 5% v/v Nitric Acid in Methanol

<ul> <li>Methods and ma Absorb with lique Use neutralizing Dispose contamin Ensure adequate</li> <li>Reference to oth See Section 7 for See Section 8 for See Section 13 fo</li> <li>Protective Action</li> </ul>	nated material as waste according to section 13. ventilation.	(Contd. of page 3)
• <b>PAC-1:</b> CAS: 67-56-1	Methanol	530 ppm
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 67-56-1	Methanol	2,100 ppm
CAS: 7697-37-2	Nitric Acid	24 ppm
· PAC-3:		
CAS: 67-56-1	Methanol	7200* ppm
CAS: 7697-37-2	Nitric Acid	92 ppm

### 7 Handling and storage

#### · Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
   Open and handle receptacle with care.
   Prevent formation of aerosols.
   Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- Keep respiratory protective device available.

#### · Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- $\cdot$  Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Nital Etch Solution 5% v/v Nitric Acid in Methanol

Cont	(Contd. of page 4 rol parameters
	ponents with limit values that require monitoring at the workplace:
	: 67-56-1 Methanol
	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm
NLL	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
	Skin
TLV	Short-term value: 250 ppm
	Long-term value: 200 ppm
	Skin; BEI
CAS:	: 7697-37-2 Nitric Acid
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL	Short-term value: 10 mg/m³, 4 ppm
	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: (4) NIC-0.025* ppm
	Long-term value: (2) ppm
	*inh. fraction + vapor, NIC-A4
-	edients with biological limit values:
	: 67-56-1 Methanol
	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift LD50: Methanol (background, nonspecific)
	tional information: The lists that were valid during the creation were used as basis.
	•
	sure controls
	onal protective equipment: eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
Store	protective clothing separately.
	d contact with the eyes.
	d contact with the eyes and skin.
	<b>thing equipment:</b> se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	ratory protective device that is independent of circulating air.
-	ection of hands:
1110	Protective gloves
	1 Tolective gloves
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th
	ical mixture.
	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	<b>rial of gloves</b> selection of the suitable gloves does not only depend on the material, but also on further marks of quality an
varie	s from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance love material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

US

Printing date 05/30/2024

#### Reviewed on 05/30/2024

### Trade name: Nital Etch Solution 5% v/v Nitric Acid in Methanol

(Contd. of page 5)

# • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



\*

Tightly sealed goggles

· Body protection: Protective work clothing

	chemical properties
General Information	
Appearance: Form:	Liquid
Form: Color:	Clear
Odor:	de l'alcool
	l
Odor threshold:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	<2
Change in condition	
Melting point/Melting range:	Undetermined.
<b>Boiling point/Boiling range:</b>	64 °C (147.2 °F)
Flash point:	12 °C (53.6 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.82708 g/cm <sup>3</sup> (6.90198 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined. Not determined.
Evaporation rate	ivoi ueierminea.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.

Printing date 05/30/2024

Reviewed on 05/30/2024

#### Trade name: Nital Etch Solution 5% v/v Nitric Acid in Methanol

	(Contd.	of page
Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	90.9 %	
VOC content:	90.91 %	
	751.9 g/l / 6.28 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

# **10** Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)			
Oral	LD50	110 mg/kg	
Dermal	LD50	330 mg/kg	

Inhalative LC50/4h 3 mg/l

· Primary irritant effect:

- $\cdot$  on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Toxic
- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Nital Etch Solution

5% v/v Nitric Acid in Methanol

(Contd. of page 7)

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number	
· DOT, IMDG, IATA	UN2924
· UN proper shipping name	
$\cdot DOT$	Flammable liquids, corrosive, n.o.s. (Methanol, Nitric Acid)
· IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Methanol, Nitrie
	Acid)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Nital	Etch Solution
5% v/v	<sup>,</sup> Nitric Acid in Methanol

	(Contd. of pag
Transport hazard class(es)	
DOT	
CORROSIVE 3	
<b>▼ ▼</b>	
Class	3 Flammable liquids
Label	3, 8
IMDG	
<b>▼ ▼</b>	
Class	3 Flammable liquids
Label	3/8
IATA	
V V	
Class	3 Flammable liquids
Label	3 (8)
Packing group	
DOT, ĬMDĠ, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	
EMS Number:	F-E,S-C
Segregation groups	(SGG1a) Strong acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
Zaanny minunons	On cargo aircraft only: 5 L
IMDG	11
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per unter packaging: 50 ml Maximum net quantity per outer packaging: 500 ml
	mannan net quantity per outer puckaging. 500 mi

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Nital Etch Solution 5% v/v Nitric Acid in Methanol

(Contd. of page 9)

ACTIVE ACTIVE

· UN "Model Regulation":

UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (METHANOL, NITRIC ACID), 3 (8), II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

CAS: 7697-37-2 Nitric Acid

• Section 313 (Specific toxic chemical listings):

All ingredients are listed.

• TSCA (Toxic Substances Control Act):

Methanol

Nitric Acid

• Hazardous Air Pollutants CAS: 67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

(Contd. on page 11)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Nital Etch Solution 5% v/v Nitric Acid in Methanol

	(Contd. of page 1
Hazard-determining components of labeling:	
Methanol	
Nitric Acid	
Hazard statements	
Highly flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes severe skin burns and eye damage.	
Causes damage to the central nervous system and the visual organs.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/sh	ower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if pr	esent and easy to d
Continue rinsing.	
IF exposed: Call a POISON CENTER or doctor/physician.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regu	lations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

# · Contact:

- Date of Preparation / Last Revision:
- $\cdot$  Date of preparation / last revision

Revision 1.2, 05/30/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 02-12-2016: Creation date for SDS. STN 05/30/2024 • Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 12)

Printing date 05/30/2024

Reviewed on 05/30/2024

## Trade name: Nital Etch Solution 5% v/v Nitric Acid in Methanol

	(Contd. of page 11)
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
• * Data compared to the previous version altered.	
	US