

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

## 1 Identification

- **Product identifier**
- **Trade name:** Ceric Sulfate Titrant  
0.25 Normal Solution
- **Article number:** SPX048
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson [shermann@aquasolutions.org](mailto:shermann@aquasolutions.org)
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS03 Flame over circle

Oxidizing Liquids 2

H272 May intensify fire; oxidizer.



GHS08 Health hazard

Carcinogenicity 1A

H350 May cause cancer.



GHS05 Corrosion

Skin Corrosion 1A

H314 Causes severe skin burns and eye damage.

Eye Damage 1

H318 Causes serious eye damage.



GHS07

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS03



GHS05



GHS07



GHS08

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

**Trade name: Ceric Sulfate Titrant  
0.25 Normal Solution**

(Contd. of page 1)

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*Sulfuric Acid 96 - 98%*

*Ceric Ammonium Nitrate*

· **Hazard statements**

*May intensify fire; oxidizer.*

*Causes severe skin burns and eye damage.*

*May cause cancer.*

*May cause respiratory irritation.*

· **Precautionary statements**

*Obtain special instructions before use.*

*Do not handle until all safety precautions have been read and understood.*

*Keep away from heat.*

*Keep/Store away from clothing/combustible materials.*

*Take any precaution to avoid mixing with combustibles.*

*Do not breathe dusts or mists.*

*Wash thoroughly after handling.*

*Use only outdoors or in a well-ventilated area.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*If swallowed: Rinse mouth. Do NOT induce vomiting.*

*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*Immediately call a poison center/doctor.*

*IF exposed or concerned: Get medical advice/attention.*

*Specific treatment (see on this label).*

*Wash contaminated clothing before reuse.*

*In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.*

*Store in a well-ventilated place. Keep container tightly closed.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



*Health = 3*

*Fire = 3*

*Reactivity = 0*

*The substance possesses oxidizing properties.*

· **HMIS-ratings (scale 0 - 4)**



*Health = \*3*

*Fire = 3*

*Reactivity = 0*

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

US

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

**Trade name: Ceric Sulfate Titrant  
0.25 Normal Solution**

(Contd. of page 2)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

|                 |                        |         |
|-----------------|------------------------|---------|
| CAS: 16774-21-3 | Ceric Ammonium Nitrate | 13.027% |
| CAS: 7664-93-9  | Sulfuric Acid 96 - 98% | 8.744%  |

- **Table of Nonhazardous Ingredients**

|                |       |         |
|----------------|-------|---------|
| CAS: 7732-18-5 | Water | 78.229% |
|----------------|-------|---------|

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

**Trade name: Ceric Sulfate Titrant  
0.25 Normal Solution**

(Contd. of page 3)

### · Protective Action Criteria for Chemicals

| · PAC-1:        |                        |                        |
|-----------------|------------------------|------------------------|
| CAS: 16774-21-3 | Ceric Ammonium Nitrate | 1.2 mg/m <sup>3</sup>  |
| CAS: 7664-93-9  | Sulfuric Acid 96 - 98% | 0.20 mg/m <sup>3</sup> |
| · PAC-2:        |                        |                        |
| CAS: 16774-21-3 | Ceric Ammonium Nitrate | 13 mg/m <sup>3</sup>   |
| CAS: 7664-93-9  | Sulfuric Acid 96 - 98% | 8.7 mg/m <sup>3</sup>  |
| · PAC-3:        |                        |                        |
| CAS: 16774-21-3 | Ceric Ammonium Nitrate | 79 mg/m <sup>3</sup>   |
| CAS: 7664-93-9  | Sulfuric Acid 96 - 98% | 160 mg/m <sup>3</sup>  |

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

| CAS: 7664-93-9 Sulfuric Acid 96 - 98% |  |
|---------------------------------------|--|
| PEL                                   | Long-term value: 1 mg/m <sup>3</sup>                                 |
| REL                                   | Long-term value: 1 mg/m <sup>3</sup>                                 |
| TLV                                   | Long-term value: 0.2* mg/m <sup>3</sup><br>*as thoracic fraction, A2 |

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

**Trade name: Ceric Sulfate Titrant  
0.25 Normal Solution**

(Contd. of page 4)

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

|                        |                 |
|------------------------|-----------------|
| <b>Form:</b>           | Liquid          |
| <b>Color:</b>          | Orange          |
| <b>Odor:</b>           | Odorless        |
| <b>Odor threshold:</b> | Not determined. |

· **pH-value at 20 °C (68 °F):** <2

· **Change in condition**

|                                     |                 |
|-------------------------------------|-----------------|
| <b>Melting point/Melting range:</b> | Undetermined.   |
| <b>Boiling point/Boiling range:</b> | 100 °C (212 °F) |

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

**Trade name: Ceric Sulfate Titrant  
0.25 Normal Solution**

(Contd. of page 5)

|  |   |
|--|---|
| · <b>Danger of explosion:</b>                        | Product does not present an explosion hazard. |
| · <b>Explosion limits:</b>                           |   |
| <b>Lower:</b>  | Not determined.                               |
| <b>Upper:</b>  | Not determined.                               |
| · <b>Vapor pressure at 20 °C (68 °F):</b>            | 23 hPa (17.3 mm Hg)                           |
| · <b>Density at 20 °C (68 °F):</b>                   | 1.05215 g/cm <sup>3</sup> (8.78019 lbs/gal)   |
| · <b>Relative density</b>                            | Not determined.                               |
| · <b>Vapor density</b>                               | Not determined.                               |
| · <b>Evaporation rate</b>                            | Not determined.                               |
| · <b>Solubility in / Miscibility with<br/>Water:</b> | Fully miscible.                               |
| · <b>Partition coefficient (n-octanol/water):</b>    | Not determined.                               |
| · <b>Viscosity:</b>                                  |   |
| <b>Dynamic:</b>                                      | Not determined.                               |
| <b>Kinematic:</b>                                    | Not determined.                               |
| · <b>Solvent content:</b>                            |   |
| <b>Water:</b>  | 78.2 %  |
| <b>VOC content:</b>                                  | 0.00 %  |
|  | 0.0 g/l / 0.00 lb/gal                         |
| <b>Solids content:</b>                               | 13.0 %  |
| · <b>Other information</b>                           | No further relevant information available.    |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

**ATE (Acute Toxicity Estimate)**

|      |      |             |
|------|------|-------------|
| Oral | LD50 | 3,838 mg/kg |
|------|------|-------------|

- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

**Trade name: Ceric Sulfate Titrant  
0.25 Normal Solution**

(Contd. of page 6)

- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Corrosive  
Irritant  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories**

|   |                        |
|---|------------------------|
| <b>· IARC (International Agency for Research on Cancer)</b> |                        |
| CAS: 7664-93-9  | Sulfuric Acid 96 - 98% |

I

|  |                        |
|--|------------------------|
| <b>· NTP (National Toxicology Program)</b> |                        |
| CAS: 7664-93-9                             | Sulfuric Acid 96 - 98% |

K

|  |  |
|--|--|
| <b>· OSHA-Ca (Occupational Safety &amp; Health Administration)</b> |  |
| None of the ingredients is listed.                                 |  |

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Must not reach bodies of water or drainage ditch undiluted or unneutralized.  
Danger to drinking water if even small quantities leak into the ground.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

US

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS



Printing date 05/30/2024

Reviewed on 05/30/2024

**Trade name: Ceric Sulfate Titrant  
0.25 Normal Solution**

(Contd. of page 7)

## 14 Transport information

|  |   |
|--|---|
| <ul style="list-style-type: none"> <li>· UN-Number</li> <li>· DOT, IMDG, IATA</li> </ul>   | UN3264  |
| <ul style="list-style-type: none"> <li>· UN proper shipping name</li> <li>· DOT</li> <li>· IMDG, IATA</li> </ul>   | Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric Acid)<br><b>CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulfuric Acid)</b>                         |
| <ul style="list-style-type: none"> <li>· Transport hazard class(es)</li> <li>· DOT</li> </ul>  | <div style="text-align: center;">  <p><b>CORROSIVE</b><br/>8</p> </div>  |
| <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>   | 8 Corrosive substances<br>8   |
| <ul style="list-style-type: none"> <li>· IMDG, IATA</li> </ul>   | <div style="text-align: center;">  <p><b>CORROSIVE</b><br/>8</p> </div> |
| <ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>   | 8 Corrosive substances<br>8   |
| <ul style="list-style-type: none"> <li>· Packing group</li> <li>· DOT, IMDG, IATA</li> </ul>   | II  |
| <ul style="list-style-type: none"> <li>· Environmental hazards:</li> </ul>   | Not applicable.   |
| <ul style="list-style-type: none"> <li>· Special precautions for user</li> <li>· Hazard identification number (Kemler code):</li> <li>· EMS Number:</li> <li>· Segregation groups</li> <li>· Stowage Category</li> <li>· Stowage Code</li> </ul> | Warning: Corrosive substances<br>80<br>F-A,S-B<br>(SGG1) Acids<br>B<br>SW2 Clear of living quarters.  |
| <ul style="list-style-type: none"> <li>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</li> </ul>  | Not applicable.   |
| <ul style="list-style-type: none"> <li>· Transport/Additional information:</li> <li>· DOT</li> <li>· Quantity limitations</li> </ul>   | On passenger aircraft/rail: 1 L<br>On cargo aircraft only: 30 L   |
| <ul style="list-style-type: none"> <li>· IMDG</li> <li>· Limited quantities (LQ)</li> <li>· Excepted quantities (EQ)</li> </ul>  | 1L<br>Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml                                     |

(Contd. on page 9)

US



# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

**Trade name: Ceric Sulfate Titrant  
0.25 Normal Solution**

(Contd. of page 8)

· **UN "Model Regulation":** UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULFURIC ACID), 8, II

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
· **Sara**

· **Section 355 (extremely hazardous substances):**

|                |                        |
|----------------|------------------------|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% |
|----------------|------------------------|

· **Section 313 (Specific toxic chemical listings):**

|                 |                        |
|-----------------|------------------------|
| CAS: 16774-21-3 | Ceric Ammonium Nitrate |
|-----------------|------------------------|

|                |                        |
|----------------|------------------------|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% |
|----------------|------------------------|

· **TSCA (Toxic Substances Control Act):**

|                        |        |
|------------------------|--------|
| Water                  | ACTIVE |
| Ceric Ammonium Nitrate | ACTIVE |
| Sulfuric Acid 96 - 98% | ACTIVE |

· **Hazardous Air Pollutants**

None of the ingredients is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

|                 |                        |    |
|-----------------|------------------------|----|
| CAS: 16774-21-3 | Ceric Ammonium Nitrate | II |
|-----------------|------------------------|----|

· **TLV (Threshold Limit Value)**

|                |                        |    |
|----------------|------------------------|----|
| CAS: 7664-93-9 | Sulfuric Acid 96 - 98% | A2 |
|----------------|------------------------|----|

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS03    GHS05    GHS07    GHS08

· **Signal word** Danger

(Contd. on page 10)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

**Trade name: Ceric Sulfate Titrant  
0.25 Normal Solution**

(Contd. of page 9)

- **Hazard-determining components of labeling:**

- Sulfuric Acid 96 - 98%

- Ceric Ammonium Nitrate

- **Hazard statements**

- May intensify fire; oxidizer.

- Causes severe skin burns and eye damage.

- May cause cancer.

- May cause respiratory irritation.

- **Precautionary statements**

- Obtain special instructions before use.

- Do not handle until all safety precautions have been read and understood.

- Keep away from heat.

- Keep/Store away from clothing/combustible materials.

- Take any precaution to avoid mixing with combustibles.

- Do not breathe dusts or mists.

- Wash thoroughly after handling.

- Use only outdoors or in a well-ventilated area.

- Wear protective gloves/protective clothing/eye protection/face protection.

- If swallowed: Rinse mouth. Do NOT induce vomiting.

- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

- Continue rinsing.

- Immediately call a poison center/doctor.

- IF exposed or concerned: Get medical advice/attention.

- Specific treatment (see on this label).

- Wash contaminated clothing before reuse.

- In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

- Store in a well-ventilated place. Keep container tightly closed.

- Store locked up.

- Dispose of contents/container in accordance with local/regional/national/international regulations.

- **National regulations:**

- **Additional classification according to Decree on Hazardous Materials:**

- Carcinogenic hazardous material group III (dangerous).

- **Information about limitation of use:**

- Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.

- Exceptions can be made by the authorities in certain cases.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.

- **Contact:**

- Date of Preparation / Last Revision:

- **Date of preparation / last revision**

- Revision 1.2, 05/30/2024: Reviewed SDS for accuracy. MH/STN

- Revision 0.0, 12-20-2016: creation date for SDS. STN

- 05/30/2024

(Contd. on page 11)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

**Trade name: Ceric Sulfate Titrant  
0.25 Normal Solution**

(Contd. of page 10)

**· Abbreviations and acronyms:***IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**Oxidizing Liquids 2: Oxidizing liquids – Category 2**Skin Corrosion 1A: Skin corrosion/irritation – Category 1A**Eye Damage 1: Serious eye damage/eye irritation – Category 1**Carcinogenicity 1A: Carcinogenicity – Category 1A**Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3***· \* Data compared to the previous version altered.**

US