Printing date 06/20/2024

\*

\*

Reviewed on 06/20/2024

Identification	
Product identifier	
Trade name: <u>Tisab II Buffer Solution</u>	
<i>pH</i> 5.0 - 5.5	
Article number: 9456	
Details of the supplier of the safety data sheet	
• <i>Manufacturer/Supplier:</i> Aqua Solutions, Inc.	AQUA
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA	
800-256-2586	
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
ATT 1/ \ • 1 /• 0• /•	
Hazard(s) identification	
Classification of the substance or mixture	
GHS05 Corrosion	
Skin Corrosion 1B H314 Causes severe skin burns and eye damag	<i>e.</i>
Eye Damage 1H318 Causes serious eye damage.	
$\wedge$	
GHS07	
GHS07	
GHS07 Sensitization - Skin 1 H317 May cause an allergic skin reaction.	
Sensitization - Skin 1 H317 May cause an allergic skin reaction.	
Sensitization - Skin 1 H317 May cause an allergic skin reaction. • Label elements • GHS label elements The product is classified and labeled according	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction.	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction. • Label elements • GHS label elements The product is classified and labeled according	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction. • Label elements • GHS label elements The product is classified and labeled according	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according Hazard pictograms	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according Hazard pictograms GHS05 GHS07	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling:	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: Sodium Hydroxide	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: Sodium Hydroxide Acetic Acid, Glacial	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: Sodium Hydroxide Acetic Acid, Glacial Hazard statements	to the Globally Harmonized System (GHS
Sensitization - Skin 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according Hazard pictograms GHS05 GHS07 Signal word Danger Hazard-determining components of labeling: Sodium Hydroxide Acetic Acid, Glacial	to the Globally Harmonized System (GHS

Printing date 06/20/2024

Reviewed on 06/20/2024

Trade name: Tisab II Buffer Solution pH 5.0 - 5.5

	(Contd. of page
Precautionary statements	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin wi	th water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact le	enses, if present and easy to d
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
Wash contaminated clothing before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/internat	tional regulations.
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 0	
$\frac{2}{Reactivity} = 0$	
HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 2 $Health = 2$	
FIRE 0 $Fire = 0$	
<b>REACTIVITY</b> Reactivity = $0$	
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
PBT: Not applicable. vPvB: Not applicable.	

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous comp	oonents:	
CAS: 64-19-7	Acetic Acid, Glacial	5.683%
CAS: 1310-73-2	Sodium Hydroxide	3.787%
•	ardous Ingredients	
CAS: 7732-18-5	Water	84.665%
CAS: 7647-14-5	Sodium Chloride	5.586%
CAS: 6132-04-3	Sodium Citrate Dihydrate	0.279%

# 4 First-aid measures

· Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

<sup>•</sup> US

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/20/2024

Reviewed on 06/20/2024

Trade name: Tisab II Buffer Solution pH 5.0 - 5.5

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

	tions, protective equipment and emergency procedures y protective device.	
	equipment. Keep unprotected persons away.	
· Environmental p		
Dilute with plent		
	nter sewers/ surface or ground water.	
· Methods and ma	terial for containment and cleaning up:	
Absorb with liqui	d-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing	agent.	
Dispose contami	nated material as waste according to section 13.	
Ensure adequate	ventilation.	
· Reference to oth	er sections	
See Section 7 for	information on safe handling.	
	information on personal protection equipment.	
	r disposal information.	
· Protective Action	n Criteria for Chemicals	
· PAC-1:		
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm
CAS: 1310-73-2	Sodium Hydroxide	$0.5 mg/m^3$
· PAC-2:		
CAS: 64-19-7	Acetic Acid, Glacial	35 ppm
CAS: 1310-73-2	Sodium Hydroxide	5 mg/m <sup>3</sup>
· PAC-3:		
CAS: 64-19-7	Acetic Acid, Glacial	250 ppm
		(Contd. on page 4)

Printing date 06/20/2024

Reviewed on 06/20/2024

Trade name: Tisab II Buffer Solution pH 5.0 - 5.5

CAS: 1310-73-2 Sodium Hydroxide

 $\frac{\text{(Contd. of page 3)}}{50 \text{ mg/m}^3}$ 

### 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with	limit values that	require monitor	ing at the workplace:	
I I I I I I I I I I I I I I I I I I I		· · · · · · · · · · · · · · · · · · ·	<b>8</b>	

CAS: 64-19-7 Acetic Acid, Glacial

- PEL Long-term value: 25 mg/m<sup>3</sup>, 10 ppm
- REL Short-term value: 37 mg/m<sup>3</sup>, 15 ppm Long-term value: 25 mg/m<sup>3</sup>, 10 ppm
- *TLV Short-term value: 15 ppm Long-term value: 10 ppm*

#### CAS: 1310-73-2 Sodium Hydroxide

- PEL Long-term value: 2 mg/m<sup>3</sup>
- *REL Ceiling limit value: 2 mg/m<sup>3</sup>*
- *TLV Ceiling limit value: 2 mg/m<sup>3</sup>*
- Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US –

Printing date 06/20/2024

Reviewed on 06/20/2024

Trade name: Tisab II Buffer Solution pH 5.0 - 5.5

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information	• •	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Mild	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	5.3	
Change in condition		
Melting point/Melting range:	Undetermined.	
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Auto igniting:	485 °C (905 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	

Printing date 06/20/2024

Reviewed on 06/20/2024

Trade name: Tisab II Buffer Solution pH 5.0 - 5.5

	(Contd. of	f page 5
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
• Density at 20 °C (68 °F):	1.05619 g/cm <sup>3</sup> (8.81391 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	5.7 %	
Water:	84.7 %	
VOC content:	5.68 %	
	60.0 g/l / 0.50 lb/gal	
Solids content:	9.7 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 52,809 mg/kg (rat)

Dermal LD50 18,653 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)

Printing date 06/20/2024

Reviewed on 06/20/2024

(Contd. of page 6)

Trade name: Tisab II Buffer Solution pH 5.0 - 5.5

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12** Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### **14 Transport information**

· UN-Number · DOT, IMDG, IATA

UN3265

(Contd. on page 8)

US —

Printing date 06/20/2024

Reviewed on 06/20/2024

pH 5.0 - 5.5	
	(Contd. of pag
· UN proper shipping name · DOT	Corrosive liquid, acidic, organic, n.o.s. (Sodium Hydroxia Acetic Acid, Glacial
IMDG, IATA	) CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Sodiu Hydroxide, Acetic Acid, Glacial )
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
8	
Class Label	8 Corrosive substances 8
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler cod EMS Number:	<i>F-A,S-B</i>
Segregation groups	(SGG1) Acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	<b>f</b> Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L

Printing date 06/20/2024

Reviewed on 06/20/2024

Trade name: Tisab II Buffer Solution pH 5.0 - 5.5

	(Contd. of page 8)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
• UN "Model Regulation":	UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE, ACETIC ACID, GLACIAL ), 8, II

# **15 Regulatory information**

\*

Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
Water	ACTIVI
Acetic Acid, Glacial	ACTIVI
Sodium Chloride	ACTIVI
Sodium Hydroxide	ACTIVI
Hazardous Air Pollutants	·
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency) None of the ingredients is listed.	
EPA (Environmental Protection Agency) None of the ingredients is listed.	
TLV (Threshold Limit Value)	

Printing date 06/20/2024

Reviewed on 06/20/2024

Trade name: Tisab II Buffer Solution pH 5.0 - 5.5



#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 0.1, 06/20/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 12-23-2019. STN 06/20/2024 / 1.1 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

(Contd. on page 11)

Printing date 06/20/2024

Reviewed on 06/20/2024

Trade name: Tisab II Buffer Solution pH 5.0 - 5.5

(Contd. of page 10)

US

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corrosion 1B: Skin corrosion/irritation – Category 1B Eye Damage 1: Serious eye damage/eye irritation – Category 1 Sensitization - Skin 1: Skin sensitisation – Category 1 • \* Data compared to the previous version altered.