Printing date 06/27/2024

\*


Reviewed on 06/27/2024

Identification		
Product identifier		
· Trade name: <u>Barium Pe</u>	<u>erchlorate</u>	
Article number: B0712		
CAS Number:		
13465-95-7 • <b>EC number:</b>		
236-710-4		AQUA
• <b>Index number:</b> 017-007-00-X		SOLUTIONS
• Details of the supplier of • Manufacturer/Supplier:		
Aqua Solutions, Inc.		
6913 Highway 225		
DEER PARK, TX 77536 USA		
800-256-2586		
Information department		
Technical Coordinator		
Sherman Nelson sherman • Emergency telephone n		
Chemtrec: 800-424-9300		
Canutec: 613-996-6666		
Hazard(s) identifica Classification of the sub		
	stance or mixture	
Classification of the sub	stance or mixture	ng oxidizer.
Classification of the sub	stance or mixture over circle	ng oxidizer.
Classification of the sub GHS03 Flame Oxidizing Solids 1	stance or mixture over circle	ng oxidizer.
Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing GHS07 Acute Toxicity - Oral 4	stance or mixture over circle H271 May cause fire or explosion; stro	ng oxidizer.
Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalation	stance or mixture over circle H271 May cause fire or explosion; stro H302 Harmful if swallowed. on 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalation	stance or mixture over circle H271 May cause fire or explosion; stro H302 Harmful if swallowed.	· · · · · · · · · · · · · · · · · · ·
Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing Solids 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalation Label elements GHS label elements The	stance or mixture over circle H271 May cause fire or explosion; stro H302 Harmful if swallowed. on 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing Solids 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalation Label elements GHS label elements The	stance or mixture over circle H271 May cause fire or explosion; stro H302 Harmful if swallowed. on 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing Solids 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalation Label elements GHS label elements The	stance or mixture over circle H271 May cause fire or explosion; stro H302 Harmful if swallowed. on 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing Solids 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Oral 4 Acute Toxicity - Inhalation Hazard pictograms GHS03 GHS07	stance or mixture over circle H271 May cause fire or explosion; stro H302 Harmful if swallowed. on 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing Solids 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalation Label elements GHS label elements The Hazard pictograms GHS03 GHS07 Signal word Danger	stance or mixture over circle H271 May cause fire or explosion; stro H302 Harmful if swallowed. on 4 H332 Harmful if inhaled.	· · · · · · · · · · · · · · · · · · ·
Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing Solids 1 Oxidizing Solids 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Oral 4 Acute Toxicity - Inhalation Label elements GHS label elements The Hazard pictograms GHS03 GHS07 Signal word Danger Hazard statements May cause fire or explos	stance or mixture over circle H271 May cause fire or explosion; stro H302 Harmful if swallowed. on 4 H332 Harmful if inhaled. substance is classified and labeled accordin	· · · · · · · · · · · · · · · · · · ·
Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing Solids 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Inhalation Label elements GHS label elements The Hazard pictograms GHS03 GHS07 Signal word Danger Hazard statements May cause fire or explos Harmful if swallowed or	stance or mixture over circle H271 May cause fire or explosion; stro H302 Harmful if swallowed. on 4 H332 Harmful if inhaled. substance is classified and labeled accordin if inhaled.	· · · · · · · · · · · · · · · · · · ·
Classification of the sub Classification of the sub GHS03 Flame Oxidizing Solids 1 Oxidizing Solids 1 GHS07 Acute Toxicity - Oral 4 Acute Toxicity - Oral 4 Acute Toxicity - Inhalatia Label elements GHS label elements GHS label elements Hazard pictograms GHS03 GHS07 Signal word Danger Hazard statements May cause fire or explos Harmful if swallowed or Precautionary statements	stance or mixture over circle H271 May cause fire or explosion; stro H302 Harmful if swallowed. on 4 H332 Harmful if inhaled. substance is classified and labeled accordin if inhaled.	· · · · · · · · · · · · · · · · · · ·

Printing date 06/27/2024

Reviewed on 06/27/2024

#### Trade name: Barium Perchlorate



#### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 13465-95-7 Barium Perchlorate
- · Identification number(s)
- EC number: 236-710-4
- Index number: 017-007-00-X

### 4 First-aid measures

- $\cdot$  Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

US -

Printing date 06/27/2024

Reviewed on 06/27/2024

(Contd. of page 2)

- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- Information for doctor:

Trade name: Barium Perchlorate

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **5** *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- PAC-1: Substance is not listed.
- PAC-2: Substance is not listed.
- **PAC-3:** Substance is not listed.

#### 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 4)

US

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Perchlorate

(Contd. of page 3)

· Control parameters			
· Com	· Components with limit values that require monitoring at the workplace:		
CAS	: 13465-95-7 Barium Perchlorate		
PEL	Long-term value: 0.5 mg/m <sup>3</sup> as Ba		
REL	Long-term value: 0.5 mg/m <sup>3</sup> as Ba		
TLV	Long-term value: 0.5 mg/m <sup>3</sup> as Ba, A4		
· Addi	tional information: The lists that were valid during the creation were used as basis.		
· Gene · Brea In ca respi · Proto The s Due chem Selec · Mate	onal protective equipment: eral protective and hygienic measures: Wash hands before breaks and at the end of work. thing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use iratory protective device that is independent of circulating air. ection of hands: glove material has to be impermeable and resistant to the product/ the substance/ the preparation. to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the tical mixture. ection of the glove material on consideration of the penetration times, rates of diffusion and the degradation erial of gloves selection of the suitable gloves does not only depend on the material, but also on further marks of quality and		
varie • <b>Pene</b> The obset • <b>Eye</b> J	es from manufacturer to manufacturer. <b>Atration time of glove material</b> exact break through time has to be found out by the manufacturer of the protective gloves and has to be		

# 9 Physical and chemical properties

General Information		
Appearance: Form:	Powder	
Color:	White	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/Melting range:	505 °C (941 °F)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	21 °C (69.8 °F)	
Flammability (solid, gaseous):	Product is not flammable.	
Decomposition temperature:	Not determined.	

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Perchlorate

		(Contd. of page 4
Ignition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard. Explosive when mixed with combustible material.	
	Explosive when mixed with combusible material.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	3.2 g/cm <sup>3</sup> (26.704 lbs/gal)	
Bulk density:	1,300 kg/m <sup>3</sup>	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water at 20 °C (68 °F):	999 g/l	
Partition coefficient (n-octanol/we	ater): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No further relevant information available.	

#### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

 Oral
 LD50
 500 mg/kg (ATE)

 Inhalative
 LC50/4h
 1.5 mg/l (ATE)

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer) Substance is not listed.

· NTP (National Toxicology Program) Substance is not listed.

(Contd. on page 6)

US –

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Perchlorate

· OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1447	
· UN proper shipping name		
$\cdot DOT$	Barium perchlorate, solid	
· IMDG, IATA	BARIUM PERCHLORATE, SOLID	
· Transport hazard class(es) · DOT		
ONDER TOXIC		
OXIDIZER TOAC		
· Class	5.1 Oxidizing substances	
· Label	5.1, 6.1	

(Contd. of page 5)

Printing date 06/27/2024

Reviewed on 06/27/2024

Trade name: Barium Perchlorate

	(Contd. of pa
IMDG	
Class Label	5.1 Oxidizing substances 5.1/6.1
IATA	
Class Label	5.1 Oxidizing substances 5.1 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Oxidizing substances : 56 F-H,S-Q (SGG13) Perchlorates A SG38 Stow "separated from" SGG2-ammonium compounds. SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 kg On cargo aircraft only: 25 kg
Remarks:	Lösung: EmS 5.1-02
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1 kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
Remarks:	Lösung: EmS 5.1-02
UN "Model Regulation":	UN 1447 BARIUM PERCHLORATE, SOLID, 5.1 (6.1), II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances): Substance is not listed.

(Contd. on page 8)

<sup>·</sup>US

Printing date 06/27/2024

Reviewed on 06/27/2024

(Contd. of page 7)

Trade name: Barium Perchlorate

• Section 313 (Specific toxic chemical listings): Substance is listed.

· TSCA (Toxic Substances Control Act): ACTIVE

· Hazardous Air Pollutants Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer: Substance is not listed.

· Chemicals known to cause reproductive toxicity for females: Substance is not listed.

· Chemicals known to cause reproductive toxicity for males: Substance is not listed.

· Chemicals known to cause developmental toxicity: Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency) D, CBD(inh), NL(oral)

· TLV (Threshold Limit Value) A4

· NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.

• *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard statements

May cause fire or explosion; strong oxidizer.

Harmful if swallowed or if inhaled.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Wear fire/flame resistant/retardant clothing.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. In case of fire: Use CO2, powder or water spray to extinguish.

In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# <mark>16 Other information</mark>

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- · Date of preparation / last revision
- Revision 1.2 06/27/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 10-14-2014. STN

(Contd. on page 9)

Printing date 06/27/2024

Reviewed on 06/27/2024

### Trade name: Barium Perchlorate

	(Contd. of page 8)
06/27/2024 / 1.1	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Oxidizing Solids 1: Oxidizing solids – Category 1	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
$\cdot$ * Data compared to the previous version altered.	
	US