Printing date 06/18/2024 Reviewed on 06/18/2024

1 Identification

· Product identifier

· Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

· Article number: 5670

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Toxicity - Oral 3

Acute Toxicity - Dermal 3

Acute Toxicity - Inhalation 3

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corrosion 1A

H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05

GHS06

GHS08

(Contd. on page 2)

Printing date 06/18/2024 Reviewed on 06/18/2024

Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

(Contd. of page 1)

- · Signal word Danger
- · Hazard-determining components of labeling:

Mercuric Nitrate

Nitric Acid

#### · Hazard statements

Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

*If swallowed: Immediately call a poison center/doctor.* 

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 0

Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

### · Dangerous components:

CAS: 7783-34-8 Mercuric Nitrate

2.416%

(Contd. on page 3)

Printing date 06/18/2024 Reviewed on 06/18/2024

Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

| CAS: 7697-37-2    | Nitric Acid        | (Contd. of page 2) 0.5% |
|-------------------|--------------------|-------------------------|
| · Table of Nonhaz | ardous Ingredients |                         |
| CAS: 7732-18-5    | Water              | 97.085%                 |

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

*In case of irregular breathing or respiratory arrest provide artificial respiration.* 

· After inhalation:

Supply fresh air or oxygen; call for doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

Printing date 06/18/2024 Reviewed on 06/18/2024

Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

(Contd. of page 3)

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1:       |                  |                       |
|----------------|------------------|-----------------------|
| CAS: 7783-34-8 | Mercuric Nitrate | $0.13 \text{ mg/m}^3$ |
| CAS: 7697-37-2 | Nitric Acid      | 0.16 ppm              |
| · PAC-2:       |                  |                       |
| CAS: 7783-34-8 | Mercuric Nitrate | $0.17  mg/m^3$        |
| CAS: 7697-37-2 | Nitric Acid      | 24 ppm                |
| · PAC-3:       |                  |                       |
| CAS: 7783-34-8 | Mercuric Nitrate | 48 mg/m³              |
| CAS: 7697-37-2 | Nitric Acid      | 92 ppm                |

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

| · Components | with limit | values tha | t require | monitoring | at the workplace: |
|--------------|------------|------------|-----------|------------|-------------------|
|              |            |            |           |            |                   |

# CAS: 7783-34-8 Mercuric Nitrate PEL Long-term value: 0.1 mg/m³ as Hg; see OSHA standard interpretation memo REL Long-term value: 0.05\* mg/m³ Ceiling limit value: 0.1 mg/m³ as Hg; \*Vapor; Skin TLV Long-term value: 0.025 mg/m³ as Hg; A4; Skin; BEI

### CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm

(Contd. on page 5)

Printing date 06/18/2024 Reviewed on 06/18/2024

Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

(Contd. of page 4)

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm TLV Short-term value: (4) NIC-0.025 ppm

Long-term value: (2) ppm

NIC-A4

#### · Ingredients with biological limit values:

#### CAS: 7783-34-8 Mercuric Nitrate

BEI 20 µg/g creatinine

LD50 Intraperitoneal: urine

Time: prior to shift LD50: Mercury

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· **Body protection:** Protective work clothing

Printing date 06/18/2024 Reviewed on 06/18/2024

Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

(Contd. of page 5)

|  | 7 1 7   |  |
|--|---|--|
| Information on basic physical and c<br>General Information | nemical properties                            |  |
| Appearance:  |   |  |
| Form:  | Liquid  |  |
| Color:   | Clear   |  |
| Odor:  | Odorless                                      |  |
| Odor threshold:  | Not determined.                               |  |
| pH-value at 20 °C (68 °F):                                 | <2  |  |
| Change in condition  |   |  |
| Melting point/Melting range:                               | 0 °C (32 °F)                                  |  |
| Boiling point/Boiling range:                               | 100 °C (212 °F)                               |  |
| Flash point:   | Not applicable.                               |  |
| Flammability (solid, gaseous):                             | Not applicable.                               |  |
| Decomposition temperature:                                 | Not determined.                               |  |
| Ignition temperature:                                      | Product is not selfigniting.                  |  |
| Danger of explosion:                                       | Product does not present an explosion hazard. |  |
| Explosion limits:  |   |  |
| Lower:   | Not determined.                               |  |
| Upper:   | Not determined.                               |  |
| Vapor pressure at 20 °C (68 °F):                           | 23 hPa (17.3 mm Hg)                           |  |
| Density at 20 °C (68 °F):                                  | $1.0204 \ g/cm^3 \ (8.51524 \ lbs/gal)$       |  |
| Relative density   | Not determined.                               |  |
| Vapor density  | Not determined.                               |  |
| Evaporation rate   | Not determined.                               |  |
| Solubility in / Miscibility with                           |   |  |
| Water:   | Fully miscible.                               |  |
| Partition coefficient (n-octanol/wate                      | r): Not determined.                           |  |
| Viscosity:   |   |  |
| Dynamic:   | Not determined.                               |  |
| Kinematic:   | Not determined.                               |  |
| Solvent content:   |   |  |
| Water:   | 97.1 %  |  |
| VOC content:   | 0.00 %  |  |
|  | 0.0 g/l / 0.00 lb/gal                         |  |
| Solids content:  | 2.4 %   |  |
| Other information  | No further relevant information available.    |  |

### 10 Stability and reactivity

- $\cdot \textit{Reactivity No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 7)

Printing date 06/18/2024 Reviewed on 06/18/2024

Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

(Contd. of page 6)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| ٠ | LD/LC50 | values | that | are | rel | evant | for | classif | ication | : |
|---|---------|--------|------|-----|-----|-------|-----|---------|---------|---|
|   |         |        |      |     |     |       |     |         |         |   |

## ATE (Acute Toxicity Estimate)OralLD50207 mg/kgDermalLD50207 mg/kgInhalativeLC50/4h2.06 mg/l

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

| · IARC (Internationa | al Agency <sub>.</sub> | for Res | earch on | Cancer) |
|----------------------|------------------------|---------|----------|---------|
|----------------------|------------------------|---------|----------|---------|

CAS: 7783-34-8 Mercuric Nitrate

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Contd. on page 8)

Printing date 06/18/2024 Reviewed on 06/18/2024

Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

(Contd. of page 7)

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| UN-Number                    |  |
|------------------------------|--|
| DOT, IMDG, IATA              | UN3287   |
| UN proper shipping name      |  |
| DOT                          | Toxic liquid, inorganic, n.o.s. (Mercuric Nitrate) |
| IMDG, IATA                   | TOXIC LIQUID, INORGANIC, N.O.S. (Mercuric Nitrate) |
| Transport hazard class(es)   |  |
| DOT                          |  |
| TOXIC                        |  |
| Class                        | 6.1 Toxic substances                               |
| Label                        | 6.1  |
| IMDG, IATA                   |  |
| Class                        | 6.1 Toxic substances                               |
| Label                        | 6.1  |
| Packing group                |  |
| DOT, IMDG, IATA              | III  |
| Environmental hazards:       |  |
| Marine pollutant:            | No   |
| Special precautions for user | Warning: Toxic substances                          |

Printing date 06/18/2024 Reviewed on 06/18/2024

Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

Contd. of page 8)

|  | (Contd. of page 8)   |
|--|--|
| · Hazard identification number (Kemler code  | ) <b>:</b> 6.1   |
| EMS Number:                                  | F- $A$ , $S$ - $A$   |
| · Segregation groups                         | (SGG7) Heavy metals and their salts (including their organometallic compounds) |
| · Stowage Category                           | A  |
| · Stowage Code                               | SW2 Clear of living quarters.  |
| · Transport in bulk according to Annex II of |  |
| MARPOL73/78 and the IBC Code                 | Not applicable.  |
| · UN "Model Regulation":                     | UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (MERCURIC NITRATE), 6.1, III           |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

| · Section 355 (extremely hazardor | ıs substances): |
|-----------------------------------|-----------------|
|-----------------------------------|-----------------|

CAS: 7697-37-2 Nitric Acid

· Section 313 (Specific toxic chemical listings):

CAS: 7783-34-8 Mercuric Nitrate

CAS: 7697-37-2 Nitric Acid

· TSCA (Toxic Substances Control Act):

Water ACTIVE
Nitric Acid ACTIVE

· Hazardous Air Pollutants

CAS: 7783-34-8 Mercuric Nitrate

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 7783-34-8 Mercuric Nitrate

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 7783-34-8 Mercuric Nitrate

*A4* 

D

· TLV (Threshold Limit Value)

CAS: 7783-34-8 Mercuric Nitrate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 10)

Printing date 06/18/2024 Reviewed on 06/18/2024

Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

(Contd. of page 9)

#### · Hazard pictograms







GHS05

S05 GHS06

· Signal word Danger

### · Hazard-determining components of labeling:

Mercuric Nitrate

Nitric Acid

#### · Hazard statements

Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage.

May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Get medical advice/attention if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 0.1, 06/18/2024: Reviewed SDS for accuracy. MH/STN

Creation date for SDS 10-07-2015. STN

06/18/2024 / 1.1

### · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

 ${\it IATA: International Air Transport Association}$ 

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)

Printing date 06/18/2024 Reviewed on 06/18/2024

Trade name: Mercuric Nitrate 0.141 Normal NIST Traceable Solution

(Contd. of page 10)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1

Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2

\* Data compared to the previous version altered.

US