Printing date 07/01/2024

Reviewed on 07/01/2024

### **1** Identification

- · Product identifier
- Trade name: <u>Buffer Solution B APHA</u> for Sulfate Turbidimetric Method
- · Article number: 1392
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org • Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

## 2 Hazard(s) identification

· Classification of the substance or mixture



Sensitization - Skin 1 H317 May cause an allergic skin reaction.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



### · Signal word Warning

- · Hazard-determining components of labeling:
- Acetic Acid, Glacial
- Hazard statements
- May cause an allergic skin reaction.
- · Precautionary statements
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Contaminated work clothing must not be allowed out of the workplace.
- Wear protective gloves.
- If swallowed: Call a poison center/doctor if you feel unwell.
- If on skin: Wash with plenty of water.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)


US

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name:	e: Buffer Solution B APHA		
	for Sulfate	Turbidimetric	Method

(Contd. of page 1)



#### · Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-19-7 A	cetic Acid, Glacial	2.077%
· Table of Nonhazardous Ingredients		
CAS: 7732-18-5	Water	94.361%
CAS: 7791-18-6	Magnesium Chloride Hexahydrate	2.959%
CAS: 6131-90-4	Sodium Acetate Trihydrate	0.493%
CAS: 7757-79-1	Potassium Nitrate	0.099%
CAS: 7757-82-6	Sodium Sulfate Anhydrous	0.011%

### 4 First-aid measures

#### · Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

US

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: Buffer Solution B APHA for Sulfate Turbidimetric Method

(Contd. of page 2)

• Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

 $\cdot$  Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### · Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 7791-18-6	Magnesium Chloride Hexahydrate	34 mg/m <sup>3</sup>
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm
CAS: 6131-90-4	Sodium Acetate Trihydrate	11 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium Nitrate	9 mg/m <sup>3</sup>
CAS: 7757-82-6	CAS: 7757-82-6 Sodium Sulfate Anhydrous	
· PAC-2:		
CAS: 7791-18-6	Magnesium Chloride Hexahydrate	370 mg/m <sup>3</sup>
CAS: 64-19-7	Acetic Acid, Glacial	35 ppm
CAS: 6131-90-4	Sodium Acetate Trihydrate	120 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium Nitrate	100 mg/m <sup>3</sup>
CAS: 7757-82-6	Sodium Sulfate Anhydrous	110 mg/m <sup>3</sup>
· PAC-3:		
CAS: 7791-18-6	Magnesium Chloride Hexahydrate	1,600 mg/m <sup>3</sup>
CAS: 64-19-7	Acetic Acid, Glacial	250 ppm
CAS: 6131-90-4	Sodium Acetate Trihydrate	690 mg/m <sup>3</sup>
CAS: 7757-79-1	Potassium Nitrate	600 mg/m <sup>3</sup>
CAS: 7757-82-6	Sodium Sulfate Anhydrous	650 mg/m <sup>3</sup>

### \*

## 7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*

• Information about protection against explosions and fires: No special measures required.

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: Buffer Solution B APHA for Sulfate Turbidimetric Method

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 64-19-7 Acetic Acid, Glacial

PEL Long-term value: 25 mg/m<sup>3</sup>, 10 ppm

- REL Short-term value: 37 mg/m<sup>3</sup>, 15 ppm Long-term value: 25 mg/m<sup>3</sup>, 10 ppm
- TLV Short-term value: 15 ppm Long-term value: 10 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Goggles recommended during refilling.
- · Body protection: Protective work clothing

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: Buffer Solution B APHA for Sulfate Turbidimetric Method

(Contd. of page 4)

9 Physical and chemical property	ties		
· Information on basic physical and c	hemical properties		
· General Information			
· Appearance:			
Form:	Liquid		
Color:	Clear		
• Odor:	Vinegar		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	Undetermined.		
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not applicable.		
• Decomposition temperature:	Not determined.		
· Ignition temperature:	Product is not selfigniting.		
• Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)		
· Density at 20 °C (68 °F):	1.01391 g/cm <sup>3</sup> (8.46108 lbs/gal)		
· Relative density	Not determined.		
· Vapor density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
Water:	Fully miscible.		
· Partition coefficient (n-octanol/wate	r): Not determined.		
· Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
· Solvent content:			
Organic solvents:	2.1 %		
Water:	94.4 %		
VOC content:	2.08 %		
	21.1 g/l / 0.18 lb/gal		
Solids content:	3.6 %		
• Other information	No further relevant information available.		

# **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

(Contd. on page 6)

US

Printing date 07/01/2024

Reviewed on 07/01/2024

(Contd. of page 5)

Trade name: Buffer Solution B APHA for Sulfate Turbidimetric Method

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11** Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 51,033 mg/kg (rabbit)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 07/01/2024

Reviewed on 07/01/2024

Trade name: Buffer Solution B APHA for Sulfate Turbidimetric Method

(Contd. of page 6)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### **14 Transport information**

14 ITansport information	
· UN-Number · DOT, ADN, IMDG, IATA	Not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	Not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	Not regulated
· Packing group · DOT, IMDG, IATA	Not regulated
• Environmental hazards: • Marine pollutant:	No
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II o MARPOL73/78 and the IBC Code	<b>f</b> Not applicable.
· UN "Model Regulation":	Not regulated

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
CAS: 7757-79-1 Potassium Nitrate	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Acetic Acid, Glacial	ACTIVE
Potassium Nitrate	ACTIVE
Sodium Sulfate Anhydrous	ACTIVE
	(Contd. on page 8)

Printing date 07/01/2024

Reviewed on 07/01/2024

### Trade name: Buffer Solution B APHA for Sulfate Turbidimetric Method

(Contd. of page 7)

· Hazardous Air Pollutants

None of the ingredients is listed.

### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

 $\cdot$  Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

- *Hazard-determining components of labeling:* Acetic Acid, Glacial
- · Hazard statements
- May cause an allergic skin reaction.
- · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

Printing date 07/01/2024

Reviewed on 07/01/2024

## Trade name: Buffer Solution B APHA for Sulfate Turbidimetric Method

	(Contd. of page 8)
· Contact:	
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 1.2 07/01/2024: Reviewed SDS for accuracy. MH/STN	
07/01/2024 / 1.1	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Sensitization - Skin 1: Skin sensitisation – Category 1	
• * Data compared to the previous version altered.	
	US