

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/01/2017

Reviewed on 12/01/2017

1 Identification

- **Product identifier**
- **Trade name:** Magnesium Metal Ribbon, 3 mm Wide
- **Article number:** M0135
- **CAS Number:**
7439-95-4
- **EC number:**
231-104-6
- **Index number:**
012-001-00-3
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Aqua Solutions, Inc.
6913 Highway 225
DEER PARK, TX 77536
USA
800-256-2586
- **Information department:**
Technical Coordinator
Sherman Nelson sherman@aquasolutions.org
- **Emergency telephone number:**
Chemtec: 800-424-9300
Canutec: 613-996-6666



2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Pyr. Sol. 1 H250 Catches fire spontaneously if exposed to air.

Water-react. 1 H260 In contact with water releases flammable gases, which may ignite spontaneously.

- **Label elements**
- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02

- **Signal word** *Danger*
- **Hazard statements**
Catches fire spontaneously if exposed to air.
In contact with water releases flammable gases, which may ignite spontaneously.
- **Precautionary statements**
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Do not allow contact with air.
Do not allow contact with water.
Handle under inert gas. Protect from moisture.
Wear protective gloves/protective clothing/eye protection/face protection.
Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/01/2017

Reviewed on 12/01/2017

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 1)

In case of fire: Use for extinction: CO2, sand, extinguishing powder.

Store in a dry place. Store in a closed container.

Store contents under inert gas.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 0

Fire = 4

Reactivity = 2

The substance demonstrates unusual reactivity with water.

· **HMIS-ratings (scale 0 - 4)**



Health = 0

Fire = 4

Reactivity = 2

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

7439-95-4 Magnesium

· **Identification number(s)**

· **EC number:** 231-104-6

· **Index number:** 012-001-00-3

4 First-aid measures

· **Description of first aid measures**

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:** Rinse opened eye for several minutes under running water.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

Extinguishing powder. Do not use water.

CO2. Do not use water.

Sand. Do not use water.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/01/2017

Reviewed on 12/01/2017

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 2)

- *Special powder for metal fires. Do not use water.*
- *CO₂, sand, extinguishing powder. Do not use water.*
- *Use fire fighting measures that suit the environment.*
- **For safety reasons unsuitable extinguishing agents:** *Water*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *No special measures required.*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** *No special measures required.*
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**
- **PAC-1:** *18 mg/m³*
- **PAC-2:** *200 mg/m³*
- **PAC-3:** *1,200 mg/m³*

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** *Open and handle receptacle with care.*
- **Information about protection against explosions and fires:** *Keep ignition sources away - Do not smoke.*
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** *No special requirements.*
- **Information about storage in one common storage facility:** *Not required.*
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** *No further data; see item 7.*
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** *Not required.*
- **Additional information:** *The lists that were valid during the creation were used as basis.*
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** *Wash hands before breaks and at the end of work.*
- **Breathing equipment:** *Not required.*

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/01/2017

Reviewed on 12/01/2017

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 3)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Not required.

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Turnings
Color:	White to Grey
· Odor:	Odorless
· Odor threshold:	Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range:	649.5 °C (1,201.1 °F)
Boiling point/Boiling range:	1,090 °C (33.8 °F)

· **Flash point:** 500 °C (932 °F)

· **Flammability (solid, gaseous):** Contact with water liberates extremely flammable gases.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Auto igniting:** Spontaneously flammable in air.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 0 hPa (0 mm Hg)

· **Density at 20 °C (68 °F):** 1.738 g/cm³ (14.50361 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not applicable.

· **Evaporation rate** Not applicable.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/01/2017

Reviewed on 12/01/2017

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 4)

- | | |
|---|---|
| · Solubility in / Miscibility with Water: | <i>Insoluble.</i> |
| · Partition coefficient (n-octanol/water): | <i>Not determined.</i> |
| · Viscosity: | |
| Dynamic: | <i>Not applicable.</i> |
| Kinematic: | <i>Not applicable.</i> |
| · Other information | <i>No further relevant information available.</i> |

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *Contact with water releases flammable gases.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *No irritating effect.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** *Substance is not listed.*
- **NTP (National Toxicology Program)** *Substance is not listed.*
- **OSHA-Ca (Occupational Safety & Health Administration)** *Substance is not listed.*

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Behavior in environmental systems:**
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Additional ecological information:**
- **General notes:** *Generally not hazardous for water*
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*
- **Other adverse effects** *No further relevant information available.*

US

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/01/2017

Reviewed on 12/01/2017



Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 5)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, IMDG, IATA 	UN1869
<ul style="list-style-type: none"> · UN proper shipping name · DOT · IMDG, IATA 	Magnesium MAGNESIUM
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1
<ul style="list-style-type: none"> · IMDG, IATA 	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> · Class · Label 	4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1
<ul style="list-style-type: none"> · Packing group · DOT, IMDG, IATA 	III
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category · Handling Code · Segregation Code 	Warning: Flammable solids, self-reactive substances and solid desensitised explosives 40 F-G,S-G A H1 Keep as dry as reasonably practicable SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/01/2017

Reviewed on 12/01/2017

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 6)

	<p>SG32 Stow "away from" liquid halogenated hydrocarbons SG35 Stow "separated from" acids. SG36 Stow "separated from" alkalis. SG52 Stow "separated from" iron oxide</p>
<p>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</p>	<p>Not applicable.</p>
<p>· Transport/Additional information:</p>	
<p>· DOT</p>	
<p>· Quantity limitations</p>	<p>On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg</p>
<p>· IMDG</p>	
<p>· Limited quantities (LQ)</p>	<p>5 kg</p>
<p>· Excepted quantities (EQ)</p>	<p>Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g</p>
<p>· UN "Model Regulation":</p>	<p>UN 1869 MAGNESIUM, 4.1, III</p>

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is not listed.

- **TSCA (Toxic Substances Control Act):**

Magnesium

- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value established by ACGIH)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02

- **Signal word** *Danger*
- **Hazard statements**
 - Catches fire spontaneously if exposed to air.*
 - In contact with water releases flammable gases, which may ignite spontaneously.*
- **Precautionary statements**
 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*
 - Do not allow contact with air.*

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/01/2017

Reviewed on 12/01/2017

Trade name: Magnesium Metal Ribbon, 3 mm Wide

(Contd. of page 7)

- Do not allow contact with water.*
- Handle under inert gas. Protect from moisture.*
- Wear protective gloves/protective clothing/eye protection/face protection.*
- Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.*
- In case of fire: Use for extinction: CO₂, sand, extinguishing powder.*
- Store in a dry place. Store in a closed container.*
- Store contents under inert gas.*
- Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- **Contact:**
- **Date of preparation / last revision**
12-01-2017: review SDS for accuracy. STN
Creation date for SDS 02-05-2014. STN
12/01/2017 / -
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Pyr. Sol. 1: Pyrophoric solids – Category 1
Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1

US