Printing date 08/16/2024 Reviewed on 08/16/2024

1 Identification

· Product identifier

· Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃NIST Traceable

· Article number: 5250

- · Application of the substance / the mixture Laboratory chemicals
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

INFOTRAC USA - CANADA: 1-800-535-5053

INTERNATIONAL: 1-352-323-3500

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



*

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 2 H351 Suspected of causing cancer.

Toxic to Reproduction 1A H360 May damage fertility or the unborn child.



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals.

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05

GHS07

GHS08

(Contd. on page 2)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃NIST Traceable

(Contd. of page 1)

- · Signal word Danger
- · Hazard-determining components of labeling:

Nitric Acid

Lead Nitrate

· Hazard statements

May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Suspected of causing cancer.

May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2

Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃ NIST Traceable

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | | | |
|-------------------------------------|--------------|--------|--|
| CAS: 7697-37-2 | Nitric Acid | 4.853% | |
| CAS: 10099-74-8 | Lead Nitrate | 0.157% | |
| · Table of Nonhazardous Ingredients | | | |
| CAS: 7732-18-5 | Water | 94.99% | |

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

(Contd. on page 4)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃NIST Traceable

(Contd. of page 3)

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1: | | | | |
|-----------------|--------------|-------------|--|--|
| CAS: 7697-37-2 | | 0.16 ppm | | |
| CAS: 10099-74-8 | Lead Nitrate | 0.24 mg/m³ | | |
| · PAC-2: | | | | |
| CAS: 7697-37-2 | Nitric Acid | 24 ppm | | |
| CAS: 10099-74-8 | Lead Nitrate | 180 mg/m³ | | |
| · PAC-3: | | | | |
| CAS: 7697-37-2 | Nitric Acid | 92 ppm | | |
| CAS: 10099-74-8 | Lead Nitrate | 1,100 mg/m³ | | |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

| · Components v | with limit | values | that require | monitoring | at the workplace |
|----------------|------------|--------|--------------|------------|------------------|
|----------------|------------|--------|--------------|------------|------------------|

CAS: 7697-37-2 Nitric Acid

PEL Long-term value: 5 mg/m³, 2 ppm REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: (4) NIC-0.025 ppm

Long-term value: (2) ppm NIC-A4

(Contd. on page 5)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃ NIST Traceable

(Contd. of page 4)

CAS: 10099-74-8 Lead Nitrate

PEL Long-term value: 0.05 mg/m³

as Pb; See 29 CFR 1910.1025

REL Long-term value: 0.05* mg/m³

as Pb; *8-hr TWA; See Pocket Guide App. C

TLV Long-term value: 0.05 mg/m³

as Pb; A3, BEI

· Ingredients with biological limit values:

CAS: 10099-74-8 Lead Nitrate

BEI 200 μg/100 ml

LD50 Intraperitoneal: blood

Time: not critical LD50: Lead

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 6)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃ NIST Traceable

· Body protection: Protective work clothing

(Contd. of page 5)

| Information on basic physical and c | hemical properties |
|--|---|
| General Information | nemicui properties |
| Appearance: | |
| Form: | Liquid |
| Color: | Colorless |
| · Odor: | Odorless |
| Odor threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 83 °C (181.4 °F) |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not applicable. |
| Decomposition temperature: | Not determined. |
| Ignition temperature: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
| Density at 20 $^{\circ}C$ (68 $^{\circ}F$): | $1.02 \ g/cm^3 (8.5119 \ lbs/gal)$ |
| Relative density | Not determined. |
| · Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| Partition coefficient (n-octanol/wate | e r): Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Solvent content: | |
| Water: | 95.0 % |
| VOC content: | 0.00 % |
| | 0.0 g/l / 0.00 lb/gal |
| Solids content: | 0.0 % |
| Other information | No further relevant information available. |

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃ NIST Traceable

(Contd. of page 6)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

II Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 61.8 mg/l

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

| | · IARC (International Agency for Research on Cancer) | | | | | |
|---|--|--------------------|----|--|--|--|
| | CAS: 10099-74-8 | Lead Nitrate | 2A | | | |
| ĺ | · NTP (National To | oxicology Program) | | | | |

CAS: 10099-74-8 Lead Nitrate

R

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃ NIST Traceable

(Contd. of page 7)

- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| 1 4 70 | | C | |
|------------|-----------|--------|------------|
| 14 Trans | nort in | torm | Ition |
| 17 II with | יוט טוטען | JULIII | uuu_{II} |

| · UN-Number | |
|-------------|--|
|-------------|--|

· **DOT**, **IMDG**, **IATA** UN3264

· UN proper shipping name

• **DOT** Corrosive liquid, acidic, inorganic, n.o.s. (Nitric Acid)

· IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric

Acid)

- · Transport hazard class(es)
- $\cdot DOT$



· Class 8 Corrosive substances

· Label

· IMDG, IATA



· Class 8 Corrosive substances

· Label

· Packing group

· DOT, IMDG, IATA III

(Contd. on page 9)

Reviewed on 08/16/2024 Printing date 08/16/2024

Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃NIST Traceable

| | (Contd. of page |
|---|---|
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Warning: Corrosive substances |
| · Hazard identification number (Kemler code): | 80 |
| · EMS Number: | F- A , S - B |
| · Segregation groups | (SGG1) Acids |
| · Stowage Category | A |
| · Stowage Code | SW2 Clear of living quarters. |
| · Transport in bulk according to Annex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| $\cdot DOT$ | |
| · Quantity limitations | On passenger aircraft/rail: 5 L |
| | On cargo aircraft only: 60 L |
| \cdot IMDG | |
| · Limited quantities (LQ) | 5L |
| \cdot Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (NITRIC ACID), 8, III |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

| Sara | |
|---|--------|
| · Section 355 (extremely hazardous substances): | |
| CAS: 7697-37-2 Nitric Acid | |
| · Section 313 (Specific toxic chemical listings): | |
| CAS: 7697-37-2 Nitric Acid | |
| CAS: 10099-74-8 Lead Nitrate | |
| · TSCA (Toxic Substances Control Act): | |
| Water | ACTIVE |
| Nitric Acid | ACTIVE |
| Lead Nitrate | ACTIVE |
| · Hazardous Air Pollutants | |
| CAS: 10099-74-8 Lead Nitrate | |
| · Proposition 65 | |

· Chemicals known to cause cancer:

CAS: 10099-74-8 Lead Nitrate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 10)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃ NIST Traceable

(Contd. of page 9)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

| Caremogenic caregories | |
|--|----|
| · EPA (Environmental Protection Agency) | |
| CAS: 10099-74-8 Lead Nitrate | B2 |
| · TLV (Threshold Limit Value) | |
| CAS: 10099-74-8 Lead Nitrate | A3 |
| · NIOSH-Ca (National Institute for Occupational Safety and Health) | |
| None of the ingredients is listed. | |

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS08

GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

Nitric Acid

Lead Nitrate

· Hazard statements

May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Suspected of causing cancer.

May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

(Contd. on page 11)

Printing date 08/16/2024 Reviewed on 08/16/2024

Trade name: Lead AA Standard 1,000 ppm In 3.5% HNO₃ NIST Traceable

(Contd. of page 10)

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2 08/16/2024: Reviewed SDS for accuracy. MH/STN

Creation date for SDS 10-12-2017. LS

08/16/2024 / -

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Corrosive to Metals 1: Corrosive to metals – Category 1

Acute Toxicity - Oral 4: Acute toxicity - Category 4

 $Skin\ Corrosion\ 1B:\ Skin\ corrosion/irritation-Category\ 1B$

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Carcinogenicity 2: Carcinogenicity – Category 2

Toxic to Reproduction 1A: Reproductive toxicity - Category 1A

* Data compared to the previous version altered.

US