Printing date 05/29/2024

*

Reviewed on 05/29/2024

Trade name: Sodium Perchlorate Monohydrate, Reagent ACS Article number: S3359 CAS Number: 7791-07-3 EC number: 231-511-9 Index number: 017-010-00-6 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtre: 800-424-9300 Canute:: 613-996-6666	Product identifier	
Article number:S3359CAS Number:T791-07-3EC number:Second231-511-9Image and the safety data sheetManufacturer/Supplier:Agia Solutions, Inc.Aqia Solutions, Inc.6913 Highway 225DEER PARK, TX 77356Image and the safety data solutions.orgTechnical CoordinatorSherman Nelson shermann@aquasolutions.orgSherman Nelson shermann@aquasolutions.orgTechnical CoordinatorSherman Nelson shermann@aquasolutions.orgSherman Nelson shermann@aquasolutions.orgTechnical CoordinatorSherman Nelson shermann@aquasolutions.orgSherman Nelson shermann@aquasolutions.orgTechnical CoordinatorSherman Nelson shermann@aquasolutions.orgSherman Nelson shermann@aquasolutions.orgChemtree:800-424-9300Canute:613-996-6666Image and the substance or mixture \widehat{V} GHS03 Flame over circleOxidizing Solids 1H271 May cause fire or explosion; strong oxidizer. \widehat{V} GHS08 Health hazardSpecific Target Organ Toxicity - Repeated Exposure 2H373 May cause damage to organs through prolonge repeated exposure. \widehat{V} GHS07Acute Toxicity - Oral 4H302 Harmful if swallowed.Shin Irritation 2H315 Causes skin irritation.Eye Irritation 2AH319 Causes serious eye irritation.	·	agent ACS
Index number: SOLUTIONS 017-010-00-6 SOLUTIONS Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DELRP PARK, TX 77336 USA WO0-256-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemitree: 800-424-9300 Canutec: 613-996-6666 Classification of the substance or mixture Oxidizing Solids 1 H271 May cause fire or explosion; strong oxidizer. Oxidizing Solids 1 H271 May cause fire or explosion; strong oxidizer. Oxidizing Solids 1 H271 May cause damage to organs through prolonge repeated exposure. Oxidizing GHS07 Sherof Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation.	CAS Number: 7791-07-3 EC number:	
Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-255-2586 Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Chaute: 613-996-6666 Hazard(s) identification Classification of the substance or mixture Oxidizing Solids 1 H271 May cause fire or explosion; strong oxidizer. Oxidizing Solids 1 H271 May cause damage to organs through prolonge repeated exposure. Oxigotic Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to orga	Index number:	SOLUTIONS
Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666 Hazard(s) identification Classification of the substance or mixture Oxidizing Solids 1 H271 May cause fire or explosion; strong oxidizer. Oxidizing Solids 1 H271 May cause damage to organs through prolonge repeated exposure 2 H373 May cause damage to organs through prolonge repeated exposure. Oxidizing CHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation.	Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA	
Classification of the substance or mixture Image: GHS03 Flame over circle Oxidizing Solids 1 H271 May cause fire or explosion; strong oxidizer. Image: GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonge repeated exposure. Image: GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation.	Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number:	
Classification of the substance or mixture Image: GHS03 Flame over circle Oxidizing Solids 1 H271 May cause fire or explosion; strong oxidizer. Image: GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonge repeated exposure. Image: GHS07 Acute Toxicity - Oral 4 H302 Harmful if swallowed. Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation.	Canutec: 613-996-6666	
Oxidizing Solids 1H271 May cause fire or explosion; strong oxidizer.Oxidizing Solids 1H271 May cause fire or explosion; strong oxidizer.Oxidizing Solids 1H271 May cause fire or explosion; strong oxidizer.Oxidizing Solids 1H271 May cause fire or explosion; strong oxidizer.Oxidizing Solids 1H271 May cause fire or explosion; strong oxidizer.Oxidizing Solids 1H373 May cause damage to organs through prolonge repeated exposure.Oxidizing Solids 1H373 May cause damage to organs through prolonge repeated exposure.Oxidizing Solids 1H373 May cause damage to organs through prolonge repeated exposure.Oxidizing Solids 1H373 May cause damage to organs through prolonge repeated exposure.Oxidizing Solids 1H373 May cause damage to organs through prolonge repeated exposure.Oxidizing Solids 1H373 May cause damage to organs through prolonge repeated exposure.Oxidi 1H302 Harmful if swallowed.Skin Irritation 2H315 Causes skin irritation.Eye Irritation 2AH319 Causes serious eye irritation.		
Oxidizing Solids 1H271 May cause fire or explosion; strong oxidizer.Oxidizing Solids 1H271 May cause fire or explosion; strong oxidizer.Oxidizing Solids 1H373 May cause damage to organs through prolonge repeated exposure.Specific Target Organ Toxicity - Repeated Exposure 2H373 May cause damage to organs through prolonge repeated exposure.Oxidizing Solids 1H302 Harmful if swallowed.Skin Irritation 2H315 Causes skin irritation.Eye Irritation 2AH319 Causes serious eye irritation.		
GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonge repeated exposure. Image: Comparison of the system of the sy	Hazard(s) identification	
Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonge repeated exposure. Image: Comparison of the system of the	Hazard(s) identification Classification of the substance or mixture	
repeated exposure.	Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle	H271 May cause fire or explosion; strong oxidizer.
Acute Toxicity - Oral 4H302 Harmful if swallowed.Skin Irritation 2H315 Causes skin irritation.Eye Irritation 2AH319 Causes serious eye irritation.	Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 1	H271 May cause fire or explosion; strong oxidizer.
Skin Irritation 2H315 Causes skin irritation.Eye Irritation 2AH319 Causes serious eye irritation.	Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 1 GHS08 Health hazard	2 H373 May cause damage to organs through prolonge
Eye Irritation 2AH319 Causes serious eye irritation.	Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 1 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure	2 H373 May cause damage to organs through prolonge
	Hazard(s) identification Classification of the substance or mixture Official GHS03 Flame over circle Oxidizing Solids 1 Oxidizing Solids 1 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS07	2 H373 May cause damage to organs through prolonge repeated exposure.
Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.	Hazard(s) identification Classification of the substance or mixture Image: Classification of the su	2 H373 May cause damage to organs through prolonge repeated exposure. H302 Harmful if swallowed.
	Hazard(s) identification Classification of the substance or mixture GHS03 Flame over circle Oxidizing Solids 1 GHS08 Health hazard Specific Target Organ Toxicity - Repeated Exposure GHS07 Acute Toxicity - Oral 4 Skin Irritation 2	 2 H373 May cause damage to organs through prolonge repeated exposure. H302 Harmful if swallowed. H315 Causes skin irritation.

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Perchlorate Monohydrate, Reagent ACS



The substance possesses oxidizing properties. • HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE3Fire = 3REACTIVITY0Reactivity = 0

(Contd. on page 3)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Perchlorate Monohydrate, Reagent ACS

(Contd. of page 2)

- Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 7791-07-3 Sodium Perchlorate Monohydrate
- · Identification number(s)
- EC number: 231-511-9
- · Index number: 017-010-00-6

4 First-aid measures

· Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information. • Protective Action Criteria for Chemicals
- Frolecuve Action Criteria for C
- **PAC-1:** 3.8 mg/m³

(Contd. on page 4)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

(Contd. of page 3)

Trade name: Sodium Perchlorate Monohydrate, Reagent ACS

• **PAC-2:** 41 mg/m³

• **PAC-3:** 250 mg/m³

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Perchlorate Monohydrate, Reagent ACS

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Crystalline	
Color:	White	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	25	
Change in condition		
Melting point/Melting range:	130 °C (266 °F)	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Product is not flammable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
	Explosive when mixed with combustible material.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	2.02 g/cm ³ (16.8569 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Not determined.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Perchlorate Monohydrate, Reagent ACS

(Contd. of page 5)

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Oral LD50 500 mg/kg (ATE)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Perchlorate Monohydrate, Reagent ACS

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN1502
UN proper shipping name	
DOT	Sodium perchlorate
IMDG, IATA	SODIUM PERCHLORATE
Transport hazard class(es)	
DOT	
Oxidizer	
S1	
Class	5.1 Oxidizing substances
Label	5.1
IMDG, IATA	
Class Label	5.1 Oxidizing substances 5.1
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	No
Marine pollutant:	
Special precautions for user	Warning: Oxidizing substances
Hazard identification number (Kemler code):	
EMS Number:	F-H,S-Q
Segregation groups	(SGG13) Perchlorates
Stowage Category	A
Segregation Code	SG38 Stow "separated from" SGG2-ammonium compounds. SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of	

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Perchlorate Monohydrate, Reagent ACS

	(Contd. of page 7)
· Transport/Additional information:	
·DOT	
• Quantity limitations	On passenger aircraft/rail: 5 kg
	On cargo aircraft only: 25 kg
· IMDG	
Limited quantities (LQ)	1 kg
\cdot Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 1502 SODIUM PERCHLORATE, 5.1, II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act):
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger
· Hazard statements
May cause fire or explosion; strong oxidizer.
Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
May cause respiratory irritation.
May cause damage to organs through prolonged or repeated exposure.
· Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Keep/Store away from clothing/combustible materials.
Take any precaution to avoid mixing with combustibles.
Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 9)

Printing date 05/29/2024

Reviewed on 05/29/2024

Trade name: Sodium Perchlorate Monohydrate, Reagent ACS

(Contd. of page 8)

Wear fire/flame resistant/retardant clothing. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. Specific treatment (see on this label). IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. *Continue rinsing.* If on clothing: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/28/2024: Reviewed SDS for accuracy. MH/STN 05/29/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Oxidizing Solids 1: Oxidizing solids – Category 1 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation - Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 • * Data compared to the previous version altered.

US -