Printing date 05/31/2024

Reviewed on 05/31/2024

I Identification	
· Product identifier	
· Trade name: Sulfiodine Solution	
7 mg/ml	
• Article number: SPX249	
\cdot Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225 DEER PARK, TX 77536	SOLUTIONS
USA	
800-256-2586	
· Information department:	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
· Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
<i>Cunulec</i> : 015-990-0000	
2 Hazard(s) identification • Classification of the substance or mixture	
GHS02 Flame	
GHS02 Flame Flammable Liquids 2	H225 Highly flammable liquid and vapor.
\checkmark	H225 Highly flammable liquid and vapor.
Flammable Liquids 2	H225 Highly flammable liquid and vapor. H331 Toxic if inhaled.
Flammable Liquids 2 GHS06 Skull and crossbones	
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard	
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 1B	H331 Toxic if inhaled. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 1B	H331 Toxic if inhaled. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. re 1 H372 Causes damage to organs through prolonged o
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 1B	H331 Toxic if inhaled. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. re 1 H372 Causes damage to organs through prolonged o
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 1B Specific Target Organ Toxicity - Repeated Exposure	H331 Toxic if inhaled. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. re 1 H372 Causes damage to organs through prolonged o
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 1B Specific Target Organ Toxicity - Repeated Exposur GHS05 Corrosion	H331 Toxic if inhaled. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. re 1 H372 Causes damage to organs through prolonged o repeated exposure.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 1B Specific Target Organ Toxicity - Repeated Exposur GHS05 Corrosion Skin Corrosion 1A	H331 Toxic if inhaled. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. re 1 H372 Causes damage to organs through prolonged or repeated exposure. H314 Causes severe skin burns and eye damage.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 1B Specific Target Organ Toxicity - Repeated Exposur GHS05 Corrosion Skin Corrosion 1A	H331 Toxic if inhaled. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. re 1 H372 Causes damage to organs through prolonged or repeated exposure. H314 Causes severe skin burns and eye damage.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Inhalation 3 GHS08 Health hazard Carcinogenicity 2 Toxic to Reproduction 1B Specific Target Organ Toxicity - Repeated Exposul GHS05 Corrosion Skin Corrosion 1A Eye Damage 1	H331 Toxic if inhaled. H351 Suspected of causing cancer. H360 May damage fertility or the unborn child. re 1 H372 Causes damage to organs through prolonged or repeated exposure. H314 Causes severe skin burns and eye damage.

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfiodine Solution 7 mg/ml

A suite Tonisity Oral 4	(Contd. of page 1)
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
Acute Toxicity - Dermal 4	H312 Harmful in contact with skin.
 Label elements GHS label elements The product is classified Hazard pictograms GHS02 GHS05 GHS06 GHS08 	l and labeled according to the Globally Harmonized System (GHS).
· Signal word Danger	
 Hazard-determining components of labeling Ethylene Glycol Monomethyl Ether Iodine *DEA regulated item Pyridine Sulfur Dioxide Hazard statements Highly flammable liquid and vapor. Harmful if swallowed or in contact with skin. Toxic if inhaled. Causes severe skin burns and eye damage. Suspected of causing cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions hav Keep away from heat/sparks/open flames/hot Ground/bond container and receiving equipm Use explosion-proof electrical/ventilating/lig. Use only non-sparking tools. Take precautionary measures against static a Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this pr Use only outdoors or in a well-ventilated area Wear protective gloves/protective clothing/ey If swallowed: Call a poison center/doctor if y If swallowed: Rinse mouth. Do NOT induce v If on skin (or hair): Take off immediately all d IF INHALED: Remove person to fresh air an 	e or repeated exposure. ve been read and understood. surfaces No smoking. ment. hting/equipment. lischarge. lischarge. roduct. a. re protection/face protection. toou feel unwell. romiting. contaminated clothing. Rinse skin with water/shower.
If in eyes: Rinse cautiously with water for	several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice Specific treatment (see on this label). Get medical advice/attention if you feel unwe Take off contaminated clothing and wash it b Wash contaminated clothing before reuse.	И.
In case of fire: Use CO2, powder or water sp	
Store in a well-ventilated place. Keep contain	
	(Contd. on page 3)

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfiodine Solution 7 mg/ml

	(Contd. of page 2)
Store in a well-ventilated place. Keep cool.	(Conta: of page 2)
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulation.	<i>s</i> .
Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 3	
3 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH T3 $Health = *3$	
FIRE 3 $Fire = 3$	
REACTIVITY O Reactivity = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous comp	ponents:	
	Ethylene Glycol Monomethyl Ether	38.687%
CAS: 110-86-1	Pyridine	32.663%
CAS: 7553-56-2	Iodine *DEA regulated item	17.007%
CAS: 7446-09-5	Sulfur Dioxide	11.643%

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 4)

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfiodine Solution 7 mg/ml

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters

• Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

	y protective device. equipment. Keep unprotected persons away.	
· Environmental p		
Do not allow pro	duct to reach sewage system or any water course.	
	e authorities in case of seepage into water course or sewage system.	
Dilute with plent		
	enter sewers/ surface or ground water.	
	terial for containment and cleaning up:	
	id-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing	agent. nated material as waste according to section 13.	
Ensure adequate		
• Reference to oth		
	information on safe handling.	
	information on personal protection equipment.	
See Section 13 fo	r disposal information.	
Protective Action	n Criteria for Chemicals	
• PAC-1:		
	Ethylene Glycol Monomethyl Ether	0.3 ppm
CAS: 110-86-1	Pyridine	3 ppm
CAS: 7553-56-2	Iodine *DEA regulated item	0.1 ppm
CAS: 7446-09-5	Sulfur Dioxide	0.20 ppm
· PAC-2:		
	Ethylene Glycol Monomethyl Ether	14 ppm
CAS: 110-86-1	Pyridine	19 ppm
CAS: 7553-56-2	Iodine *DEA regulated item	0.5 ppm
CAS: 7446-09-5	Sulfur Dioxide	0.75 ppm
· PAC-3:		•
	Ethylene Glycol Monomethyl Ether	2000* ppm
CAS: 110-86-1	Pyridine	3600* ppm
CAS: 7553-56-2	Iodine *DEA regulated item	5 ppm
	-	(Contd. on page 5

(Contd. of page 3)

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfiodine Solution 7 mg/ml

CAS: 7446-09-5 Sulfur Dioxide

(Contd. of page 4) 30 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

Ethyle	ne Glycol Monomethyl Ether	
PEL	Long-term value: 80 mg/m ³ , 25 ppm Skin	
REL	Long-term value: 0.3 mg/m³, 0.1 ppm Skin	
TLV	Long-term value: 0.1 ppm Skin; BEI	
WEEL	Skin; B	
CAS:	110-86-1 Pyridine	
PEL	Long-term value: 15 mg/m ³ , 5 ppm	
REL	Long-term value: 15 mg/m ³ , 5 ppm	
TLV	Long-term value: 1 ppm A3	
CAS: 2	7553-56-2 Iodine *DEA regulated item	
PEL	Ceiling limit value: 1 mg/m ³ , 0.1 ppm	
REL	Ceiling limit value: 1 mg/m ³ , 0.1 ppm	
TLV	Long-term value: 0.01* mg/m³, 0.01* ppm *inh. fraction+vapor; Skin, A4	

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfiodine Solution


7 mg/ml

(Contd. of page 5)

CAS: 2	7446-09-5 Sulfur Dioxide
PEL	Long-term value: 13 mg/m ³ , 5 ppm
REL	Short-term value: 13 mg/m ³ , 5 ppm
	Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: 0.25 ppm
	A4
· Ingred	lients with biological limit values:
Ethyle	ne Glycol Monomethyl Ether
BEI 1	mg/g creatinine
L	D50 Intraperitoneal: urine
Т	ime: end of shift at end of workweek
L	D50: 2-Methoxyacetic acid
· Additie	onal information: The lists that were valid during the creation were used as basis.
· Exposit	ure controls
· Person	nal protective equipment:
· Gener	al protective and hygienic measures:
Keep a	way from foodstuffs, beverages and feed.
Immed	liately remove all soiled and contaminated clothing.
Wash I	hands before breaks and at the end of work.
Store p	protective clothing separately.
Avoid	contact with the eyes.
Avoid	contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.





Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 7)

US

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfiodine Solution 7 mg/ml

· Body protection: Protective work clothing

(Contd. of page 6)

· Information on basic physical and c	hemical properties
General Information	
· Appearance:	
Form:	Liquid
Color:	Brown
· Odor:	Pyridine National
Odor threshold:	Not determined.
pH-value:	Not determined.
• Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	17 °C (62.6 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	310 °C (590 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.7 Vol %
Upper:	20.6 Vol %
Vapor pressure at 20 °C (68 °F):	20 hPa (15 mm Hg)
Density at 20 °C (68 °F):	1.20245 g/cm ³ (10.03445 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	38.7 %
VOC content:	38.69 %
	465.2 g/l / 3.88 lb/gal
	17.0 %

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfiodine Solution

7 mg/ml

(Contd. of page 7)

· Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acut	te Toxicity	v Estimate)
Oral	LD50	566 mg/kg
Dermal		1,245 mg/kg
Inhalative	LC50/4h	5.61 mg/l

· Primary irritant effect:

- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (Internatio	onal Agency for Research on Cancer)	
CAS: 110-86-1	Pyridine	2B
CAS: 7446-09-5	Sulfur Dioxide	3
· NTP (National T	Toxicology Program)	
None of the ingre	dients is listed.	
· OSHA-Ca (Occu	pational Safety & Health Administration)	
None of the ingre	dients is listed.	
		- H

(Contd. on page 9)

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfiodine Solution

7 mg/ml

(Contd. of page 8)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
DOT, IMDG, IATA	UN1993	
· UN proper shipping name		
· DOT	Flammable liquids, n.o.s. (Pyridine)	
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Pyridine)	
• Transport hazard class(es)		
DOT		
E AMARIE LOUD		
3		
· Class	3 Flammable liquids	

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfiodine Solution 7 mg/ml

	(Contd. of page 9)
· Label	3
· IMDG, IATA	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, IMDG, IATA	11
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
• Hazard identification number (Kemler code).	: 30
· EMS Number:	<i>F-E,<u>S-E</u></i>
· Stowage Category	В
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (PYRIDINE), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

CAS: 7446-09-5 Sulfur Dioxide	
Section 313 (Specific toxic chemical listings):	
Ethylene Glycol Monomethyl Ether	
CAS: 110-86-1 Pyridine	
TSCA (Toxic Substances Control Act):	
Ethylene Glycol Monomethyl Ether	ACTIV
Pyridine	ACTIV
Iodine *DEA regulated item	ACTIV
Sulfur Dioxide	ACTIV
Hazardous Air Pollutants	
None of the ingredients is listed.	
Proposition 65	
Chemicals known to cause cancer:	
CAS: 110-86-1 Pyridine	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	

Printing date 05/31/2024

Reviewed on 05/31/2024

(Contd. of page 10)

Trade name: Sulfiodine Solution 7 mg/ml

Chamiagle bran	un to sauge developmental torisitu	
Cnemicals know	wn to cause developmental toxicity:	
~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Ethylene Glycol Monomethyl Ether	
CAS: 7446-09-5	5 Sulfur Dioxide	
Carcinogenic co	-	
,	nental Protection Agency)	
None of the ingr	redients is listed.	
TLV (Threshold	ld Limit Value)	
CAS: 110-86-1	Pyridine	1
CAS: 7553-56-2	2 Iodine *DEA regulated item	1
	5 Sulfur Dioxide	1
	ational Institute for Occupational Safety and Health)	
	redients is listed.	
Hazard pictogra	nents The product is classified and labeled according to the Globally Harmonized	a system (OHS
Ethylene Glycol	ining components of labeling: l Monomethyl Ether	
Hazard-determi Ethylene Glycol Iodine *DEA re Pyridine Sulfur Dioxide Hazard stateme Highly flammab Harmful if swall Toxic if inhaled Causes severe st Suspected of cau May damage fer Causes damage Precautionary s Obtain special i Do not handle u Keep away from	sining components of labeling: I Monomethyl Ether egulated item ents ble liquid and vapor. Ilowed or in contact with skin. I. skin burns and eye damage. skin burns and eye damage. using cancer. rtility or the unborn child. e to organs through prolonged or repeated exposure. statements instructions before use. until all safety precautions have been read and understood. n heat/sparks/open flames/hot surfaces No smoking.	
Hazard-determi Ethylene Glycol Iodine *DEA re Pyridine Sulfur Dioxide Hazard stateme Highly flammab Harmful if swalt Toxic if inhaled. Causes severe st Suspected of cau May damage fer Causes damage Precautionary s Obtain special i Do not handle u Keep away from Ground/bond co Use explosion-p Use only non-sp	statements instructions before use. until all safety precautions have been read and understood. n heat/sparks/open flames/hot surfaces No smoking. ontainer and receiving equipment. parking tools.	
Hazard-determi Ethylene Glycol Iodine *DEA re Pyridine Sulfur Dioxide Hazard stateme Highly flammab Harmful if swalt Toxic if inhaled. Causes severe si Suspected of cau May damage fer Causes damage Precautionary s Obtain special i Do not handle u Keep away from Ground/bond co Use explosion-p Use only non-sp Take precaution Do not breathe Wash thoroughl	sining components of labeling: I Monomethyl Ether egulated item ents ble liquid and vapor. llowed or in contact with skin. l. skin burns and eye damage. tusing cancer. rtility or the unborn child. to organs through prolonged or repeated exposure. statements instructions before use. until all safety precautions have been read and understood. n heat/sparks/open flames/hot surfaces No smoking. ontainer and receiving equipment. proof electrical/ventilating/lighting/equipment. parking tools. nary measures against static discharge. dusts or mists. ly after handling.	
Hazard-determi Ethylene Glycol Iodine *DEA re Pyridine Sulfur Dioxide Hazard stateme Highly flammab Harmful if swalt Toxic if inhaled. Causes severe st Suspected of cau May damage fer Causes damage Precautionary s Obtain special i Do not handle u Keep away from Ground/bond co Use explosion-p Use only non-sp Take precaution Do not breathe Wash thoroughl Do not eat, drim	statements ining components of labeling: I Monomethyl Ether egulated item ents ble liquid and vapor. Ilowed or in contact with skin. Ilowed or in contact with skin. Interventional state of the state of	

Printing date 05/31/2024

Reviewed on 05/31/2024

Trade name: Sulfiodine Solution 7 mg/ml

(Contd. of page 11)
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
Take off contaminated clothing and wash it before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use CO2, powder or water spray to extinguish.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department. • Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 05/31/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS 10-22-2014. STN 05/31/2024
- · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Acute Toxicity - Inhalation 3: Acute toxicity - Category 3 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Carcinogenicity 2: Carcinogenicity – Category 2

(Contd. on page 13)

[·]US

Printing date 05/31/2024

Trade name: Sulfiodine Solution 7 mg/ml

Reviewed on 05/31/2024

(Contd. of page 12)

US

Toxic to Reproduction 1B: Reproductive toxicity – Category 1B Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1 • * Data compared to the previous version altered.