Printing date 06/03/2024

Reviewed on 06/03/2024

Identification	
Product identifier	
• Trade name: <u>Universal Indicator</u> Solution, pH 2 - 10	
Article number: U3852	
• Details of the supplier of the safety data • Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	sheet
<ul> <li>Information department: Technical Coordinator</li> <li>Sherman Nelson shermann@aquasolution</li> <li>Technical Coordinator</li> <li>Sherman Nelson shermann@aquasolution</li> <li>Emergency telephone number: Chemtrec: 800-424-9300</li> <li>Canutec: 613-996-6666</li> </ul>	
P Hazard(s) identification	
GHS02 Flame Flammable Liquids 2 GHS06 Skull and crossbones	H225 Highly flammable liquid and vapor.
Flammable Liquids 2 GHS06 Skull and crossbones	
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard	H301 Toxic if swallowed. H311 Toxic in contact with skin.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single E	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. Exposure 1 H370 Causes damage to the central nervous system and th
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single E Label elements GHS label elements The product is class	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. Exposure 1 H370 Causes damage to the central nervous system and the visual organs.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single E Label elements GHS label elements The product is class	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. Exposure 1 H370 Causes damage to the central nervous system and the visual organs.
Flammable Liquids 2 Flammable Liquids 2 GHS06 Skull and crossbones Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 GHS08 Health hazard Specific Target Organ Toxicity - Single E Label elements GHS label elements The product is class Hazard pictograms	H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. Exposure 1 H370 Causes damage to the central nervous system and the visual organs.

Reviewed on 06/03/2024

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/03/2024

Trade name: Universal Indicator Solution, pH 2 - 10

(Contd. of page 1) · Hazard-determining components of labeling: Methanol · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water sprav to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = \*2\*2 FIRE 3 Fire = 3**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · **vPvB**: Not applicable.

# **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Universal Indicator Solution, pH 2 - 10

		(Contd. of page 2)
· Dangerous compo		
CAS: 67-56-1 Me	thanol	99.76%
• Table of Nonhaza	rdous Ingredients	
CAS: 76-61-9	Thymol Blue	0.1%
CAS: 76-59-5	Bromothymol Blue	0.08%
CAS: 63451-28-5	Methyl Red Hydrochloride	0.04%
CAS: 77-09-8	Phenolphthalein	0.02%

### **4** First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

(Contd. on page 4)

US

Printing date 06/03/2024

Trade name: Universal Indicator Solution, pH 2 - 10 Reviewed on 06/03/2024

	(Contd. of page 3
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
CAS: 67-56-1 Methanol	530 ppm
CAS: 76-61-9 Thymol Blue	30 mg/m <sup>3</sup>
CAS: 76-59-5 Bromothymol Blue	30 mg/m <sup>3</sup>
CAS: 77-09-8 Phenolphthalein	4 mg/m <sup>3</sup>
· PAC-2:	
CAS: 67-56-1 Methanol	2,100 ppm
CAS: 76-61-9 Thymol Blue	330 mg/m <sup>2</sup>
CAS: 76-59-5 Bromothymol Blue	330 mg/m <sup>2</sup>
CAS: 77-09-8 Phenolphthalein	44 mg/m <sup>3</sup>
· PAC-3:	
CAS: 67-56-1 Methanol	7200* ppm
CAS: 76-61-9 Thymol Blue	2,000 mg/m <sup>2</sup>
CAS: 76-59-5 Bromothymol Blue	2,000 mg/m <sup>.</sup>
CAS: 77-09-8 Phenolphthalein	260 mg/m <sup>3</sup>

# 7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

<sup>-</sup> U(

Printing date 06/03/2024

### Trade name: Universal Indicator Solution, pH 2 - 10

Reviewed on 06/03/2024

(Contd. of page 4)

CAS:	ponents with limit values that require monitoring at the workplace:
	67-56-1 Methanol
PEL	Long-term value: 260 mg/m³, 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
Ingre	dients with biological limit values:
-	67-56-1 Methanol
	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)
	ional information: The lists that were valid during the creation were used as basis.
Wash Store Avoid • <b>Breat</b> In ca respir	diately remove all soiled and contaminated clothing. hands before breaks and at the end of work. protective clothing separately. contact with the eyes and skin. <b>hing equipment:</b> se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us catory protective device that is independent of circulating air. <b>ction of hands:</b>
	Protective gloves
Due i	love material has to be impermeable and resistant to the product/ the substance/ the preparation. o missing tests no recommendation to the glove material can be given for the product/ the preparation/ th
cnem	ical mixture.
Selec Mate	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>rial of gloves</b>
Selec Mate The s varie the g	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>rial of gloves</b> election of the suitable gloves does not only depend on the material, but also on further marks of quality an is from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of ove material can not be calculated in advance and has therefore to be checked prior to the application.
Selec Mate The s varie the gi	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation <b>rial of gloves</b> election of the suitable gloves does not only depend on the material, but also on further marks of quality and is from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of ove material can not be calculated in advance and has therefore to be checked prior to the application. <b>ration time of glove material</b> xact break through time has to be found out by the manufacturer of the protective gloves and has to b

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Universal Indicator Solution, pH 2 - 10

(Contd. of page 5)

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information Appearance: Form: Color: Odor:	Liquid Green de l'alcool
• Odor threshold:	l Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range:	-97.8 °C (-144 °F) 64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits: Lower: Upper:	5.5 Vol % 44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
· Density at 20 °C (68 °F): · Relative density · Vapor density · Evaporation rate	0.79 g/cm <sup>3</sup> (6.59255 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/wate	<b><i>r</i></b> ): Not determined.
Viscosity: Dynamic:	Not determined.

Printing date 06/03/2024

Reviewed on 06/03/2024

#### Trade name: Universal Indicator Solution, pH 2 - 10

		(Contd. of page 6)
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	99.8 %	
VOC content:	99.76 %	
	788.1 g/l / 6.58 lb/gal	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

## **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

#### · Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

#### · Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)		
		100 mg/kg
Dermal	LD50	301 mg/kg

Inhalative LC50/4h 3.01 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitization: No sensitizing effects known.

 $\cdot$  Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Toxic* 

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 77-09-8 Phenolphthalein	2B
· NTP (National Toxicology Program)	
CAS: 77-09-8 Phenolphthalein	R
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
	US

(Contd. on page 8)

Printing date 06/03/2024

Reviewed on 06/03/2024

#### Trade name: Universal Indicator Solution, pH 2 - 10

(Contd. of page 7)

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number		
DOT, IMDG, IATA	UN1993	
UN proper shipping name		
DOT	Flammable liquids, n.o.s. (Methanol)	
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Methanol)	
- Class	3 Flammable liquids	
Label	3	

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Universal Indicator Solution, pH 2 - 10

	(Contd. of page
IMDG, IATA	
Class	3 Flammable liquids 3
Label	5
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler c	
EMS Number:	<i>F-E,<u>S-E</u></i>
Stowage Category	В
Transport in bulk according to Annex I	I of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

# **15 Regulatory information**

 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

 · Section 355 (extremely hazardous substances):

 None of the ingredients is listed.

 · Section 313 (Specific toxic chemical listings):

 CAS: 67-56-1

 Methanol

 CAS: 77-09-8

 Phenolphthalein

 · TSCA (Toxic Substances Control Act):

 Methanol

 Thymol Blue

 Bromothymol Blue

 Phenolphthalein

 (Contd. on page 10)

US

Printing date 06/03/2024

Reviewed on 06/03/2024

#### Trade name: Universal Indicator Solution, pH 2 - 10

(Contd. of page 9)

• Hazardous Air Pollutants CAS: 67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

CAS: 77-09-8 Phenolphthalein

 $\cdot$  Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

#### · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Methanol · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). Rinse mouth.

Printing date 06/03/2024

Reviewed on 06/03/2024

Trade name: Universal Indicator Solution, pH 2 - 10

(Contd. of page 10)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 06/03/2024: Reviewed SDS for accuracy. MH/STN 06/03/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 3: Acute toxicity - Category 3 Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1 • \* Data compared to the previous version altered.