Printing date 07/25/2024

Reviewed on 07/25/2024

## **1** Identification

- · Product identifier
- Trade name: <u>Hydrogen Sulfide</u> 1500 grain/gal H<sub>2</sub>S in 40% v/v MDEA
- · Article number: AM444
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Aqua Solutions, Inc.
  6913 Highway 225 DEER PARK, TX 77536

USA 800-256-2586

- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
   Emergency telephone number: Chemtrec: 800-424-9300
- Canutec: 613-996-6666

## 2 Hazard(s) identification

· Classification of the substance or mixture



Eye Irritation 2A H319 Causes serious eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



- · Signal word Warning
- Hazard statements

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



(Contd. on page 2)

US

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Hydrogen Sulfide
1500 grain/gal H <sub>2</sub> S in 40% v/v MDEA

(Contd. of page 1)

39.872%

2.51%

57.618%

```
· HMIS-ratings (scale 0 - 4)
```

HEALTH2
$$Health = 2$$
FIRE1 $Fire = 1$ REACTIVITY0 $Reactivity = 0$ 

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **3** Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:
-------------	-------------

CAS: 105-59-9 N-Methyldiethanolamine, 99%

CAS: 7783-06-4 Hydrogen Sulfide

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

#### 4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Hydrogen Sulfide 1500 grain/gal H<sub>2</sub>S in 40% v/v MDEA

Dilute with plenty of water.	(Contd. of page 2)
Do not allow to enter sewers/ surface or ground water.	
· Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Dispose contaminated material as waste according to section 13.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
· PAC-1:	
CAS: 7783-06-4 Hydrogen Sulfide	0.51 ppm
· PAC-2:	
CAS: 7783-06-4 Hydrogen Sulfide	27 ppm
• PAC-3:	
CAS: 7783-06-4 Hydrogen Sulfide	50 ppm

## 7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

## CAS: 7783-06-4 Hydrogen Sulfide

- PEL Ceiling limit value: 20; 50\* ppm \*10-min peak; once per 8-hr shift
- REL Ceiling limit value: 15\* mg/m<sup>3</sup>, 10\* ppm \*10-min
- TLV Short-term value: 5 ppm Long-term value: 1 ppm

• Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

US

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Hydrogen Sulfide 1500 grain/gal H<sub>2</sub>S in 40% v/v MDEA

(Contd. of page 3)

· Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: Not required. • Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of

the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance: Form:	Liquid	
Color:	Light green	
Odor:	Strong Sulfur Smell	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	127 °C (260.6 °F)	
Flammability (solid, gaseous):	Not applicable.	

Printing date 07/25/2024

Reviewed on 07/25/2024

#### Trade name: Hydrogen Sulfide 1500 grain/gal H<sub>2</sub>S in 40% v/v MDEA

	(Contd. of page 4)
Auto igniting:	265 °C (509 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.02302 g/cm <sup>3</sup> (8.5371 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	57.6 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

## **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot$  Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No \ further \ relevant \ information \ available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 3,984 mg/l

(Contd. on page 6)

US

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Hydrogen Sulfide

1500 grain/gal H<sub>2</sub>S in 40% v/v MDEA

(Contd. of page 5)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.
- · NTP (National Toxicology Program)
- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

## **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

## **14 Transport information**

· UN-Number · DOT, IMDG, IATA

UN3287

(Contd. on page 7)

US

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Hydrogen Sulfide
1500 grain/gal H <sub>2</sub> S in 40% v/v MDEA

	(Contd. of pag
UN proper shipping name DOT IMDG, IATA	Toxic liquid, inorganic, n.o.s. TOXIC LIQUID, INORGANIC, N.O.S.
Transport hazard class(es)	
DOT	
TOXIC 6	
Class	6.1 Toxic substances
Label	6.1
Class	6.1 Toxic substances
Label	6.1
Packing group DOT, IMDG, IATA	Ш
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances
EMS Number:	F-A,S-A
Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5L
	On cargo aircraft only: 60L
UN "Model Regulation":	UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. 6.1, II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):	
CAS: 7783-06-4 Hydrogen Sulfide	
· Section 313 (Specific toxic chemical listings):	
CAS: 7783-06-4 Hydrogen Sulfide	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
N-Methyldiethanolamine, 99%	ACTIVE
	(Contd. on page 8)
	- Ut

Printing date 07/25/2024

Reviewed on 07/25/2024

Trade name: Hydrogen Sulfide

1500 grain/gal H<sub>2</sub>S in 40% v/v MDEA

(Contd. of page 7) ACTIVE

I

.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

Hydrogen Sulfide

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 7783-06-4 Hydrogen Sulfide

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Warning

- Hazard statements
- Causes serious eye irritation.
- · Precautionary statements

Wash thoroughly after handling.

*Wear eye protection / face protection.* 

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2 07/25/2024: Reviewed SDS for accuracy. MH/STN

(Contd. on page 9)

US

Printing date 07/25/2024

Reviewed on 07/25/2024

## Trade name: Hydrogen Sulfide 1500 grain/gal H<sub>2</sub>S in 40% v/v MDEA

Revision 0.0, 05-29-2024: Creation date for SDS. STN
07/25/2024 / 1.0
· Abbreviations and acronyms:
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
• * Data compared to the previous version altered.

(Contd. of page 8)

US