

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2015

Reviewed on 01/15/2015

## 1 Identification

- **Product identifier**
- **Trade name:** Diisopropylamine
- **Article number:** D4771
- **CAS Number:**  
108-18-9
- **EC number:**  
203-558-5
- **Index number:**  
612-129-00-5
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Aqua Solutions, Inc.  
6913 Highway 225  
DEER PARK, TX 77536  
USA  
800-256-2586
- **Information department:**  
Technical Coordinator  
Sherman Nelson sherman@aquasolutions.org  
Product safety department
- **Emergency telephone number:**  
Chemtrec: 800-424-9300  
Canutec: 613-996-6666



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

- **Label elements**

- **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS05



GHS07

- **Signal word** Danger

- **Hazard statements**

Highly flammable liquid and vapor.

(Contd. on page 2)

USA

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 01/15/2015

Reviewed on 01/15/2015

**Trade name: Diisopropylamine**

(Contd. of page 1)

*Harmful if swallowed or if inhaled.**Causes severe skin burns and eye damage.***· Precautionary statements***Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Use explosion-proof electrical/ventilating/lighting/equipment.**Do not breathe dusts or mists.**IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**Immediately call a poison center/doctor.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***· Classification system:****· NFPA ratings (scale 0 - 4)**

Health = 3

Fire = 3

Reactivity = 0

**· HMIS-ratings (scale 0 - 4)**

Health = 3

Fire = 3

Reactivity = 0

**· Other hazards****· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.

### 3 Composition/information on ingredients

**· Chemical characterization: Substances****· CAS No. Description**

108-18-9 Diisopropylamine

**· Identification number(s)****· EC number:** 203-558-5**· Index number:** 612-129-00-5

### 4 First-aid measures

**· Description of first aid measures****· General information:***Immediately remove any clothing soiled by the product.**Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.***· After inhalation:***Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.**In case of unconsciousness place patient stably in side position for transportation.***· After skin contact:** *Immediately wash with water and soap and rinse thoroughly.***· After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.***· After swallowing:***Immediately call a doctor.**Drink copious amounts of water and provide fresh air. Immediately call a doctor.***· Most important symptoms and effects, both acute and delayed** *No further relevant information available.*

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 01/15/2015

Reviewed on 01/15/2015

Trade name: Diisopropylamine

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

108-18-9 Diisopropylamine

|      |                                               |
|------|-----------------------------------------------|
| PEL  | Long-term value: 20 mg/m <sup>3</sup> , 5 ppm |
| Skin |                                               |

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2015

Reviewed on 01/15/2015

Trade name: Diisopropylamine

(Contd. of page 3)

REL Long-term value: 20 mg/m<sup>3</sup>, 5 ppm  
Skin

TLV Long-term value: 21 mg/m<sup>3</sup>, 5 ppm  
Skin

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Colorless

· **Odor:** Amine-like

· **Odour threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: -61 °C (-78 °F)

Boiling point/Boiling range: 84 °C (183 °F)

· **Flash point:** -7 °C (19 °F)

· **Flammability (solid, gaseous):** Not applicable.

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2015

Reviewed on 01/15/2015

Trade name: Diisopropylamine

(Contd. of page 4)

|                                                   |                                                                                            |
|---------------------------------------------------|--------------------------------------------------------------------------------------------|
| · <b>Ignition temperature:</b>                    | 285 °C (545 °F)                                                                            |
| · <b>Decomposition temperature:</b>               | Not determined.                                                                            |
| · <b>Auto igniting:</b>                           | Not determined.                                                                            |
| · <b>Danger of explosion:</b>                     | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · <b>Explosion limits:</b>                        |                                                                                            |
| Lower:                                            | 1.5 Vol %                                                                                  |
| Upper:                                            | 8.5 Vol %                                                                                  |
| · <b>Vapor pressure at 20 °C (68 °F):</b>         | 100 hPa (75 mm Hg)                                                                         |
| · <b>Density at 20 °C (68 °F):</b>                | 0.7169 g/cm <sup>3</sup> (5.983 lbs/gal)                                                   |
| · <b>Relative density</b>                         | Not determined.                                                                            |
| · <b>Vapour density</b>                           | Not determined.                                                                            |
| · <b>Evaporation rate</b>                         | Not determined.                                                                            |
| · <b>Solubility in / Miscibility with Water:</b>  | Fully miscible.                                                                            |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                                                                            |
| · <b>Viscosity:</b>                               |                                                                                            |
| Dynamic:                                          | Not determined.                                                                            |
| Kinematic:                                        | Not determined.                                                                            |
| · <b>Other information</b>                        | No further relevant information available.                                                 |

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

|            |          |                 |
|------------|----------|-----------------|
| Oral       | LD50     | 770 mg/kg (rat) |
| Inhalative | LC50/4 h | 4.8 mg/l (rat)  |

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)** Substance is not listed.
- **NTP (National Toxicology Program)** Substance is not listed.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2015

Reviewed on 01/15/2015

Trade name: Diisopropylamine

(Contd. of page 5)

· OSHA-Ca (Occupational Safety &amp; Health Administration) Substance is not listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 2 (Assessment by list): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.  
 Must not reach bodies of water or drainage ditch undiluted or unneutralized.  
 Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |                                     |                     |
|-------------------------------------|---------------------|
| · <b>UN-Number</b>                  | UN1158              |
| · <b>DOT, IMDG, IATA</b>            |                     |
| · <b>UN proper shipping name</b>    | RQ Diisopropylamine |
| · <b>DOT</b>                        | DIISOPROPYLAMINE    |
| · <b>IMDG, IATA</b>                 |                     |
| · <b>Transport hazard class(es)</b> |                     |
| · <b>DOT</b>                        |                     |
|                                     |                     |
| · <b>Class</b>                      | 3 Flammable liquids |
| · <b>Label</b>                      | 3 + 8               |
| · <b>IMDG, IATA</b>                 |                     |
|                                     |                     |
| · <b>Class</b>                      | 3 Flammable liquids |
| · <b>Label</b>                      | 3 + 8               |

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 01/15/2015

Reviewed on 01/15/2015

Trade name: Diisopropylamine

(Contd. of page 6)

|                                                                                  |                                                                                                                 |
|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| · <b>Packing group</b>                                                           | II                                                                                                              |
| · <b>DOT, IMDG, IATA</b>                                                         | II                                                                                                              |
| · <b>Environmental hazards:</b>                                                  |                                                                                                                 |
| · <b>Marine pollutant:</b>                                                       | No                                                                                                              |
| · <b>Special precautions for user</b>                                            | Warning: Flammable liquids                                                                                      |
| · <b>Danger code (Kemler):</b>                                                   | 338                                                                                                             |
| · <b>EMS Number:</b>                                                             | F-E,S-C                                                                                                         |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                                                                                 |
| · <b>Transport/Additional information:</b>                                       |                                                                                                                 |
| · <b>DOT</b>                                                                     |                                                                                                                 |
| · <b>Quantity limitations</b>                                                    | On passenger aircraft/rail: 1 L<br>On cargo aircraft only: 5 L                                                  |
| · <b>Hazardous substance:</b>                                                    | 5000 lbs, 2270 kg                                                                                               |
| · <b>IMDG</b>                                                                    |                                                                                                                 |
| · <b>Limited quantities (LQ)</b>                                                 | 1L                                                                                                              |
| · <b>Excepted quantities (EQ)</b>                                                | Code: E2<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · <b>UN "Model Regulation":</b>                                                  | UN1158, Diisopropylamine, 3 (8), II                                                                             |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):** Substance is not listed.
- **Section 313 (Specific toxic chemical listings):** Substance is not listed.
- **TSCA (Toxic Substances Control Act):** Substance is listed.
- **Proposition 65**
- **Chemicals known to cause cancer:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for females:** Substance is not listed.
- **Chemicals known to cause reproductive toxicity for males:** Substance is not listed.
- **Chemicals known to cause developmental toxicity:** Substance is not listed.
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)** Substance is not listed.
- **TLV (Threshold Limit Value established by ACGIH)** Substance is not listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)** Substance is not listed.
- **GHS label elements**  
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02 GHS05 GHS07

- **Signal word** Danger
- **Hazard statements**  
Highly flammable liquid and vapor.  
Harmful if swallowed or if inhaled.  
Causes severe skin burns and eye damage.

(Contd. on page 8)



# Safety Data Sheet

## acc. to OSHA HCS

Printing date 01/15/2015

Reviewed on 01/15/2015

**Trade name: Diisopropylamine**

(Contd. of page 7)

**· Precautionary statements***Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Use explosion-proof electrical/ventilating/lighting/equipment.**Do not breathe dusts or mists.**IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**Immediately call a poison center/doctor.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information***This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***· Department issuing SDS:** Environment protection department.**· Contact:** Mr. Nelson**· Date of preparation / last revision***Creation date for SDS 01-15-2015. STN**01/15/2015 / -***· Abbreviations and acronyms:***ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**ACGIH: American Conference of Governmental Industrial Hygienists**EINECS: European Inventory of Existing Commercial Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**Flam. Liq. 2: Flammable liquids, Hazard Category 2**Acute Tox. 4: Acute toxicity, Hazard Category 4**Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B*

USA