Printing date 06/24/2024

Reviewed on 06/24/2024

1 Identification

- · Product identifier
- · Trade name: Formaldehyde, 37% Laboratory Grade
- · Article number: F6029
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586
- Information department: Technical Coordinator
 Sherman Nelson shermann@aquasolutions.org
 Emergency telephone number:
- *Chemtrec:* 800-424-9300 *Canutec:* 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Flammable Liquids 3

H226 Flammable liquid and vapor.

GHS06 Skull and crossbones

Acute Toxicity - Oral 3 Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation 3 H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled.

GHS08 Health hazard

Germ Cell Mutagenicity 2H341 Suspected of causing genetic defects.Carcinogenicity 1BH350 May cause cancer.Specific Target Organ Toxicity - Single Exposure 1H370 Causes damage to the central nervous system and the
visual organs.

GHS05 Corrosion

Skin Corrosion 1B Eye Damage 1 H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

GHS07

(Contd. on page 2)

US -


Printing date 06/24/2024

Reviewed on 06/24/2024

	(Contd. of page
Sensitization - Skin 1	H317 May cause an allergic skin reaction.
Label elements	
	assified and labeled according to the Globally Harmonized System (GHS).
Hazard pictograms	
$\land \land \land \land \land$	
	$\langle \cdot \cdot \rangle$
GHS02 GHS05 GHS06 GHS0	07 GHS08
Signal word Danger	
Hazard-determining components of l	abeling:
Formaldehyde	
Methanol	
Hazard statements	
Flammable liquid and vapor.	
Toxic if swallowed, in contact with ski	
Causes severe skin burns and eye dam	age.
May cause an allergic skin reaction.	
Suspected of causing genetic defects. May cause cancer.	
Causes damage to the central nervous	system and the visual organs
Precautionary statements	system and the visual of galls.
Obtain special instructions before use	
Do not handle until all safety precauti	
Keep away from heat/sparks/open flam	
Ground/bond container and receiving	
Use explosion-proof electrical/ventila	
Use only non-sparking tools.	
Take precautionary measures against	static discharge.
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using	
Use only outdoors or in a well-ventila	
Contaminated work clothing must not	v 1
Wear protective gloves/protective clot	
If swallowed: Immediately call a poise Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT in	nduce vomiting
	ely all contaminated clothing. Rinse skin with water/shower.
	air and keep comfortable for breathing.
	er for several minutes. Remove contact lenses, if present and easy to a
<i>Continue rinsing.</i>	
IF exposed or concerned: Get medical	l advice/attention.
Call a poison center/doctor if you feel	
Take off immediately all contaminated	
If skin irritation or rash occurs: Get n	
In case of fire: Use CO2, powder or w	
Store in a well-ventilated place. Keep	
Store in a well-ventilated place. Keep	cool.
Store locked up.	rdance with local/regional/national/international regulations.

Printing date 06/24/2024

Reviewed on 06/24/2024





· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
CAS: 50-00-0 Formaldehyde	37.0%
CAS: 67-56-1 Methanol	20.0%
· Table of Nonhazardous Ingredients	
CAS: 7732-18-5 Water	43.0%

4 First-aid measures

· General informati	n.
U U	e any clothing soiled by the product.
•	apparatus only after contaminated clothing have been completely removed.
0	<i>breathing or respiratory arrest provide artificial respiration.</i>
After inhalation:	breaking of respiratory arrest provide antificial respiration.
5	oxygen; call for doctor.
11	ousness place patient stably in side position for transportation.
	Immediately wash with water and soap and rinse thoroughly.
	Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing:	
<i>v</i> 0	iting; immediately call for medical help.
	unts of water and provide fresh air. Immediately call a doctor.
Information for de	
	nptoms and effects, both acute and delayed No further relevant information available
	mmediate medical attention and special treatment needed
	information available.

(Contd. on page 4)

- US

Printing date 06/24/2024

Reviewed on 06/24/2024

Trade name: Formaldehyde, 37% Laboratory Grade

(Contd. of page 3)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.*

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions:
- Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:			
CAS: 50-00-0	Formaldehyde	0.90 ppm	
CAS: 67-56-1	Methanol	530 ppm	
· PAC-2:			
CAS: 50-00-0	Formaldehyde	14 ppm	
CAS: 67-56-1	Methanol	2,100 ppm	
· PAC-3:			
CAS: 50-00-0	•	56 ppm	
CAS: 67-56-1	Methanol	7200* ppm	

7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

(Contd. on page 5)

⁻ US

Printing date 06/24/2024

Reviewed on 06/24/2024

Trade name: Formaldehyde, 37% Laboratory Grade

(Contd. of page 4)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Com	ponents with limit values that require monitoring at the workplace:	
CAS	: 50-00-0 Formaldehyde	
PEL	Short-term value: 2 ppm Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)	
REL	Long-term value: 0.016 ppm Ceiling limit value: 0.1* ppm *15-min; See Pocket Guide App. A	
	Short-term value: 0.3 ppm Long-term value: 0.1 ppm DSEN; RSEN, A1	
	67-56-1 Methanol	
	Long-term value: 260 mg/m³, 200 ppm	
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin	
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc	
· Ingre	edients with biological limit values:	
CAS	: 67-56-1 Methanol	
	15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background, nonspecific)	
· Addi	tional information: The lists that were valid during the creation were used as basis.	
• Perso • Gene Keep Imme Wash Store Avoid	psure controls pral protective equipment: pral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. hands before breaks and at the end of work. protective clothing separately. d contact with the eyes. d contact with the eyes and skin.	
11101	(Contd. on page 6)	
	- US	s —

Printing date 06/24/2024

Reviewed on 06/24/2024

Trade name: Formaldehyde, 37% Laboratory Grade

(Contd. of page 5)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and	chemical properties	
General Information		
Appearance:	.	
Form:	Liquid	
Color:	Clear	
Odor:	Characteristic Not determined.	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	60 °C (140 °F)	
Flammability (solid, gaseous):	Flammable.	
Auto igniting:	~300 °C (~572 °F)	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Not determined.	
Explosion limits:		
Lower:	5.5 Vol %	

Printing date 06/24/2024

Reviewed on 06/24/2024

Trade name: Formaldehyde, 37% Laboratory Grade

		(Contd. of page
Upper:	73 Vol %	
Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)	
Density at 20 °C (68 °F):	0.888 g/cm ³ (7.41036 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	57.0 %	
Water:	43.0 %	
VOC content:	57.00 %	
	506.2 g/l / 4.22 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acu	te Toxicity	v Estimate)
Oral	LD50	500 mg/kg

orai		200 1118/118
Dermal	LD50	270 mg/kg
Inhalative	LC50/4h	0.58 mg/l

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: Sensitization possible through skin contact.

(Contd. on page 8)

[–] US

(Contd. of page 7)

1

K

Safety Data Sheet acc. to OSHA HCS

Printing date 06/24/2024

Reviewed on 06/24/2024

Trade name: Formaldehyde, 37% Laboratory Grade

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 50-00-0 Formaldehyde

· NTP (National Toxicology Program)

CAS: 50-00-0 Formaldehyde

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 50-00-0 Formaldehyde

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN1198	
	(Contd. on page
	UN1198

Printing date 06/24/2024

Reviewed on 06/24/2024

Trade name: Formaldehyde, 37% Laboratory Grade

	(Contd. of page
· UN proper shipping name	
	Formaldehyde solutions, flammable
· IMDG, IATA	FORMALDEHYDE SOLUTION, FLAMMABLE
• Transport hazard class(es)	
DOT	
RUMARE LOUD 3 3 8	
· Class · Label	3 Flammable liquids 3, 8
· IMDG	
· Class · Label	3 Flammable liquids 3/8
· IATA	
Class	3 Flammable liquids
· Label	3 (8)
· Packing group · DOT, IMDG, IATA	111
Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
• Hazard identification number (Kemler code):	38
· EMS Number:	F-E,S-C
· Stowage Category · Stowage Code	A SW2 Clear of living quarters.
• Transport in bulk according to Annex II of	5112 Cicui of itting quarters.
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
·DOT	
Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
·IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
	(Contd. on page 1

Reviewed on 06/24/2024

Trade name: Formaldehyde, 37% Laboratory Grade

(Contd. of page 9) · UN "Model Regulation": UN 1198 FORMALDEHYDE SOLUTION, FLAMMABLE, 3 (8), III

15 Regulatory information

Printing date 06/24/2024

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):		
CAS: 50-00-0 Formaldehyde		
· Section 313 (Specific toxic chemical listings):		
CAS: 50-00-0 Formaldehyde		
CAS: 67-56-1 Methanol		
· TSCA (Toxic Substances Control Act):		
Water	ACTIVE	
Formaldehyde	ACTIVE	
Methanol	ACTIVE	
· Hazardous Air Pollutants		
CAS: 50-00-0 Formaldehyde		
CAS: 67-56-1 Methanol		

· Proposition 65

· Chemicals known to cause cancer:

CAS: 50-00-0 Formaldehyde

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 50-00-0 Formaldehyde

• TLV (Threshold Limit Value)

CAS: 50-00-0 Formaldehyde

·NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 50-00-0 Formaldehyde

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



(Contd. on page 11)

B1

A2

US ·

Printing date 06/24/2024

Reviewed on 06/24/2024

Trade name: Formaldehyde, 37% Laboratory Grade

Signal word Danger	(Contd. of page 10
Hazard-determining components of labeling:	
Formaldehyde	
Methanol	
Hazard statements	
Flammable liquid and vapor.	
Toxic if swallowed, in contact with skin or if inhaled.	
Causes severe skin burns and eye damage.	
May cause an allergic skin reaction.	
Suspected of causing genetic defects.	
May cause cancer.	
Causes damage to the central nervous system and the visual organs.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Use only outdoors or in a well-ventilated area.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with	water/shower.
<i>IF INHALED: Remove person to fresh air and keep comfortable for breathing.</i>	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lense	ses, if present and easy to do
Continue rinsing.	
IF exposed or concerned: Get medical advice/attention.	
Call a poison center/doctor if you feel unwell.	
Take off immediately all contaminated clothing and wash it before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/internatio	nal regulations
National regulations:	
Additional classification according to Decree on Hazardous Materials:	
Carcinogenic hazardous material group III (dangerous).	
Information about limitation of use:	
Workers are not allowed to be exposed to the hazardous carcinogenic materials	contained in this preparation
Exceptions can be made by the authorities in certain cases.	contained in this preparation

Exceptions can be made by the authorities in certain cases. • *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

(Contd. on page 12)

US

Printing date 06/24/2024

*

Reviewed on 06/24/2024

Trade name: Formaldehyde, 37% Laboratory Grade

(Contd. of page 11)

16 Other information	
This information is based on our present knowledge. However, this shall not constitute a guarar specific product features and shall not establish a legally valid contractual relationship.	ntee for any
· Department issuing SDS: Environment protection department.	
· Contact:	
Date of Preparation / Last Revision:	
• Date of preparation / last revision	
Revision 0.1, 06/24/2024: Reviewed SDS for accuracy. MH/STN	
06/24/2024 / 1.4	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 3: Flammable liquids – Category 3	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Sensitization - Skin 1: Skin sensitisation – Category 1	
Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2	
Carcinogenicity 1B: Carcinogenicity – Category 1B	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
\cdot * Data compared to the previous version altered.	