Printing date 08/14/2024

Reviewed on 08/14/2024

1 Identification

- · Product identifier
- Trade name: <u>Iron Organo-Metallic Standard</u> <u>10.0 ppm in Mineral Oil</u>
- · Article number: AM248
- Details of the supplier of the safety data sheet

Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org

• *Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666*

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Irritation 2A H319 Causes serious eye irritation.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning

· Hazard statements

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



(Contd. on page 2)

US

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Iron Organo-Metallic Standard 10.0 ppm in Mineral Oil

(Contd. of page 1)

99.999%

0.001%

· HMIS-ratings (scale 0 - 4)

HEALTH2
$$Health = 2$$
FIRE1 $Fire = 1$ REACTIVITY0 $Reactivity = 0$

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 8012-95-1 Paraffin oils

Table of Nonhazardous Ingredients

CAS: 7439-89-6 Iron Metal

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- *After swallowing: If symptoms persist consult doctor.*
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

• **Reference to other sections** See Section 7 for information on safe handling.

(Contd. on page 3)

⁻ US

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 2)

 3.2 mg/m^3

 35 mg/m^3

150 mg/m³

Trade name: Iron Organo-Metallic Standard 10.0 ppm in Mineral Oil

See Section 8 for information on personal protection equipment. See Section 13 for disposal information. • **Protective Action Criteria for Chemicals**

• **PAC-1:**

CAS: 7439-89-6 Iron Metal

· PAC-2:

CAS: 7439-89-6 Iron Metal

· PAC-3:

CAS: 7439-89-6 Iron Metal

7 Handling and storage

- · Handling:
- *Precautions for safe handling* No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 8012-95-1 Paraffin oils

- PEL Long-term value: 5 mg/m³
- REL Short-term value: 10 mg/m³ Long-term value: 5 mg/m³ oil mist

TLV L

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment: Not required.

(Contd. on page 4)

US

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Iron Organo-Metallic Standard 10.0 ppm in Mineral Oil

(Contd. of page 3)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and c General Information | hemical properties | |
|--|---|--|
| Appearance: | | |
| Form: | Liquid | |
| Color: | Yellow-brown | |
| Odor: | Mild | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 310 °C (590 °F) | |
| Flash point: | 168 °C (334.4 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Ignition temperature: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure at 20 °C (68 °F): | 0.1 hPa | |

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Iron Organo-Metallic Standard 10.0 ppm in Mineral Oil

| | | (Contd. of page 4 |
|------------------------------------|--|-------------------|
| Density at 20 °C (68 °F): | 0.85801 g/cm³ (7.16009 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Not miscible or difficult to mix. | |
| Partition coefficient (n-octanol/v | water): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| VOC content: | 0.00 % | |
| | 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

US ·

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Iron Organo-Metallic Standard 10.0 ppm in Mineral Oil

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

| UN-Number DOT, ADN, IMDG, IATA | Not regulated | |
|--|---------------------------------|--|
| UN proper shipping name DOT, ADN, IMDG, IATA | Not regulated | |
| Transport hazard class(es) | | |
| DOT, ADN, IMDG, IATA Class | Not regulated | |
| Packing group DOT, IMDG, IATA | Not regulated | |
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. | |

Printing date 08/14/2024

Reviewed on 08/14/2024

(Contd. of page 6)

Trade name: Iron Organo-Metallic Standard 10.0 ppm in Mineral Oil

· UN "Model Regulation":

Not regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

| Section 355 (extremely hazardous substances): | |
|---|----------|
| None of the ingredients is listed. | |
| Section 313 (Specific toxic chemical listings): | |
| None of the ingredients is listed. | |
| · TSCA (Toxic Substances Control Act): | |
| Paraffin oils | ACTIVE |
| Iron Metal | ACTIVE |
| · Hazardous Air Pollutants | <u>_</u> |
| None of the ingredients is listed. | |
| · Proposition 65 | |
| · Chemicals known to cause cancer: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients is listed. | |
| • Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients is listed. | |
| · Chemicals known to cause developmental toxicity: | |
| None of the ingredients is listed. | |
| · Carcinogenic categories | |
| · EPA (Environmental Protection Agency) | |
| None of the ingredients is listed. | |
| | |

• TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Warning

· Hazard statements

Causes serious eye irritation.

(Contd. on page 8) US

Printing date 08/14/2024

Reviewed on 08/14/2024

Trade name: Iron Organo-Metallic Standard 10.0 ppm in Mineral Oil

(Contd. of page 7)

- · Precautionary statements
- Wash thoroughly after handling.
- Wear eye protection / face protection.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 1.2, 08-14-2024: Reviewed SDS for accuracy. STN/GW Revision 0.0,09-18-2015; creation date for SDS. BAB
- 08/14/2024 / 1.1
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Eye Irritation 2A: Serious eye damage/eye irritation Category 2A
- * Data compared to the previous version altered.