Printing date 05/30/2024

Reviewed on 05/30/2024

Product identifier Trade name: Acetic Acid / Isooctane	
3:2 v/v, AOCS Cd8B-90	
Article number: SPX142	
Details of the supplier of the safety data sheet Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	AQUA
Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
GHS08 Health hazard	
Aspiration Hazard 1	H304 May be fatal if swallowed and enters airways.
GHS05 Corrosion	
Skin Corrosion 1B	H314 Causes severe skin burns and eye damage.
Eye Damage 1	H318 Causes serious eye damage.
GHS07	
Acute Toxicity - Dermal 4	H312 Harmful in contact with skin.
Sensitization - Skin 1	H317 May cause an allergic skin reaction.
Specific Target Organ Toxicity - Single Exposure .	3 H336 May cause drowsiness or dizziness.
Label elements	

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Acetic Acid / Isooctane 3:2 v/v, AOCS Cd8B-90

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Acetic Acid, Glacial 2,2,4-Trimethylpentane (Iso-Octane) · Hazard statements Highly flammable liquid and vapor. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0(Contd. on page 3)

- US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Acetic Acid / Isooctane 3:2 v/v, AOCS Cd8B-90

(Contd. of page 2)

69.597%

30.403%

· HMIS-ratings (scale 0 - 4)

HEALTH
$$3$$
Health = 3FIRE 3 Fire = 3REACTIVITY 0 Reactivity = 3

Fire = 3Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 64-19-7 Acetic Acid, Glacial

CAS: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane)

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eve contact: Rinse opened eve for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 05/30/2024

Trade name: Acetic Acid / Isooctane 3:2 v/v, AOCS Cd8B-90

Reviewed on 05/30/2024

(Contd. of page 3)

Personal preca	utions, protective equipment and emergency procedures	
-	bry protective device.	
	equipment. Keep unprotected persons away.	
Environmental	precautions:	
Do not allow pr	oduct to reach sewage system or any water course.	
Inform respecti	e authorities in case of seepage into water course or sewage system.	
Do not allow to	enter sewers/ surface or ground water.	
Methods and m	aterial for containment and cleaning up:	
Absorb with liq	uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizin		
*	inated material as waste according to section 13.	
Ensure adequat		
Reference to ot		
	r information on safe handling.	
	r information on personal protection equipment.	
	for disposal information.	
Protective Action	n Criteria for Chemicals	
<i>PAC-1:</i>		
CAS: 64-19-7	Acetic Acid, Glacial	5 ppm
CAS: 540-84-1	2,2,4-Trimethylpentane (Iso-Octane)	230 ppn
CAS: 540-84-1 PAC-2:		230 ppr
PAC-2:		
PAC-2: CAS: 64-19-7	2,2,4-Trimethylpentane (Iso-Octane)	35 ppm
PAC-2: CAS: 64-19-7	2,2,4-Trimethylpentane (Iso-Octane) Acetic Acid, Glacial	35 ppm
PAC-2: CAS: 64-19-7 CAS: 540-84-1 PAC-3:	2,2,4-Trimethylpentane (Iso-Octane) Acetic Acid, Glacial	230 ppn 35 ppm 830 ppn 250 ppm

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Acetic Acid / Isooctane 3:2 v/v, AOCS Cd8B-90

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 64-19-7 Acetic Acid, Glacial

PEL Long-term value: 25 mg/m³, 10 ppm

- REL Short-term value: 37 mg/m³, 15 ppm
 - Long-term value: 25 mg/m³, 10 ppm

TLV Short-term value: 15 ppm Long-term value: 10 ppm

CAS: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane)

TIM I 200

TLV Long-term value: 300 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Acetic Acid / Isooctane 3:2 v/v, AOCS Cd8B-90

(Contd. of page 5)

US

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Clear
Odor: Odor threshold:	Vinegar Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	98 °C (208.4 °F)
Flash point:	-12 °C (10.4 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	410 °C (770 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	1.1 Vol %
Upper:	17 Vol %
Vapor pressure at 20 °C (68 °F):	16 hPa (12 mm Hg)
Density at 20 °C (68 °F):	0.9078 g/cm ³ (7.57559 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade	name:	Acetic	Acid	/ Isooc	ctane
		3:2 v/v	, AO	CS Cd8	3 B-9 0

		(Contd. of page 6)
· Solvent content:		
Organic solvents:	100.0 %	
VOC content:	100.00 %	
	907.8 g/l / 7.58 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 1,523 mg/kg

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 8)

us

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Acetic Acid / Isooctane 3:2 v/v, AOCS Cd8B-90

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• *Recommendation:* Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, IMDG, IATA	UN2924
· UN proper shipping name	
DOT	Flammable liquids, corrosive, n.o.s. (Octanes, Acetic Aci Glacial)
·IMDG	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Octanes, Acet Acid, Glacial), MARINE POLLUTANT
·IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Octanes, Acet Acid, Glacial

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade n	name: Acetic Acid / Isooctane
	3:2 v/v, AOCS Cd8B-90

	(Contd. of pag
Transport hazard class(es)	
DOT	
3 8	
Class	3 Flammable liquids
Label	3, 8
IMDG	
Class	3 Flammable liquids
Label	3/8
IATA	
Class Label	3 Flammable liquids 3 (8)
Packing group DOT, IMDG, IATA	11
Environmental hazards:	Product contains environmentally hazardous substances: Octand
Marine pollutant:	Yes
*	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	: 338
EMS Number:	F-E,S-C
Segregation groups Stowage Category	(SGG1) Acids B
Stowage Calegory Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	v v x
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
DOI Quantity limitations	On passenger aircraft/rail: 1 L
Luanay unuutons	On cargo aircraft only: 5 L
IMDG	
Limited quantities (LQ)	1L
	(Contd. on page

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name:	Acetic Acid / Isooctane
	3:2 v/v, AOCS Cd8B-90

	(Contd. of page 9)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (OCTANES, ACETIC ACID, GLACIAL), 3 (8), II

15 Regulatory information

Sara Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
TSCA (Toxic Substances Control Act):	
Acetic Acid, Glacial	ACTIV
2,2,4-Trimethylpentane (Iso-Octane)	ACTIV
Hazardous Air Pollutants	
CAS: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane)	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
CAS: 540-84-1 2,2,4-Trimethylpentane (Iso-Octane)	
TLV (Threshold Limit Value)	
None of the ingredients is listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health)	

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Acetic Acid / Isooctane 3:2 v/v, AOCS Cd8B-90

(Contd. of page 10) · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labeling: Acetic Acid, Glacial 2,2,4-Trimethylpentane (Iso-Octane) · Hazard statements Highly flammable liquid and vapor. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 12)

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Acetic Acid / Isooctane 3:2 v/v, AOCS Cd8B-90

	(Contd. of page 11)
· Contact:	
Date of Preparation / Last Revision:	
· Date of preparation / last revision	
Revision 1.2, 05/30/2024: Reviewed SDS for accuracy. MH/STN	
Creation date for SDS 12-22-2014. STN	
05/30/2024	
· Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Dermal 4: Acute toxicity – Category 4	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Sensitization - Skin 1: Skin sensitisation – Category 1	
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3	
Aspiration Hazard 1: Aspiration hazard – Category 1	
• * Data compared to the previous version altered.	
	US