
Printing date 05/30/2024

Reviewed on 05/30/2024

1 Identification

- · Product identifier
- · Trade name: Hydrogen Peroxide 10% w/w Electronic Grade Solution
- Article number: SPE642
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536
- USA 800-256-2586
- · Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- · Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification



Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Hydrogen Peroxide 10% w/w Electronic Grade Solution

	(Contd. of page 1
Hazard stateme	nts
May intensify fi	re; oxidizer.
Harmful if swal	lowed.
Causes serious	eye damage.
Precautionary s	statements
Keep away fron	ı heat.
Keep/Store awa	y from clothing/combustible materials.
Take any preca	ution to avoid mixing with combustibles.
Wash thorough	ly after handling.
Do not eat, drin	k or smoke when using this product.
Wear protective	gloves/protective clothing/eye protection/face protection.
If swallowed: C	all a poison center/doctor if you feel unwell.
Rinse mouth.	
If in eyes: Rins	e cautiously with water for several minutes. Remove contact lenses, if present and easy to do
Continue rinsin	g.
Immediately cal	l a poison center/doctor.
In case of fire:	Use CO2, powder or water spray to extinguish.
Dispose of cont	ents/container in accordance with local/regional/national/international regulations.
Classification s	ystem:
NFPA ratings (scale 0 - 4)
	Iealth = 3
	irre=3
	eactivity = 0
T l	
	possesses oxidizing properties.
HMIS-ratings (<i>scale</i> 0 - 4)
HEALTH *3	Health = *3
	Fire = 3
REACTIVITY 0	
	<i>Caching</i> – 0
Other hazards	
Results of PBT	and vPvB assessment
PBT: Not appli	cable.
vPvB: Not appl	

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7722-84-1 Hydrogen Peroxide Solution

• Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

(Contd. on page 3)

10.0%

90.0%

US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Hydrogen Peroxide

10% w/w Electronic Grade Solution

(Contd. of page 2)

4 First-aid measures

- Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- *After skin contact: Generally the product does not irritate the skin.*
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 7722-84-1 Hydrogen Peroxide Solution · PAC-2: CAS: 7722-84-1 Hydrogen Peroxide Solution · PAC-3: CAS: 7722-84-1 Hydrogen Peroxide Solution

(Contd. on page 4)

10 ppm

50 ppm

100 ppm

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Hydrogen Peroxide

10% w/w Electronic Grade Solution

(Contd. of page 3)

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 7722-84-1 Hydrogen Peroxide Solution

- PEL Long-term value: 1.4 mg/m³, 1 ppm
- REL Long-term value: 1.4 mg/m³, 1 ppm
- TLV Long-term value: 1 ppm

A3

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Hydrogen Peroxide 10% w/w Electronic Grade Solution

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties	
General Information		
Appearance:	· · · · ·	
Form:	Liquid	
Color: • Odor:	Clear Odorless	
· Odor: · Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.03 g/cm ³ (8.59535 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	90.0 %	
VOC content:	0.00 %	

Printing date 05/30/2024

Reviewed on 05/30/2024

(Contd. of page 5)

Trade name: Hydrogen Peroxide

10% w/w Electronic Grade Solution

Solids content:

0.0~%

· Other information

No further relevant information available.

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 5,000 mg/kg

Inhalative LC50/4h 110 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

 \cdot on the eye: Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7722-84-1 Hydrogen Peroxide Solution

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 7)

3

US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Hydrogen Peroxide

10% w/w Electronic Grade Solution

(Contd. of page 6)

 \cdot Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

 $\cdot \textit{Other adverse effects}$ No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	11/2004
DOT, IMDG, IATA	UN2984
UN proper shipping name	
	Hydrogen peroxide, aqueous solutions
IMDG, IATA	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
Transport hazard class(es)	
DOT	
OKIDIZER 51	
Class	5.1 Oxidizing substances
Label	5.1
IMDG, IATA	
Class	5.1 Oxidizing substances
Label	5.1
Packing group	
DOT, IMDG, IATA	111
Environmental hazards:	
Marine pollutant:	No

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Hydrogen Peroxide

10% w/w Electronic Grade Solution

	(Contd. of page
Special precautions for user	Warning: Oxidizing substances
Hazard identification number (Kemler code)): 51
EMS Number:	F-H,S-Q
Stowage Category	В
Stowage Code	SW1 Protected from sources of heat.
Segregation Code	SG16 Stow "separated from" class 4.1
	SG59 Stow "separated from" SGG14-permanganates
	SG72 See 7.2.6.3.2.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities $(\widetilde{E}Q)$	Code: E1
· ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2984 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5. III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

- · Section 355 (extremely hazardous substances):
- CAS: 7722-84-1 Hydrogen Peroxide Solution

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act): Water Hydrogen Peroxide Solution

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)

ACTIVE

ACTIVE

US

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Hydrogen Peroxide

10% w/w Electronic Grade Solution

(Contd. of page 8)

AЗ

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7722-84-1 Hydrogen Peroxide Solution

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



01505 01505 0150

· Signal word Danger

• Hazard-determining components of labeling: Hydrogen Peroxide Solution

• Hazard statements May intensify fire; oxidizer. Harmful if swallowed.

Causes serious eye damage.

· Precautionary statements

Keep away from heat.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

In case of fire: Use CO2, powder or water spray to extinguish.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision

Revision 1.2, 05/30/2024: Reviewed SDS for accuracy. MH/STN

(Contd. on page 10)

US

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2024

Reviewed on 05/30/2024

Trade name: Hydrogen Peroxide 10% w/w Electronic Grade Solution

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Oxidizing Liquids 2: Oxidizing liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Eye Damage 1: Serious eye damage/eye irritation - Category 1 \cdot * Data compared to the previous version altered.

US