Printing date 05/28/2024 Reviewed on 05/28/2024

## 1 Identification

· Product identifier

· Trade name: Potassium Permanganate, Low Mercury Reagent ACS Grade

· Article number: P5451

• CAS Number: 7722-64-7 • EC number:

231-760-3 • Index number: 025-002-00-9

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586

· Information department:

Technical Coordinator

Sherman Nelson shermann@aquasolutions.org

· Emergency telephone number: Chemtrec: 800-424-9300 Canutec: 613-996-6666



## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS03 Flame over circle

Oxidizing Solids 2 H272 May intensify fire; oxidizer.



GHS08 Health hazard

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to organs.

Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



Acute Toxicity - Oral 4 H302 Harmful if swallowed.

(Contd. on page 2)

Printing date 05/28/2024 Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Low Mercury Reagent ACS Grade

(Contd. of page 1)

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS03

GHS05

GHS07

· Signal word Danger

#### · Hazard statements

May intensify fire; oxidizer.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Suspected of damaging fertility or the unborn child.

Causes damage to organs.

Causes damage to organs through prolonged or repeated exposure.

### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 3

Reactivity = 0

The substance possesses oxidizing properties.

(Contd. on page 3)

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/28/2024 Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Low Mercury Reagent ACS Grade

· HMIS-ratings (scale 0 - 4)

FIRE 3 Health = \*3REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

## 3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

CAS: 7722-64-7 Potassium Permanganate

· Identification number(s) · EC number: 231-760-3 · Index number: 025-002-00-9

### 4 First-aid measures

- · Description of first aid measures
- · General information:

*Immediately remove any clothing soiled by the product.* 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Printing date 05/28/2024 Reviewed on 05/28/2024

### Trade name: Potassium Permanganate, Low Mercury Reagent ACS Grade

(Contd. of page 3)

· Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · PAC-1: 8.6 mg/m3
- · PAC-2: 14 mg/m<sup>3</sup>
- · PAC-3: 150 mg/m3

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling Thorough dedusting.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

### CAS: 7722-64-7 Potassium Permanganate

PEL Ceiling limit value: 5 mg/m³

as Mn

REL Short-term value: 3 mg/m<sup>3</sup>

Long-term value: 1 mg/m<sup>3</sup>

as Mn

TLV Long-term value:  $0.02*0.1**mg/m^3$ 

as Mn; A4, \*respirable \*\*inhalable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 5)

Printing date 05/28/2024 Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Low Mercury Reagent ACS Grade

(Contd. of page 4)

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and | chemical properties                           |  |
|-----------------------------------|---|--|
| General Information               |   |  |
| Appearance:                       |   |  |
| Form:                             | Crystalline                                   |  |
| Color:                            | Dark purple                                   |  |
| Odor:                             | Mild to odorless                              |  |
| Odor threshold:                   | Not determined.                               |  |
| pH-value:                         | Not applicable.                               |  |
| Change in condition               |   |  |
| Melting point/Melting range:      | >240 °C (>464 °F)                             |  |
| Boiling point/Boiling range:      | Undetermined.                                 |  |
| Flash point:                      | Not applicable.                               |  |
| Flammability (solid, gaseous):    | Product is not flammable.                     |  |
| Decomposition temperature:        | Not determined.                               |  |
| Ignition temperature:             | Not determined.                               |  |
| Danger of explosion:              | Product does not present an explosion hazard. |  |
| Explosion limits:                 |   |  |
| Lower:                            | Not determined.                               |  |
| Upper:                            | Not determined.                               |  |

(Contd. on page 6)

Printing date 05/28/2024 Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Low Mercury Reagent ACS Grade

|   |  | (Contd. of page 5 |
|---|--|-------------------|
| · Vapor pressure at 20 °C (68 °F):                            | 0 hPa                                      |                   |
| Density at 20 °C (68 °F):                                     | 2.703 g/cm³ (22.55654 lbs/gal)             |                   |
| Relative density  | Not determined.                            |                   |
| Vapor density   | Not applicable.                            |                   |
| Evaporation rate  | Not applicable.                            |                   |
| · Solubility in / Miscibility with<br>Water at 20 °C (68 °F): | 64.3 g/l                                   |                   |
| Partition coefficient (n-octanol/wate                         |  |                   |
| · Viscosity:  |  |                   |
| Dynamic:  | Not applicable.                            |                   |
| Kinematic:  | Not applicable.                            |                   |
| Other information   | No further relevant information available. |                   |

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Oral LD50 500 mg/kg (ATE)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

TIC

Printing date 05/28/2024 Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Low Mercury Reagent ACS Grade

(Contd. of page 6)

### \*

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

## \*

## 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN1490

- · UN proper shipping name
- $\cdot DOT$

Potassium permanganate

· IMDG, IATA

POTASSIUM PERMANGANATE

- · Transport hazard class(es)
- $\cdot DOT$



· Class

5.1 Oxidizing substances

· Label

5.1

(Contd. on page 8)

Printing date 05/28/2024 Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Low Mercury Reagent ACS Grade

(Contd. of page 7)

· IMDG





· Class 5.1 Oxidizing substances 5.1

· Label

 $\cdot$  IATA



5.1 Oxidizing substances · Class

· Label

· Packing group

· DOT, IMDG, IATA II

· Environmental hazards: Environmentally hazardous substance, solid

· Marine pollutant:

Symbol (fish and tree)

· Special precautions for user Warning: Oxidizing substances

· Hazard identification number (Kemler code): 50 · EMS Number: F-H,S-Q

· Segregation groups (SGG14) Permanganates

· Stowage Category

· Segregation Code SG38 Stow "separated from" SGG2-ammonium compounds.

SG49 Stow "separated from" SGG6-cyanides SG60 Stow "separated from" SGG16-peroxides

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot DOT$ 

· Quantity limitations On passenger aircraft/rail: 5 kg On cargo aircraft only: 25 kg

· Hazardous substance: 100 lbs, 45.4 kg

· IMDG

· Limited quantities (LQ) 1 kg · Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 500 g

· UN "Model Regulation": UN 1490 POTASSIUM PERMANGANATE, 5.1, II

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 9)

Printing date 05/28/2024 Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Low Mercury Reagent ACS Grade

(Contd. of page 8)

- · Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) D
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms









GHS03

GHS05

GHS07

GHS08

### · Signal word Danger

#### · Hazard statements

May intensify fire; oxidizer.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Suspected of damaging fertility or the unborn child.

Causes damage to organs.

Causes damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat.

Keep/Store away from clothing/combustible materials.

Take any precaution to avoid mixing with combustibles.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Wash contaminated clothing before reuse.

In case of fire: Use CO2, powder or water spray to extinguish.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)

Printing date 05/28/2024 Reviewed on 05/28/2024

Trade name: Potassium Permanganate, Low Mercury Reagent ACS Grade

(Contd. of page 9)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision:

· Date of preparation / last revision

Revision 1.2, 05/28/2024: Reviewed SDS for accuracy. MH/STN Creation date for SDS, 07-09-2015. STN

05/28/2024

· Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

 $vPvB: \ very \ Persistent \ and \ very \ Bioaccumulative$ 

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Oxidizing Solids 2: Oxidizing solids - Category 2

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Toxic to Reproduction 2: Reproductive toxicity – Category 2

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) - Category 1

\* \* Data compared to the previous version altered.

US