Printing date 05/23/2024

*

*

Reviewed on 05/23/2024

Identification	
Product identifier	
• Trade name: <u>Eriochrome Black T</u> 0.1% in Ethyl Alcohol	
Article number: ND075	
• Details of the supplier of the safety do • Manufacturer/Supplier:	ata sheet
Aqua Solutions, Inc.	
6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA 800-256-2586	
• Information department: Technical Coordinator	
Sherman Nelson shermann@aquasolu	utions.org
Emergency telephone number:	U U
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
• Classification of the substance or mix	xture
GHS02 Flame	
011502 T tume	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
• • • • • • • • • • • • • • • • • • •	
GHS08 Health hazard	
Unisuo neutin nuzuru	
Specific Target Organ Toxicity - Singl	le Exposure 2 H371 May cause damage to the central nervous system a the visual organs.
$\mathbf{\hat{\mathbf{A}}}$	
GHS07	
\mathbf{V}	
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
Acute Toxicity - Oral 4 • Label elements	H302 Harmful if swallowed.
• Label elements • GHS label elements The product is cla	H302 Harmful if swallowed. lassified and labeled according to the Globally Harmonized System (GHS)
Label elements	
• Label elements • GHS label elements The product is cla	
• Label elements • GHS label elements The product is cla	
• Label elements • GHS label elements The product is cla	
• Label elements • GHS label elements The product is cla	
Label elements GHS label elements The product is classified Hazard pictograms	
Label elements GHS label elements The product is classified Hazard pictograms GHS02 GHS07 GHS08 Signal word Danger	lassified and labeled according to the Globally Harmonized System (GHS)
Label elements GHS label elements The product is classified Hazard pictograms Construction Construction GHS02 GHS07 GHS08	lassified and labeled according to the Globally Harmonized System (GHS)
Label elements GHS label elements The product is classified Hazard pictograms GHS02 GHS07 GHS08 Signal word Danger Hazard-determining components of labels	lassified and labeled according to the Globally Harmonized System (GHS)

Printing date 05/23/2024

Trade name: Eriochrome Black T 0.1% in Ethyl Alcohol

Reviewed on 05/23/2024

Harmful if swallowed. May cause damage to the central nervous system and the visual organs. Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
 Precautionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. 	
 Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. 	
 Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. 	
Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth.	
Rinse mouth.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF exposed or concerned: Call a poison center/doctor.	
In case of fire: Use CO2, powder or water spray to extinguish.	
Store in a well-ventilated place. Keep cool.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 1	
Fire = 3	
\mathbf{U} Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 3 $Fire = 3$	
REACTIVITY Reactivity = 0	
• Other hazards	
· Results of PBT and vPvB assessment	
• PBT: Not applicable.	
• vPvB: Not applicable.	
3 Composition/information on ingredients	
· Chemical characterization: Mixtures	
• Description: Mixture of the substances listed below with nonhazardous additions.	

· Dangerous components:	
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proo	f 89.897%
CAS: 67-56-1 Methanol	5.009%
CAS: 67-63-0 Isopropanol	4.967%
• Table of Nonhazardous Ingredients	
CAS: 1787-61-7 Eriochrome Black T	0.127%

(Contd. on page 3)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Eriochrome Black T 0.1% in Ethyl Alcohol

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.*

Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.
- *Ensure adequate ventilation.*
- **Reference** to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	1,800 ppm
CAS: 67-56-1 Methanol	530 ppm
CAS: 67-63-0 Isopropanol	400 ppm
· PAC-2:	
CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof	3300* ppm
CAS: 67-56-1 Methanol	2,100 ppm
	(Contd. on page 4)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Eriochrome Black T 0.1% in Ethyl Alcohol

CAS: 67-63-0	Isopropanol	(Contd. of page 3) 2000* ppm
· PAC-3:		
CAS: 64-17-5	Ethyl Alcohol, Absolute 200 Proof	15000* ppm
CAS: 67-56-1	Methanol	7200* ppm
CAS: 67-63-0	Isopropanol	12000** ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
 Further information about storage conditions: Keep receptacle tightly sealed.
 Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

CAS	: 64-17-5 Ethyl Alcohol, Absolute 200 Proof
PEL	Long-term value: 1900 mg/m ³ , 1000 ppm
REL	Long-term value: 1900 mg/m³, 1000 ppm
TLV	Short-term value: 1000 ppm A3
CAS	: 67-56-1 Methanol
PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
CAS	: 67-63-0 Isopropanol
PEL	Long-term value: 980 mg/m ³ , 400 ppm

Printing date 05/23/2024

Reviewed on 05/23/2024

(Contd. on page 6)

US

Trade name: Eriochrome Black T 0.1% in Ethyl Alcohol

PFI	(Contd. of page 4
KEL	Short-term value: 1225 mg/m ³ , 500 ppm
	Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm
	Long-term value: 200 ppm
	BEI, A4
	edients with biological limit values:
CAS.	e 67-56-1 Methanol
	15 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Methanol (background, nonspecific)
	e 67-63-0 Isopropanol
	40 mg/L
	LD50 Intraperitoneal: urine
	Time: end of shift at end of workweek
	LD50: Acetone (background, nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
Brea In ca respi	a hands before breaks and at the end of work. thing equipment: se of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us ratory protective device that is independent of circulating air. ection of hands: Protective gloves
The g Due chem Selec	

Printing date 05/23/2024

Trade name: Eriochrome Black T 0.1% in Ethyl Alcohol

· Body protection: Protective work clothing

*

Information on basic physical and c	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Dark red
Odor:	Alcohol
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	11 °C (51.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	19 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.7895 g/cm ³ (6.58838 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	99.9 %
VOC content:	99.87 %
	788.5 g/l / 6.58 lb/gal
Solids content:	90.0 %

Reviewed on 05/23/2024

(Contd. of page 5)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Eriochrome Black T 0.1% in Ethyl Alcohol

(Contd. of page 6)

• Other information

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)		v Estimate)
Oral	LD50	1,996 mg/kg
Dermal	LD50	5,989 mg/kg

Dermen		2,202 mg/ng
Inhalative	LC50/4h	59.9 mg/l

· Primary irritant effect:

• on the skin: No irritant effect.

- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)

1

3

US

Printing date 05/23/2024

Trade name: Eriochrome Black T 0.1% in Ethyl Alcohol

Reviewed on 05/23/2024

(Contd. of page 7)

· Additional ecological information:

· General notes:

- Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, IMDG, IATA	UN1993
UN proper shipping name DOT	Flammable liquids, n.o.s. (Ethanol, Methanol, Isopropanol
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (Ethanol, Methanol, Isopropand)
Transport hazard class(es)	
DOT	
Class Label	3 Flammable liquids 3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Eriochrome Black T 0.1% in Ethyl Alcohol

(Contd. of page
Warning: Flammable liquids
): 33
F-E,S-E
B
Not applicable.
On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L
1L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml
UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOI
METHANOL, ISOPROPANOL
), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

*

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings): CAS: 67-56-1 Methanol

CAS: 67-63-0 Isopropanol

· TSCA (Toxic Substances Control Act):

Ethyl Alcohol, Absolute 200 ProofACTIVEMethanolACTIVEIsopropanolACTIVEEriochrome Black TACTIVE· Hazardous Air Pollutants

CAS: 67-56-1 Methanol

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 10)

[•] US

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Eriochrome Black T 0.1% in Ethyl Alcohol

(Contd. of page 9)

A3

A4

· Chemicals known to cause developmental toxicity	cause developmental to:	xicity:
---	-------------------------	---------

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-56-1 Methanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 64-17-5 Ethyl Alcohol, Absolute 200 Proof

CAS: 67-63-0 Isopropanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: Methanol · Hazard statements Highly flammable liquid and vapor. Harmful if swallowed. May cause damage to the central nervous system and the visual organs. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF exposed or concerned: Call a poison center/doctor. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)

Printing date 05/23/2024

Reviewed on 05/23/2024

Trade name: Eriochrome Black T 0.1% in Ethyl Alcohol

(Contd. of page 10)

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Environment protection department. · Contact: Date of Preparation / Last Revision: · Date of preparation / last revision Revision 1.2, 05/22/2024: Reviewed SDS for accuracy. MH/STN 05/23/2024 • Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity - Category 4 Specific Target Organ Toxicity - Single Exposure 2: Specific target organ toxicity (single exposure) - Category 2 \cdot * Data compared to the previous version altered.