Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: <u>Reagent 103</u> 0.85 Normal		
Article number: DC472		
Details of the supplier of the Manufacturer/Supplier: Aqua Solutions, Inc. 6913 Highway 225 DEER PARK, TX 77536 USA 800-256-2586	ne safety data sheet	AQUA
Information department:		
Technical Coordinator	a guardutions and	
Sherman Nelson shermann(Emergency telephone num		
Chemtrec: 800-424-9300		
Canutec: 613-996-6666		
II a- and (a) identificatio		
Hazard(s) identificatio		
Classification of the substa	nce or mixture	
GHS02 Flame		
Flammable Liquids 3	H226 Flammable liquid and vapor.	
GHS06 Skull and	crossbones	
GHS06 Skull and		
GHS06 Skull and	H311 Toxic in contact with skin.	
GHS06 Skull and Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.	
GHS06 Skull and Acute Toxicity - Dermal 3	H311 Toxic in contact with skin. 3 H331 Toxic if inhaled.	
GHS06 Skull and Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation GHS08 Health ha	H311 Toxic in contact with skin. 3 H331 Toxic if inhaled. 1zard	
GHS06 Skull and Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation	H311 Toxic in contact with skin. 3 H331 Toxic if inhaled. azard H350 May cause cancer.	orn child.
GHS06 Skull and Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation GHS08 Health ho Carcinogenicity 1B	H311 Toxic in contact with skin. 3 H331 Toxic if inhaled. azard H350 May cause cancer. H360 May damage fertility or the unbo	orn child.
GHS06 Skull and Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation GHS08 Health ha Carcinogenicity 1B Toxic to Reproduction 1B	H311 Toxic in contact with skin. 3 H331 Toxic if inhaled. azard H350 May cause cancer. H360 May damage fertility or the unbo	
GHS06 Skull and Acute Toxicity - Dermal 3 Acute Toxicity - Inhalation GHS08 Health ha Carcinogenicity 1B Toxic to Reproduction 1B	H311 Toxic in contact with skin. 3 H331 Toxic if inhaled. azard H350 May cause cancer. H360 May damage fertility or the unbo	

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF



US -

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 2)

88.071%

11.93%

· HMIS-ratings (scale 0 - 4)

HEALTH
$$3$$
Health = 3FIRE 3 Fire = 3REACTIVITY 0 Reactivity = 3

CTIVITY O Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 68-12-2 N,N-Dimethylformamide

CAS: 111-92-2 Dibutylamine

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

• *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- \cdot Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 3)

	utions, protective equipment and emergency procedures	
	pry protective device.	
	e equipment. Keep unprotected persons away.	
	precautions: Do not allow to enter sewers/ surface or ground water.	
	naterial for containment and cleaning up:	
	uid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizin		
	ninated material as waste according to section 13.	
Ensure adequat		
Reference to ot		
	or information on safe handling.	
	or information on personal protection equipment.	
See Section 12		
	for disposal information.	
Protective Action		
Protective Action PAC-1:	for disposal information. On Criteria for Chemicals	
Protective Action PAC-1:	for disposal information.	2 ppm
Protective Action PAC-1:	for disposal information. on Criteria for Chemicals N,N-Dimethylformamide	2 ppm 0.45 ppr
Protective Action PAC-1: CAS: 68-12-2	for disposal information. on Criteria for Chemicals N,N-Dimethylformamide	
Protective Action PAC-1: CAS: 68-12-2 CAS: 111-92-2	for disposal information. on Criteria for Chemicals N,N-Dimethylformamide	
Protective Action PAC-1: CAS: 68-12-2 CAS: 111-92-2 PAC-2:	for disposal information. on Criteria for Chemicals N,N-Dimethylformamide Dibutylamine N,N-Dimethylformamide	0.45 ppr
Protective Action PAC-1: CAS: 68-12-2 CAS: 111-92-2 PAC-2: CAS: 68-12-2	for disposal information. on Criteria for Chemicals N,N-Dimethylformamide Dibutylamine N,N-Dimethylformamide	0.45 ppr
Protective Action PAC-1: CAS: 68-12-2 CAS: 111-92-2 PAC-2: CAS: 68-12-2 CAS: 111-92-2	for disposal information. on Criteria for Chemicals N,N-Dimethylformamide Dibutylamine N,N-Dimethylformamide	0.45 ppr

7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 5)

US ·

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

	(Contd. of page 4)
	ntrol parameters
	mponents with limit values that require monitoring at the workplace:
	S: 68-12-2 N,N-Dimethylformamide
PE	L Long-term value: 30 mg/m ³ , 10 ppm Skin
RE	EL Long-term value: 30 mg/m ³ , 10 ppm Skin
TL	V Long-term value: 5 ppm Skin; BEI, A3
CA	S: 111-92-2 Dibutylamine
WI	EEL Ceiling limit value: 5 ppm Skin
· Ing	gredients with biological limit values:
CA	S: 68-12-2 N,N-Dimethylformamide
BE	 30 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Total N-Methylformamide (sum of N-Methylformamide and N-(Hydroxymethyl)-N-Methylformamide
	30 mg/L LD50 Intraperitoneal: urine Time: end of shift at end of workweek LD50: N-Acetyl-S-(N-methylcarbamoyl) cysteine
· Ad	ditional information: The lists that were valid during the creation were used as basis.
	posure controls
	rsonal protective equipment:
	neral protective and hygienic measures: ep away from foodstuffs, beverages and feed.
	mediately remove all soiled and contaminated clothing.
	ish hands before breaks and at the end of work.
	ore protective clothing separately.
	oid contact with the eyes.
	oid contact with the eyes and skin.
In res	eathing equipment: case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use piratory protective device that is independent of circulating air. otection of hands:
	Protective gloves
Dı ch	e glove material has to be impermeable and resistant to the product/ the substance/ the preparation. The to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the mical mixture.
• Ma Th va	lection of the glove material on consideration of the penetration times, rates of diffusion and the degradation aterial of gloves e selection of the suitable gloves does not only depend on the material, but also on further marks of quality and ries from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of e glove material can not be calculated in advance and has therefore to be checked prior to the application. (Cond. on page 6)

(Contd. on page 6)

US -

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 5)

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties
General Information	* *
Appearance:	
Form:	Liquid
Color:	Clear
Odor:	Distinct
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	152 °C (305.6 °F)
Flash point:	42 °C (107.6 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	260 °C (500 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	2.2 Vol %
Upper:	16 Vol %
Vapor pressure at 20 °C (68 °F):	3.5 hPa (2.6 mm Hg)
Density at 20 °C (68 °F):	0.92208 g/cm³ (7.69476 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	r): Not determined.
Viscosity:	
Dynamic:	Not determined.

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

		(Contd. of page 6)
Kinematic:	Not determined.	
· Solvent content:		
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

,	2	
Oral	LD50	4,191 mg/kg
Dermal	LD50	835 mg/kg
Inhalative	e LC50/4h	3.14 mg/l

• Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

 \cdot on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
CAS: 68-12-2 N,N-Dimethylformamide	2A
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
	(Contd. on page 8)
	US

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 7)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IMDG, IATA	UN2924
· UN proper shipping name	
·DOT	Flammable liquids, corrosive, n.o.s. (N,N-Dimethylformamide Dibutylamine)
· IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (N,N Dimethylformamide, Dibutylamine)
· Transport hazard class(es)	
·DOT	
RAMARIE LOUD	
· Class	3 Flammable liquids

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

	(Contd. of page)
Label	3, 8
· IMDG	
· Class · Label	3 Flammable liquids 3/8
· IATA	
· Class	3 Flammable liquids
· Label	3 (8)
· Packing group · DOT, IMDG, IATA	111
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Warning: Flammable liquids
 Hazard identification number (Kemler code): EMS Number: 	- 38 F-E,S-C
· EMS Number: · Stowage Category	<i>Г-Е,</i> 5-С А
• Stowage Code	SW2 Clear of living quarters.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
·IMDG	
\cdot Limited quantities (LQ)	5L Code: El
\cdot Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (N,N DIMETHYLFORMAMIDE, DIBUTYLAMINE), 3 (8), III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 10)

⁻ US -

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

· Section 313 (Specific toxic chemical listings):	(Contd. of page
CAS: 68-12-2 N,N-Dimethylformamide	
· TSCA (Toxic Substances Control Act):	
N,N-Dimethylformamide	ACTIVE
Dibutylamine	ACTIVE
· Hazardous Air Pollutants	
CAS: 68-12-2 N,N-Dimethylformamide	
· Proposition 65	
· Chemicals known to cause cancer:	
CAS: 68-12-2 N,N-Dimethylformamide	
• Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 68-12-2 N,N-Dimethylformamide

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: N,N-Dimethylformamide Dibutylamine
Hazard statements Flammable liquid and vapor. Toxic in contact with skin or if inhaled. Causes severe skin burns and eye damage. May cause cancer. May damage fertility or the unborn child.
Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment.

(Contd. on page 11)

A4

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 10) Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

• National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

 Date of preparation / last revision Revision 1.2, 05/08/2024: Rewiewed SDS for accuracy. MH/STN Creation date for SDS 11-25-2014. STN 05/10/2024
 Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

(Contd. on page 12)

US

Printing date 05/10/2024

Reviewed on 05/10/2024

Trade name: Reagent 103 Dibutylamine 0.85 Normal in DMF

(Contd. of page 11)

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Acute Toxicity - Dermal 3: Acute toxicity – Category 3 Skin Corrosion 1A: Skin corrosion/irritation – Category 1A Eye Damage 1: Serious eye damage/eye irritation – Category 1 Carcinogenicity 1B: Carcinogenicity – Category 1B Toxic to Reproduction 1B: Reproductive toxicity – Category 1B • * Data compared to the previous version altered.

US