Printing date 05/24/2024

Reviewed on 05/24/2024

Product identifier		
Trade name: Hydrofli	uoric Acid	
1% w/v S		
Article number: ODP	065	
Details of the supplier	r of the safety data sheet	
Manufacturer/Supplie		
Aqua Solutions, Inc.		
6913 Highway 225		SOLUTIONS
DEER PARK, TX 7753	36	
USA 800-256-2586		
Information departme Technical Coordinator		
	r nann@aquasolutions.org	
Emergency telephone		
Chemtrec: 800-424-93		
Canutec: 613-996-666		
Hazard(s) identific	cation	
Classification of the su	ubstance or mixture	
GHS06 Skul	ll and crossbones	
\mathbf{V}		
Acute Toxicity - Oral 3	3 H301 Toxic if swallowed.	
•	al 3 H311 Toxic in contact with	skin
PG		
GHS05 Cor	rosion	
V	H314 Causes severe skin bi	urns and eye damage.
Skin Corrosion 1A		
	H318 Causes serious eye da	amage.
Eye Damage 1	H318 Causes serious eye da	amage.
Eye Damage 1 Label elements	·	
Eye Damage 1 Label elements GHS label elements T	·	amage. Pled according to the Globally Harmonized System (
Eye Damage 1 Label elements	·	
Eye Damage 1 Label elements GHS label elements T	·	
Eye Damage 1 Label elements GHS label elements T	·	
Eye Damage 1 Label elements GHS label elements T Hazard pictograms	·	
Eye Damage 1 Label elements GHS label elements T	·	
Eye Damage 1 Label elements GHS label elements Ti Hazard pictograms GHS05 GHS06	·	
Eye Damage 1 Label elements GHS label elements T Hazard pictograms GHS05 GHS06 Signal word Danger	<i>The product is classified and labe</i>	
Eye Damage 1 Label elements GHS label elements T Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining c	he product is classified and labe	
Eye Damage 1 Label elements GHS label elements Ti Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining c Hydrofluoric Acid 49-3	<i>The product is classified and labe</i>	
Eye Damage 1 Label elements GHS label elements Ti Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining c Hydrofluoric Acid 49 Hazard statements	he product is classified and labe components of labeling: 51% Aqueous Solution	
Eye Damage 1 Label elements GHS label elements Ti Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining c Hydrofluoric Acid 49 Hazard statements Toxic if swallowed or i	The product is classified and labe components of labeling: 51% Aqueous Solution in contact with skin.	
Eye Damage 1 Label elements GHS label elements Ti Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining c Hydrofluoric Acid 49 Hazard statements Toxic if swallowed or i Causes severe skin bur	The product is classified and labe components of labeling: 51% Aqueous Solution in contact with skin. rns and eye damage.	
Eye Damage 1 Label elements GHS label elements Ti Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining c Hydrofluoric Acid 49 Hazard statements Toxic if swallowed or i Causes severe skin bur Precautionary statemed	The product is classified and labe components of labeling: 51% Aqueous Solution in contact with skin. rns and eye damage. ents	
Eye Damage 1 Label elements GHS label elements Th Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining c Hydrofluoric Acid 49 Hazard statements Toxic if swallowed or i Causes severe skin bun Precautionary statements Do not breathe dusts o	The product is classified and labe components of labeling: 51% Aqueous Solution in contact with skin. rns and eye damage. ents or mists.	
Eye Damage 1 Label elements GHS label elements Ti Hazard pictograms GHS05 GHS06 Signal word Danger Hazard-determining c Hydrofluoric Acid 49 Hazard statements Toxic if swallowed or i Causes severe skin bur Precautionary statemed	The product is classified and labe components of labeling: 51% Aqueous Solution in contact with skin. rns and eye damage. ents or mists.	

(Contd. on page 2)

Printing date 05/24/2024

Reviewed on 05/24/2024

Trade name: Hydrofluoric Acid 1% w/v Solution

(Contd. of page 1)
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
Take off immediately all contaminated clothing and wash it before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPÅ ratings (scale 0 - 4)
$\begin{array}{c} 0 \\ 3 \\ 0 \\ 0 \end{array} \overset{Health = 3}{Fire = 0} \\ Reactivity = 0 \end{array}$
· HMIS-ratings (scale 0 - 4)
$\begin{array}{c} \text{HEALTH} \textbf{3} \\ Health = 3 \end{array}$
FIRE 0 $Fire = 0$
REACTIVITY 0 Reactivity = 0
• Other hazards
• Results of PBT and vPvB assessment BBT. Not applicable
• PBT: Not applicable. • vPvB: Not applicable.
3 Composition/information on ingredients
· Chemical characterization: Mixtures
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution

2.041%

97.959%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)

US

Printing date 05/24/2024

Trade name: Hydrofluoric Acid 1% w/v Solution Reviewed on 05/24/2024

(Contd. of page 2)

Dutul			and the second states the	11 1 4
Drink codious	amounts of water	and provide fresh	air. Immeaiateiv	call a aoctor.
· · · · · · · · · · · · · · · · · ·	······	····· r · · · · · · · · · · · · · · · ·		

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures				
Mount respiratory protective device.				
Wear protective equipment. Keep unprotected persons away.				
· Environmental precautions:				
Dilute with plenty of water.				
Do not allow to enter sewers/ surface or ground water.				
· Methods and material for containment and cleaning up:				
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).				
Use neutralizing agent.				
Dispose contaminated material as waste according to section 13.				
Ensure adequate ventilation.				
· Reference to other sections				
See Section 7 for information on safe handling.				
See Section 8 for information on personal protection equipment.				
See Section 13 for disposal information.				
· Protective Action Criteria for Chemicals				
· PAC-1:				
CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution	1.0 ppm			
· PAC-2:				
CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution	24 ppm			
· PAC-3:				
CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution	44 ppm			

7 Handling and storage

· Handling:

- · Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 4)

Printing date 05/24/2024

Reviewed on 05/24/2024

Trade name: Hydrofluoric Acid 1% w/v Solution

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- Control narameters

· Con	trol parameters
· Com	ponents with limit values that require monitoring at the workplace:
CAS	S: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution
PEL	Long-term value: 1* mg/m ³ , 3 ppm
	as F, *sulfuric acid
REL	Long-term value: 2.5 mg/m ³ , 3 ppm
	Ceiling limit value: 5* mg/m ³ , 6* ppm
	*15-min, as F
TLV	Long-term value: 0.5 ppm
	Ceiling limit value: 2 ppm
	as F; Skin, BEI
· Ingr	edients with biological limit values:
CAS	S: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution
BEI	3 mg/g creatinine
	LD50 Intraperitoneal: urine
	Time: prior to shift
	LD50: Fluorides (background, nonspecific)
	10 mg/g creatinine
	LD50 Intraperitoneal: urine
	Time: end of shift
	LD50: Fluorides (background, nonspecific)
· Add	itional information: The lists that were valid during the creation were used as basis.
·Exp	osure controls
	conal protective equipment:
	eral protective and hygienic measures:
	p away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	e protective clothing separately.
	id contact with the eyes. id contact with the eyes and skin.
	athing equipment:
	ase of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	iratory protective device that is independent of circulating air.
1000	

Printing date 05/24/2024

Reviewed on 05/24/2024

Trade name: Hydrofluoric Acid 1% w/v Solution

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c	hemical properties	
General Information		
Appearance: Form:	Liquid	
Form: Color:	Liquid Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	<2	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	

Printing date 05/24/2024

Reviewed on 05/24/2024

Trade name: Hydrofluoric Acid 1% w/v Solution

		(Contd. of page
· Density at 20 °C (68 °F):	0.98 g/cm ³ (8.1781 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/	vater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	98.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

	· LD/LC50 values that are relevant for classification:			
	ATE (Acute Toxicity Estimate)			
	Oral	LD50	245 mg/kg	
	Dermal	LD50	245 mg/kg	
	Inhalative LC50/4h 62,525 mg/l (rat)			
_	• Primary ir • on the skir • on the eye.	i: Strong d	caustic effect on skin and mucous membranes.	
	Strong cau	stic effect		
			the danger of severe eye injury.	
			nsitizing effects known.	
	· Additional toxicological information:			

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

(Contd. on page 7)

Printing date 05/24/2024

Reviewed on 05/24/2024

(Contd. of page 6)

Trade name: Hydrofluoric Acid 1% w/v Solution

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, IMDG, IATA	UN1760	

Printing date 05/24/2024

Reviewed on 05/24/2024

de name: Hydrofluoric Acid 1% w/v Solution	
	(Contd. of pag
UN proper shipping name DOT	Corrosive liquids, n.o.s. (Hydrofluoric Acid 49-51% Aqueo
IMDG, IATA	Solution) CORROSIVE LIQUID, N.O.S. (Hydrofluoric Acid 49-5) Aqueous Solution)
Transport hazard class(es)	
DOT	
CORROSIVE 8	
- Class	8 Corrosive substances
Label	8
B B	
Class Label	8 <i>Corrosive substances</i> 8
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler) EMS Number:	code): 8 F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	I of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROFLUORIC AC 49-51% AQUEOUS SOLUTION), 8, 11

(Contd. on page 9)

Printing date 05/24/2024

Reviewed on 05/24/2024

Trade name: Hydrofluoric Acid 1% w/v Solution

(Contd. of page 8)

ACTIVE

ACTIVE

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution

· Section 313 (Specific toxic chemical listings):

CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution

· TSCA (Toxic Substances Control Act):

Water

Hydrofluoric Acid 49-51% Aqueous Solution

· Hazardous Air Pollutants

CAS: 7664-39-3 Hydrofluoric Acid 49-51% Aqueous Solution

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

 \cdot NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: Hydrofluoric Acid 49-51% Aqueous Solution

• Hazard statements

Toxic if swallowed or in contact with skin. Causes severe skin burns and eye damage.

(Contd. on page 10)

Printing date 05/24/2024

Reviewed on 05/24/2024

Trade name: Hydrofluoric Acid 1% w/v Solution

(Contd. of page 9)

Precautionary statements
Do not breathe dusts or mists.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Immediately call a poison center/doctor.
Specific treatment (see on this label).
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
Take off immediately all contaminated clothing and wash it before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing	SDS:	Environment	protection	department.

- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision
- *Revision 1.2, 05/24/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 03-26-2015; Creation date for SDS. STN*
- 05/24/2024

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Toxicity - Oral 3: Acute toxicity - Category 3 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1 \cdot * Data compared to the previous version altered.

US