Printing date 06/14/2024

Reviewed on 06/14/2024

	Keviewed on 00/14/202
1 Identification	
· Product identifier	
· Trade name: Phenol, 5% w/v	
Aqueous Solution	
• Article number: P1959	
· Details of the supplier of the safety data sheet	
· Manufacturer/Supplier:	AQUA
Aqua Solutions, Inc. 6913 Highway 225	SOLUTIONS
DEER PARK, TX 77536	
USA 256 2586	
800-256-2586	
• Information department: Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org	
Technical Coordinator	
Sherman Nelson shermann@aquasolutions.org Emergency telephone number:	
Chemtrec: 800-424-9300	
Canutec: 613-996-6666	
Hazard(s) identification	
· Classification of the substance or mixture	
Cassification of the substance of mixture	
GHS06 Skull and crossbones	
$\mathbf{\vee}$	
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
V	
Germ Cell Mutagenicity 2	H341 Suspected of causing genetic defects.
Specific Target Organ Toxicity - Repeated Expo	osure 2 H373 May cause damage to organs through prolonged o repeated exposure.
GHS05 Corrosion	
Skin Corrosion 1B	H314 Causes severe skin burns and eye damage.
Eye Damage 1	H318 Causes serious eye damage.
Label elements	
	nd labeled according to the Globally Harmonized System (GHS).
· Hazard pictograms	
$\land \land \land$	
GHS05 GHS06 GHS08	

(Contd. on page 2)

US

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Phenol, 5% w/v Aqueous Solution

• Signal word Danger
· Hazard-determining components of labeling:
Phenol
· Hazard statements
Toxic in contact with skin or if inhaled.
Causes severe skin burns and eye damage.
Suspected of causing genetic defects.
May cause damage to organs through prolonged or repeated exposure.
· Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
Get medical advice/attention if you feel unwell.
Take off immediately all contaminated clothing and wash it before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
Health = 3
Fire = 0
3 0 Reactivity = 0
IIMIS ratings (coals 0 4)
· HMIS-ratings (scale 0 - 4)
$\frac{\text{HEALTH}}{3} Health = 3$
FIRE 0 $Fire = 0$
REACTIVITY 0 Reactivity = 0
Other handrade
• Other hazards Bosylka of DBT and vDvD assessment
• Results of PBT and vPvB assessment
• <i>PBT:</i> Not applicable. • <i>vPvB:</i> Not applicable.
3 Composition/information on ingredients
· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 108-95-2 Phenol

(Contd. on page 3)

4.986%

US -

Printing date 06/14/2024

Trade name: Phenol, 5% w/v Aqueous Solution Reviewed on 06/14/2024

(Contd. of page 2)

95.014%

· Table of Nonhazardous Ingredients

CAS: 7732-18-5 Water

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.

Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

(Contd. on page 4)

⁻¹¹⁵

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Phenol, 5% w/v Aqueous Solution

· Protective Action Criteria for Chemicals	(Contd. of page 3)
· PAC-1:	
CAS: 108-95-2 Phenol	15 ppm
· PAC-2:	
CAS: 108-95-2 Phenol	23 ppm
· PAC-3:	
CAS: 108-95-2 Phenol	200 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

	ponents with limit values that require monitoring at the workplace:	
	: 108-95-2 Phenol	
PEL	Long-term value: 19 mg/m ³ , 5 ppm Skin	
REL	Long-term value: 19 mg/m³, 5 ppm Ceiling limit value: 60* mg/m³, 15.6* ppm *15-min; Skin	
TLV	Long-term value: 5 ppm Skin; BEI, A4	
· Ingr	edients with biological limit values:	
CAS	: 108-95-2 Phenol	
BEI	250 mg/g creatinine LD50 Intraperitoneal: urine Time: end of shift LD50: Phenol with hydrolysis (background, nonspecific)	
· Addi	tional information: The lists that were valid during the creation were used as basis.	(Contd. on page 5)

Printing date 06/14/2024

· Exposure controls

Trade name: Phenol, 5% w/v Aqueous Solution

(Contd. of page 4)

Reviewed on 06/14/2024

Empositi e con	1015
Personal prot	ective equipment:
General prote	ctive and hygienic measures:
Keep away fro	om foodstuffs, beverages and feed.
Immediately r	emove all soiled and contaminated clothing.
Wash hands b	efore breaks and at the end of work.
Store protectiv	ve clothing separately.
Avoid contact	with the eyes.
Avoid contact	with the eyes and skin.
Breathing equ	uipment:
In case of brie	f exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
respiratory pr	otective device that is independent of circulating air.
Protection of	hands:
Pro	otective gloves
The glove mat	erial has to be impermeable and resistant to the product/ the substance/ the preparation.
	g tests no recommendation to the glove material can be given for the product/ the preparation/ the
Selection of th	e glove material on consideration of the penetration times, rates of diffusion and the degradation
Material of gl	oves
The selection	of the suitable gloves does not only depend on the material, but also on further marks of quality and
	anufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
the glove mate	rial can not be calculated in advance and has therefore to be checked prior to the application.
Donotration ti	me of along material

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear to bi-layer liquid	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	

- US

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Phenol, 5% w/v Aqueous Solution

	(Contd. of page	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.00287 g/cm ³ (8.36895 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	5.0 %	
Water:	95.0 %	
VOC content:	4.99 %	
	50.0 g/l / 0.42 lb/gal	
Solids content:	5.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Phenol, 5% w/v Aqueous Solution

(Contd. of page 6)

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	2,005 mg/kg
Dermal	LD50	6,016 mg/kg
Inhalative	LC50/4h	10 mg/l

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 108-95-2 Phenol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:

· General notes:

- Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 8)

3

US

Printing date 06/14/2024

Trade name: Phenol, 5% w/v Aqueous Solution Reviewed on 06/14/2024

(Contd. of page 7)

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN2821	
UN proper shipping name DOT IMDG, IATA	Phenol solutions PHENOL SOLUTION	
Transport hazard class(es)		
DOT		
Toxic		
· Class	6.1 Toxic substances	
Label	6.1	
Class	6.1 Toxic substances	
Label	6.1	
Packing group DOT, IMDG, IATA	II	
Environmental hazards: Marine pollutant:	No	
-	Warning: Toxic substances	
Special precautions for user EMS Number:	F-A,S-A	
Stowage Category	A	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	

US

Printing date 06/14/2024

Reviewed on 06/14/2024

Trade name: Phenol, 5% w/v Aqueous Solution

(Contd. of page 8)

· Transport/Additional information.	:
· IMDG Limited quantities (LO)	100 ml
· Limited quantities (LQ) · Excepted quantities (EQ)	Code: E4
· Excepted quantities (EQ)	<i>Code. E4</i> <i>Maximum net quantity per inner packaging: 1 ml</i>
	Maximum net quantity per outer packaging: 500 ml
	Maximum nei quantity per outer packaging. 500 mi
• UN "Model Regulation":	UN 2821 PHENOL SOLUTION, 6.1, II

15 Regulatory information

Section 355 (extremely hazardous substances):	
CAS: 108-95-2 Phenol	
Section 313 (Specific toxic chemical listings):	
CAS: 108-95-2 Phenol	
TSCA (Toxic Substances Control Act):	
Water	ACTIV
Phenol	ACTIVI
Hazardous Air Pollutants	<u> </u>
CAS: 108-95-2 Phenol	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
CAS: 108-95-2 Phenol	<i>D</i> ,
TLV (Threshold Limit Value)	I
CAS: 108-95-2 Phenol	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	

US

Printing date 06/14/2024

Trade name: Phenol, 5% w/v Aqueous Solution Reviewed on 06/14/2024

(Contd. of page 9) · Hazard pictograms GHS05 GHS06 GHS08 · Signal word Danger · Hazard-determining components of labeling: Phenol · Hazard statements Toxic in contact with skin or if inhaled. Causes severe skin burns and eye damage. Suspected of causing genetic defects. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Get medical advice/attention if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:
- Date of Preparation / Last Revision:
- Date of preparation / last revision Revision 0.1, 06/14/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 05-29-2024: Creation date for SDS. STN 06/14/2024 / 1.0
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)

[–] US

Printing date 06/14/2024

Trade name: Phenol, 5% w/v Aqueous Solution Reviewed on 06/14/2024

(Contd. of page 10)

US

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Acute Toxicity - Dermal 3: Acute toxicity - Category 3 Skin Corrosion 1B: Skin corrosion/irritation – Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 Germ Cell Mutagenicity 2: Germ cell mutagenicity – Category 2 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2 \cdot * Data compared to the previous version altered.