Printing date 06/19/2024

Reviewed on 06/19/2024

1 Identification

- · Product identifier
- Trade name: <u>Potassium Standard</u> <u>10,000 ppm w/v</u>
- · Article number: 7653

Details of the supplier of the safety data sheet
Manufacturer/Supplier: Aqua Solutions, Inc.
6913 Highway 225 DEER PARK, TX 77536 USA
800-256-2586

• Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org Technical Coordinator Sherman Nelson shermann@aquasolutions.org

• *Emergency telephone number:* Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labeling: Nitric Acid
- Hazard statements
- Causes severe skin burns and eye damage.
- Precautionary statements
 Do not breathe dusts or mists.
 Wash thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If swallowed: Rinse mouth. Do NOT induce vomiting.
 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

[–] us

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Potassium Standard 10,000 ppm w/v

(Contd. of page 1)

Immediately call a poison center/doctor.
Specific treatment (see on this label).
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
$\begin{array}{c} \textbf{Health} = 3\\ \textbf{Fire} = 0\\ \textbf{Reactivity} = 0 \end{array}$
· HMIS-ratings (scale 0 - 4)
HEALTH 3 Health = 3FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0
 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous comp	ponents:	
CAS: 7697-37-2	Nitric Acid	5.101%
CAS: 7757-79-1	Potassium Nitrate	2.508%
• Table of Nonhaz	ardous Ingredients	
CAS: 7732-18-5	Water	92.391%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

(Contd. on page 3)

US

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Potassium Standard 10,000 ppm w/v

(Contd. of page 2)

- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

	tions, protective equipment and emergency procedures	
	ry protective device.	
Wear protective	equipment. Keep unprotected persons away.	
• Environmental _F		
Dilute with plent		
Do not allow to a	enter sewers/ surface or ground water.	
	tterial for containment and cleaning up:	
Absorb with liqu	<i>id-binding material (sand, diatomite, acid binders, universal binders, sawdust).</i>	
Use neutralizing		
Dispose contami	inated material as waste according to section 13.	
Ensure adequate	e ventilation.	
· Reference to oth		
	r information on safe handling.	
	r information on personal protection equipment.	
	or disposal information.	
· Protective Action	n Criteria for Chemicals	
• PAC-1:		
CAS: 7697-37-2	Nitric Acid	0.16 ppm
CAS: 7757-79-1	Potassium Nitrate	9 mg/m ³
· PAC-2:		
CAS: 7697-37-2	Nitric Acid	24 ppm
CAS: 7757-79-1	Potassium Nitrate	100 mg/m ³
· PAC-3:		
CAS: 7697-37-2	Nitric Acid	92 ppm
CAS: 7757-79-1	Potassium Nitrate	600 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

(Contd. on page 4)

US

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Potassium Standard 10,000 ppm w/v

(Contd. of page 3)

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 7697-37-2 Nitric Acid

- PEL Long-term value: 5 mg/m³, 2 ppm
- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm NIC-A4

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

(Contd. on page 5)

[–] US

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Potassium Standard 10,000 ppm w/v

· Body protection: Protective work clothing

Information on basic physical and o	chemical properties	
General Information		
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor: Odor threshold:	Odorless Not determined.	
pH-value at 20 °C (68 °F):	<2	
•	N2	
Change in condition		
Melting point/Melting range:	Undetermined. 83 °C (181.4 °F)	
Boiling point/Boiling range:		
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0312 g/cm ³ (8.60536 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	92.4 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	2.5 %	
Other information	No further relevant information available.	

(Contd. on page 6)

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Potassium Standard 10,000 ppm w/v

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4h 58.8 mg/l

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- \cdot on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Potassium Standard 10,000 ppm w/v

(Contd. of page 6)

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pHvalue harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

• Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1760
· UN proper shipping name	
· DOT	Corrosive liquids, n.o.s. (Nitric Acid)
IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Nitric Acid)
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class Label	8 Corrosive substances 8
IMDG, IATA	
- Class	8 Corrosive substances
· Label	8
Packing group	
DOT, IMDG, IATA	III
	(Contd. on pa

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Potassium Standard 10,000 ppm w/v

	(Contd. of pag
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler cod	<i>le</i>): 8
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II o	f
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
~ ·	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

*

· Section 355 (extremely hazardous substances):	
CAS: 7697-37-2 Nitric Acid	
· Section 313 (Specific toxic chemical listings):	
CAS: 7697-37-2 Nitric Acid	
CAS: 7757-79-1 Potassium Nitrate	
· TSCA (Toxic Substances Control Act):	
Water	ACTIVE
Nitric Acid	ACTIVE
Potassium Nitrate	ACTIVE
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
	(Contd. on page 9)

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Potassium Standard

10,000 ppm w/v

(Contd. of page 8)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

- · Hazard-determining components of labeling:
- Nitric Acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

(Contd. on page 10)

US

Printing date 06/19/2024

Reviewed on 06/19/2024

Trade name: Potassium Standard 10,000 ppm w/v

te of preparation / last revision vision 0.1, 06/19/2024: Reviewed SDS for accuracy. MH/STN eation date for SDS 07-14-2014. STN /19/2024 / 1.2 breviations and acronyms: DG: International Maritime Code for Dangerous Goods TF: US Department of Transportation TA: International Air Transport Association VECS: European Inventory of Existing Commercial Chemical Substances INCS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic B: very Persistent and very Bioaccumulative	
eation date for SDS 07-14-2014. STN /19/2024 / 1.2 breviations and acronyms: DG: International Maritime Code for Dangerous Goods YT: US Department of Transportation FA: International Air Transport Association VECS: European Inventory of Existing Commercial Chemical Substances INCS: European Inventory of Existing Commercial Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
eation date for SDS 07-14-2014. STN /19/2024 / 1.2 breviations and acronyms: DG: International Maritime Code for Dangerous Goods YT: US Department of Transportation FA: International Air Transport Association VECS: European Inventory of Existing Commercial Chemical Substances INCS: European Inventory of Existing Commercial Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
 /19/2024 / 1.2 breviations and acronyms: DG: International Maritime Code for Dangerous Goods DT: US Department of Transportation TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic 	
DG: International Maritime Code for Dangerous Goods T: US Department of Transportation TA: International Air Transport Association VECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
DG: International Maritime Code for Dangerous Goods T: US Department of Transportation TA: International Air Transport Association VECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
 YT: US Department of Transportation YA: International Air Transport Association YECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic 	
 TA: International Air Transport Association NECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic 	
NECS: European Inventory of Existing Commercial Chemical Substances INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
INCS: European List of Notified Chemical Substances S: Chemical Abstracts Service (division of the American Chemical Society) PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
PA: National Fire Protection Association (USA) IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
IIS: Hazardous Materials Identification System (USA) C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
C: Volatile Organic Compounds (USA, EU) 50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
50: Lethal concentration, 50 percent 50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
50: Lethal dose, 50 percent T: Persistent, Bioaccumulative and Toxic	
T: Persistent, Bioaccumulative and Toxic	
B: very Persistent and very Bioaccumulative	
OSH: National Institute for Occupational Safety	
HA: Occupational Safety & Health	
V: Threshold Limit Value	
L: Permissible Exposure Limit	
L: Recommended Exposure Limit	
n Corrosion 1A: Skin corrosion/irritation – Category 1A	
e Damage 1: Serious eye damage/eye irritation – Category 1	
Data compared to the previous version altered.	