Printing date 05/09/2024

| Identification | | |
|--|---------------------------|---|
| Product identifier Trade name: Dodecane 0.05% w/w | | |
| in Methylene Chloride | | |
| Article number: EXX168 Restrictions | | |
| This chemical/product is not and cannot be dist processed (as defined in TSCA section 3(13)) for con- | | |
| Details of the supplier of the safety data sheet | | SOLUTIONS |
| Manufacturer/Supplier: | | |
| Aqua Solutions, Inc. 6913 Highway 225 | | |
| <i>DEER PARK, TX 77536</i> | | |
| USA | | |
| 800-256-2586 | | |
| Information department: Technical Coordinator | | |
| Sherman Nelson shermann@aquasolutions.org | | |
| <i>Emergency telephone number:</i> | | |
| <i>Chemtrec:</i> 800-424-9300 | | |
| Canutec: 613-996-6666 | | |
| Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard | | |
| Classification of the substance or mixture | H351 | Suspected of causing cancer. |
| Classification of the substance or mixture GHS08 Health hazard | H351 | Suspected of causing cancer. |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 | H351 H315 | Suspected of causing cancer. Causes skin irritation. |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 GHS07 | | |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 GHS07 Skin Irritation 2 | H315 H319 | Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May caus |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 GHS07 Skin Irritation 2 Eye Irritation 2A | H315 H319 H335-H336 | Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May caus drowsiness or dizziness. |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 Label elements | H315 H319 H335-H336 | Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May caus drowsiness or dizziness. |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and laboration of the substance or mixture Carcinogenicity 2 Carcinogenicity 2 Carcinogenic | H315 H319 H335-H336 | Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May caus drowsiness or dizziness. |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and laboration of the substance or mixture Carcinogenicity 2 Carcinogenicity 2 Carcinogenic | H315 H319 H335-H336 | Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May caus drowsiness or dizziness. |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and laboration of the substance or mixture Carcinogenicity 2 Carcinogenicity 2 Carcinogenic | H315 H319 H335-H336 | Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May caus drowsiness or dizziness. |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and la Hazard pictograms | H315 H319 H335-H336 | Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May caus drowsiness or dizziness. |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 Carcinogenicity 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and la Hazard pictograms GHS07 GHS08 Signal word Warning Hazard-determining components of labeling: | H315 H319 H335-H336 | Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May caus drowsiness or dizziness. |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and la Hazard pictograms GHS07 GHS08 Signal word Warning Hazard-determining components of labeling: Dichloromethane (Methylene Chloride) | H315 H319 H335-H336 | Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May caus drowsiness or dizziness. |
| Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 2 Carcinogenicity 2 GHS07 Skin Irritation 2 Eye Irritation 2A Specific Target Organ Toxicity - Single Exposure 3 Label elements GHS label elements The product is classified and la Hazard pictograms GHS07 GHS08 Signal word Warning Hazard-determining components of labeling: | H315 H319 H335-H336 | Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May caus drowsiness or dizziness. |

Printing date 05/09/2024

Reviewed on 05/09/2024

Trade name: Dodecane 0.05% w/w in Methylene Chloride

| (Contd. of page 1) |
|--|
| Causes serious eye irritation. |
| Suspected of causing cancer. |
| May cause respiratory irritation. May cause drowsiness or dizziness. |
| · Precautionary statements |
| Obtain special instructions before use. |
| Do not handle until all safety precautions have been read and understood. |
| Avoid breathing dust/fume/gas/mist/vapors/spray |
| Wash thoroughly after handling. |
| Use only outdoors or in a well-ventilated area. |
| Wear protective gloves/protective clothing/eye protection/face protection. |
| |
| If on skin: Wash with plenty of water. |
| IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. |
| Continue rinsing. |
| IF exposed or concerned: Get medical advice/attention. |
| Call a poison center/doctor if you feel unwell. |
| Specific treatment (see on this label). |
| Take off contaminated clothing and wash it before reuse. |
| If skin irritation occurs: Get medical advice/attention. |
| If eye irritation persists: Get medical advice/attention. |
| Store in a well-ventilated place. Keep container tightly closed. |
| Store locked up. |
| Dispose of contents/container in accordance with local/regional/national/international regulations. |
| · Classification system: |
| · NFPA ratings (scale 0 - 4) |
| $\begin{array}{c} \textbf{Health} = 2\\ \textbf{Fire} = 0\\ \textbf{Reactivity} = 0 \end{array}$ |
| • HMIS-ratings (scale 0 - 4) |
| HEALTH 2 $H_{ealth} = 2$ |
| |
| FIRE 1 Fire = 1 |
| REACTIVITY 0 Reactivity = 0 |
| |
| · Other hazards |
| • Results of PBT and vPvB assessment |
| • <i>PBT</i> : Not applicable. |
| • vPvB: Not applicable. |
| |
| 2 Comments in the former time of the set |
| 3 Composition/information on ingredients |
| • Chemical characterization: Mixtures |
| • Description: Mixture of the substances listed below with nonhazardous additions. |
| · Dangerous components: |
| CAS: 75-09-2 Dichloromethane (Methylene Chloride) 99.95% |
| |
| · Table of Nonhazardous Ingredients |
| |

CAS: 112-40-3 dodecane

(Contd. on page 3)

0.05%

US

Printing date 05/09/2024

Reviewed on 05/09/2024

Trade name: Dodecane 0.05% w/w in Methylene Chloride

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| • PAC-1: | | |
|---------------|--------------------------------------|-----------|
| CAS: 75-09-2 | Dichloromethane (Methylene Chloride) | 200 ppm |
| CAS: 112-40-3 | dodecane | 1.7 ppm |
| · PAC-2: | | |
| CAS: 75-09-2 | Dichloromethane (Methylene Chloride) | 560 ppm |
| CAS: 112-40-3 | dodecane | 18 ppm |
| · PAC-3: | | |
| CAS: 75-09-2 | Dichloromethane (Methylene Chloride) | 6,900 ppm |
| CAS: 112-40-3 | dodecane | 110 ppm |

(Contd. on page 4)

Printing date 05/09/2024

Reviewed on 05/09/2024

Trade name: Dodecane 0.05% w/w in Methylene Chloride

(Contd. of page 3)

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

PEL Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052

REL See Pocket Guide App. A

TLV Long-term value: 50 ppm BEI, A3

· Ingredients with biological limit values:

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

BEI 0.3 mg/L

LD50 Intraperitoneal: urine Time: end of shift LD50: Dichloromethane (semi-quantitative)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

[–] US

Printing date 05/09/2024

Reviewed on 05/09/2024

Trade name: Dodecane 0.05% w/w in Methylene Chloride

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

| Information on basic physical and | chemical properties | |
|---|---|--|
| General Information | | |
| Appearance: Form: | Liquid | |
| Color: | Clear | |
| Odor: | Organic | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: | Undetermined. Undetermined. | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Auto igniting: | 605 °C (1,121 °F) | |
| Decomposition temperature: | Not determined. | |
| Ignition temperature: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | 13 Vol % | |
| Upper: | 22 Vol % | |

Printing date 05/09/2024

Reviewed on 05/09/2024

Trade name: Dodecane 0.05% w/w in Methylene Chloride

| | (Contd. of page |
|---------------------------------------|--|
| Vapor pressure at 20 °C (68 °F): | 453 hPa (339.8 mm Hg) |
| Density at 20 °C (68 °F): | 1.32971 g/cm ³ (11.09643 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water at 20 °C (68 °F): | 20 g/l |
| Partition coefficient (n-octanol/wate | e r): Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Solvent content: | |
| Organic solvents: | 100.0 % |
| VOC content: | 0.00 % |
| | 0.0 g/l / 0.00 lb/gal |
| Solids content: | 0.0 % |
| Other information | No further relevant information available. |

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

- · NTP (National Toxicology Program)
- CAS: 75-09-2 Dichloromethane (Methylene Chloride)

(Contd. on page 7)

2A

R

Printing date 05/09/2024

Reviewed on 05/09/2024

Trade name: Dodecane 0.05% w/w in Methylene Chloride

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| UN-Number DOT, IMDG, IATA | UN2810 |
|-----------------------------------|---|
| | 01/2010 |
| UN proper shipping name | |
| DOT | Toxic, liquids, organic, n.o.s. (Dichloromethane) |
| IMDG, IATA | TOXIC LIQUID, ORGANIC, N.O.S. (Dichloromethane) |
| Transport hazard class(es) DOT | |
| Class | 6.1 Toxic substances |

Printing date 05/09/2024

Reviewed on 05/09/2024

Trade name: Dodecane 0.05% w/w in Methylene Chloride

| | (Contd. of page 7) |
|---|--|
| · Label | 6.1 |
| · IMDG, IATA | |
| | |
| · Class | 6.1 Toxic substances |
| · Label | 6.1 |
| · Packing group · DOT, IMDG, IATA | III |
| · Environmental hazards: | Not applicable. |
| Special precautions for user Hazard identification number (Kemler code) EMS Number: Stowage Category Stowage Code | Warning: Toxic substances : 61 F-A,S-A A SW2 Clear of living quarters. |
| • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN ''Model Regulation'': | UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (DICHLOROMETHANE), 6.1, III |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

• TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

| Dichloromethane (Methylene Chloride) | ACTIVE |
|--------------------------------------|--------|
| dodecane | ACTIVE |

uouecun

• *Hazardous Air Pollutants* CAS: 75-09-2 Dichloromethane (Methylene Chloride)

Diction (5

· Proposition 65

· Chemicals known to cause cancer:

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)

US

Printing date 05/09/2024

Reviewed on 05/09/2024

Trade name: Dodecane 0.05% w/w in Methylene Chloride

(Contd. of page 8)

L

AЗ

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· TLV (Threshold Limit Value)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 75-09-2 Dichloromethane (Methylene Chloride)

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

· Hazard-determining components of labeling: Dichloromethane (Methylene Chloride) · Hazard statements Causes skin irritation. Causes serious eye irritation. Suspected of causing cancer. May cause respiratory irritation. May cause drowsiness or dizziness. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · National regulations: • Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

(Contd. on page 10)

Printing date 05/09/2024

Reviewed on 05/09/2024

Trade name: Dodecane 0.05% w/w in Methylene Chloride

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Environment protection department. • Contact:
- Date of Preparation / Last Revision:
- · Date of preparation / last revision Revision 1.2, 05/08/2024: Rewiewed SDS for accuracy. MH/STN Revision 0.0, 01-07-2016: creation date for SDS. STN 05/09/2024 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Carcinogenicity 2: Carcinogenicity – Category 2 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 \cdot * Data compared to the previous version altered.