Printing date 06/04/2024

Reviewed on 06/04/2024

GHS05 Corrosion	ay cause damage to organs through prolonge peated exposure.
Hydrochloric Acid 2% Soln.         e number: VEC019         Is of the supplier of the safety data sheet         facturer/Supplier:         Solutions, Inc.         Highway 225         R PARK, TX 77536         56-2586         mation department:         tical Coordinator         nan Nelson shermann@aquasolutions.org         gency telephone number:         trec: 800-424-9300         tec: 613-996-6666         trd(s) identification         ification of the substance or mixture         GHS08 Health hazard         fic Target Organ Toxicity - Repeated Exposure 2 H373 Marge         GHS05 Corrosion	
s of the supplier of the safety data sheet facturer/Supplier: Solutions, Inc. Highway 225 2 PARK, TX 77536 56-2586 mation department: bical Coordinator han Nelson shermann@aquasolutions.org gency telephone number: trec: 800-424-9300 tec: 613-996-6666 trd(s) identification ification of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Mac rep GHS05 Corrosion	
facturer/Supplier: Solutions, Inc. Highway 225 A PARK, TX 77536 56-2586 mation department: tical Coordinator tical Coordinator tical Coordinator man Nelson shermann@aquasolutions.org gency telephone number: trec: 800-424-9300 tec: 613-996-6666 urd(s) identification fication of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Margen rep GHS05 Corrosion	
Highway 225 R PARK, TX 77536 56-2586 mation department: tical Coordinator tian Nelson shermann@aquasolutions.org gency telephone number: trec: 800-424-9300 tec: 613-996-6666 urd(s) identification ification of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Margue GHS05 Corrosion	
SPARK, TX 77536 56-2586 mation department: vical Coordinator nan Nelson shermann@aquasolutions.org gency telephone number: trec: 800-424-9300 tec: 613-996-6666 urd(s) identification ification of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Margue GHS05 Corrosion	
56-2586 mation department: trical Coordinator tran Nelson shermann@aquasolutions.org gency telephone number: trec: 800-424-9300 tec: 613-996-6666 urd(s) identification ification of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Margen GHS05 Corrosion	
mation department: hical Coordinator han Nelson shermann@aquasolutions.org gency telephone number: trec: 800-424-9300 tec: 613-996-6666 http://www.communication fication of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Margen fic Target Organ Toxicity - Repeated Exposure 2 H373 Margen GHS05 Corrosion	
tical Coordinator nan Nelson shermann@aquasolutions.org gency telephone number: trec: 800-424-9300 tec: 613-996-6666 urd(s) identification ification of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
an Nelson shermann@aquasolutions.org gency telephone number: trec: 800-424-9300 tec: 613-996-6666 urd(s) identification ification of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
gency telephone number: trec: 800-424-9300 tec: 613-996-6666 ard(s) identification ification of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
trec: 800-424-9300 tec: 613-996-6666 ification of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
ification of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
fication of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
fication of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
fication of the substance or mixture GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
GHS08 Health hazard fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
fic Target Organ Toxicity - Repeated Exposure 2 H373 Ma rep GHS05 Corrosion	
rep GHS05 Corrosion	
rep GHS05 Corrosion	
GHS05 Corrosion	• •
hamage 1 H318 Ca	
	auses serious eye damage.
GHS07	
GHS07	
rritation 2 H315 Ca	autor ship invitation
elements	ועקפא אנות ורדוומווסת.
label elements The product is classified and labeled accord	auses skin irritation.
rd pictograms	
505 GHS08	
505 GHS08 I word Danger	

Printing date 06/04/2024

### Reviewed on 06/04/2024

## Trade name: Hydrogen Peroxide 3% Hydrochloric Acid 2% Soln.

Harmad states and a	(Contd. of page 1)
• Hazard statements Causes skin irritation.	
Causes serious eye damage.	
May cause damage to organs through prolonged or repeated exposure.	
· Precautionary statements	
Do not breathe dust/fume/gas/mist/vapors/spray.	
Wash thoroughly after handling.	
Wear protective gloves / eye protection / face protection.	
If on skin: Wash with plenty of water.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if prese	nt and easy to do.
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Get medical advice/attention if you feel unwell.	
Take off contaminated clothing and wash it before reuse.	
If skin irritation occurs: Get medical advice/attention.	
Dispose of contents/container in accordance with local/regional/national/international regulati	ons.
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
$\begin{array}{c} 3 \\ \end{array} \begin{array}{c} 0 \\ Reactivity = 0 \end{array}$	
$\checkmark$ Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
<b>HEALTH</b> 3 $Health = 3$	
FIRE 0 Fire = 0	
<b>REACTIVITY</b> $1$ Reactivity = 1	
· Other hazards	
· Results of PBT and vPvB assessment	
· <b>PBT:</b> Not applicable.	
$\cdot v P v B$ : Not applicable.	
3 Composition/information on ingredients	
Chamient chamaterianticus Minteres	
· Chemical characterization: Mixtures	
• <b>Description:</b> Mixture of the substances listed below with nonhazardous additions.	
· Dangerous components:	
CAS: 7722-84-1 Hydrogen Peroxide Solution	11.971%

• *Table of Nonhazardous Ingredients* CAS: 7732-18-5 Water

CAS: 7647-01-0 Hydrochloric Acid

85.821%

2.208%

## 4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

(Contd. on page 3)

US -

Printing date 06/04/2024

#### Trade name: Hydrogen Peroxide 3% Hydrochloric Acid 2% Soln.

Reviewed on 06/04/2024

#### (Contd. of page 2)

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

• <i>Personal precautions, protective equipment and emergency procedures</i> <i>Mount respiratory protective device.</i>		
Wear protective equipment. Keep unprotected persons away.		
· Environmental precautions:		
Dilute with plenty of water.		
Do not allow to enter sewers/ surface or ground water.		
• Methods and material for containment and cleaning up:		
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).		
Use neutralizing agent.		
Dispose contaminated material as waste according to section 13.		
Ensure adequate ventilation.		
· Reference to other sections		
See Section 7 for information on safe handling.		
See Section 8 for information on personal protection equipment.		
see seenon o jor injornanon on personai protection equipment.		
See Section 3 for high mation on personal projection equipment. See Section 13 for disposal information.		
See Section 13 for disposal information.		
See Section 13 for disposal information. • Protective Action Criteria for Chemicals	10 ppm	
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1:	10 ppm 1.8 ppm	
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 7722-84-1 Hydrogen Peroxide Solution		
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 7722-84-1 Hydrogen Peroxide Solution CAS: 7647-01-0 Hydrochloric Acid		
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 7722-84-1 Hydrogen Peroxide Solution CAS: 7647-01-0 Hydrochloric Acid • PAC-2:	1.8 ppm	
See Section 13 for disposal information. • Protective Action Criteria for Chemicals • PAC-1: CAS: 7722-84-1 Hydrogen Peroxide Solution CAS: 7647-01-0 Hydrochloric Acid • PAC-2: CAS: 7722-84-1 Hydrogen Peroxide Solution	1.8 ppm 50 ppm	

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Hydrogen Peroxide 3% Hydrochloric Acid 2% Soln.

CAS: 7647-01-0 Hydrochloric Acid

(Contd. of page 3) 100 ppm

## 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:		
CAS: 7722-84-1 Hydrogen Peroxid	e Solution	
PEL	Long-term value: 1.4 mg/m <sup>3</sup> , 1 ppm	
REL	Long-term value: 1.4 mg/m³, 1 ppm	
TLV	Long-term value: 1 ppm	
	A3	
CAS: 7647-01-0 Hydrochloric Acid		
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m <sup>3</sup>	
PEL	Ceiling limit value: 7 mg/m³, 5 ppm	
REL	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 2 ppm	
	A4	

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Hydrogen Peroxide 3% Hydrochloric Acid 2% Soln.

(Contd. of page 4)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c General Information	hemical properties	
Appearance:		
Form:	Liquid	
Color:	Clear	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	

Printing date 06/04/2024

Reviewed on 06/04/2024

### Trade name: Hydrogen Peroxide 3% Hydrochloric Acid 2% Soln.

		(Contd. of page
Density at 20 °C (68 °F):	1.0417 g/cm <sup>3</sup> (8.69299 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/	<b>vater):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	85.8 %	
VOC content:	0.00~%	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

 Oral
 LD50
 4,177 mg/kg

 Inhalative
 LC50/4h
 91.9 mg/l

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 7)

US

Printing date 06/04/2024

#### Trade name: Hydrogen Peroxide 3% Hydrochloric Acid 2% Soln.

(Contd. of page 6)

3

Reviewed on 06/04/2024

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 7722-84-1 Hydrogen Peroxide Solution

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **<u>12 Ecological information</u>**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

• General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

## **13 Disposal considerations**

#### · Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number	
· DOT, IMDG, IATA	UN1760
· UN proper shipping name	
$\cdot DOT$	Corrosive liquids, n.o.s. (Hydrochloric Acid)
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (Hydrochloric Acid)

Printing date 06/04/2024

Reviewed on 06/04/2024

## Trade name: Hydrogen Peroxide 3% Hydrochloric Acid 2% Soln.

	(Contd. of pag
Transport hazard class(es)	
DOT	
CORROSIVE	
V	
Class	8 Corrosive substances
Label	8
IMDG	
Je The	
8	
Class	8 Corrosive substances
Label	8
IATA	
PS	
Class	5.1 Ovidining substances
Class Label	5.1 Oxidizing substances 8
	U
Packing group	17
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	(SGG16) Peroxides, (SGG1) acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passanger giveraft/rail. 1 I
Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
	On curgo uncruji oniy. 5 L
IMDG	
Limited quantities (LQ)	
Excepted quantities $(EQ)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
	(Contd. on pag

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Hydrogen Peroxide 3% Hydrochloric Acid 2% Soln.

(Contd. of page 8)

· UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S. (HYDROCHLORIC ACID), 8, II

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

CAS: 7722-84-1 Hydrogen Peroxide Solution

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

· Hazardous Air Pollutants	
Hydrochloric Acid	ACTIVE
Hydrogen Peroxide Solution	ACTIVE
Water	ACTIVE

CAS: 7647-01-0 Hydrochloric Acid

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

CAS: 7722-84-1 Hydrogen Peroxide Solution

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

(Contd. on page 10)

AЗ

US

Printing date 06/04/2024

Reviewed on 06/04/2024

Trade name: Hydrogen Peroxide 3% Hydrochloric Acid 2% Soln.

(Contd. of page 9)

Hazard-determ	uining components of labeling:
Hydrogen Perc	oxide Solution
Hydrochloric A	licid
Hazard statem	ents
Causes skin irr	itation.
Causes serious	eye damage.
May cause dan	nage to organs through prolonged or repeated exposure.
Precautionary	
•	dust/fume/gas/mist/vapors/spray.
Wash thorough	ily after handling.
0	e gloves / eye protection / face protection.
If on skin: Was	h with plenty of water.
If in eyes: Rin	se cautiously with water for several minutes. Remove contact lenses, if present and easy to do
Continue rinsir	
Immediately ca	ill a poison center/doctor.
Specific treatm	ent (see on this label).
Get medical ad	lvice/attention if you feel unwell.
	ninated clothing and wash it before reuse.
If skin irritatio	n occurs: Get medical advice/attention.
Dispose of con	tents/container in accordance with local/regional/national/international regulations.
	ty assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

Date of Preparation / Last Revision: • Date of preparation / last revision

Revision 1.2, 06/04/2024: Reviewed SDS for accuracy. MH/STN 06/04/2024 • Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Damage 1: Serious eye damage/eye irritation – Category 1 Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

US -

 $<sup>\</sup>cdot$  \* Data compared to the previous version altered.