Printing date 05/13/2024

Reviewed on 05/13/2024

Identification Product identifier	
-	
• Trade name: <u>Ferric Chloride</u> Alcoholic Solution	
Article number: SPX496	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
Aqua Solutions, Inc.	
6913 Highway 225 DEER PARK, TX 77536	SOLUTIONS
USA	
800-256-2586	
Information department:	
Technical Coordinator Sherman Nelson shermann@aquasolutions.org	
Emergency telephone number:	
Chemtrec: 800-424-9300 Canutec: 613-996-6666	
Canulec: 015-990-0000	
Hazard(s) identification	
Classification of the substance or mixture	
GHS02 Flame	
Flammable Liquids 2	H225 Highly flammable liquid and vapor.
A	
GHS06 Skull and crossbones	
Acute Toxicity - Oral 3	H301 Toxic if swallowed.
Acute Toxicity - Dermal 3	H311 Toxic in contact with skin.
Acute Toxicity - Inhalation 3	H331 Toxic if inhaled.
GHS08 Health hazard	
V	
Specific Target Organ Toxicity - Single Exposure	· ·
Specific Target Organ Toxicity Repeated Expos	the visual organs. ure 2 H373 May cause damage to organs through prolonged or
specific Turger Organ Toxicity - Repeated Expos	repeated exposure.
·····	
GHS05 Corrosion	
\mathbf{V}	H314 Causes severe skin burns and eye damage.
Skin Corrosion 1A	11514 Causes severe skin barns and eye admage.
Skin Corrosion 1A Eye Damage 1	H314 Causes serious eye damage.

Printing date 05/13/2024

Trade name: Ferric Chloride Alcoholic Solution Reviewed on 05/13/2024

(Contd. of page 1) · Hazard pictograms GHS06 GHS02 GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: Methanol Ferric Chloride Hexahydrate Hydrochloric Acid · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eye damage. Causes damage to the central nervous system and the visual organs. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. *Use explosion-proof electrical/ventilating/lighting/equipment.* Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Get medical advice/attention if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 3Reactivity = 0

(Contd. on page 3)

Printing date 05/13/2024

Trade name: Ferric Chloride Alcoholic Solution Reviewed on 05/13/2024

(Contd. of page 2)

· HMIS-ratings (scale 0 - 4)

HEALTH*3Health =
$$*3$$
FIRE3Fire = 3REACTIVITY0Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-56-1	Methanol	96.167%
CAS: 10025-77-1	Ferric Chloride Hexahydrate	2.485%
CAS: 7647-01-0	Hydrochloric Acid	1.349%

4 First-aid measures

· Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- Remove breathing apparatus only after contaminated clothing have been completely removed.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation:
- Supply fresh air or oxygen; call for doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Do not induce vomiting; immediately call for medical help.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

⁻US

Printing date 05/13/2024

Reviewed on 05/13/2024

Trade name: Ferric Chloride Alcoholic Solution

• Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. • Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: CAS: 67-56-1 530 ppm Methanol CAS: 10025-77-1 Ferric Chloride Hexahydrate 15 mg/m^3 CAS: 7647-01-0 Hydrochloric Acid 1.8 ppm · PAC-2: CAS: 67-56-1 Methanol 2,100 ppm CAS: 10025-77-1 Ferric Chloride Hexahydrate $39 mg/m^3$ CAS: 7647-01-0 Hydrochloric Acid 22 ppm · PAC-3: CAS: 67-56-1 Methanol 7200* ppm CAS: 10025-77-1 Ferric Chloride Hexahydrate 240 mg/m³

7 Handling and storage

CAS: 7647-01-0

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.

Hydrochloric Acid

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

(Contd. of page 3)

 $(Contd. \ on \ page \ 5)$

100 ppm

⁻ US

Printing date 05/13/2024

Trade name: Ferric Chloride

Alcoholic Solution

(Contd. of page 4)

Reviewed on 05/13/2024

- Information about storage in one common storage facility: Not required. • Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7.

- Components with limit values that require monitoring at the workplace:
- The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 67-56-1 Methanol		
PEL	Long-term value: 260 mg/m ³ , 200 ppm	
REL	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin	
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI	
CAS: 7647-01-0 Hydrochloric Acid		
NIOSH RECOMENDED EXP LIMI	Ceiling limit value: 7.0 mg/m3 mg/m ³	
PEL	Ceiling limit value: 7 mg/m³, 5 ppm	
REL	Ceiling limit value: 7 mg/m³, 5 ppm	
TLV	Ceiling limit value: 2 ppm A4	
Ingredients with biological limit val	lues:	
CAS: 67-56-1 Methanol		
BEI 15 mg/L LD50 Intraperitoneal: urine Time: end of shift LD50: Methanol (background,	nonspecific)	
	at were valid during the creation were used as basis.	
 Exposure controls Personal protective equipment: General protective and hygienic me Keep away from foodstuffs, beverage Immediately remove all soiled and c Wash hands before breaks and at the Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin Breathing equipment: 	es and feed. ontaminated clothing. e end of work.	
	lution use respiratory filter device. In case of intensive or longer exposure us independent of circulating air.	
	(Contd. on page	

[·] Control parameters

Printing date 05/13/2024

Reviewed on 05/13/2024

Trade name: Ferric Chloride Alcoholic Solution

(Contd. of page 5)

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and chemical properties General Information				
Appearance:	* ,			
Form: Color:	Liquid Yellow-brown			
Cotor: Odor:	l'euow-brown de l'alcool			
	1			
Odor threshold:	l Not determined.			
pH-value at 20 °C (68 °F):	<2			
Change in condition				
Melting point/Melting range:	-97.8 °C (-144 °F)			
Boiling point/Boiling range:	64.4 °C (147.9 °F)			
Flash point:	11 °C (51.8 °F)			
Flammability (solid, gaseous):	Highly flammable.			
Auto igniting:	455 °C (851 °F)			
Decomposition temperature:	Not determined.			
Ignition temperature:	Product is not selfigniting.			

Printing date 05/13/2024

Reviewed on 05/13/2024

Trade name: Ferric Chloride Alcoholic Solution

	(Contd. of page
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
• Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)
Density at 20 °C (68 °F):	0.8223 g/cm ³ (6.86209 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	96.2 %
VOC content:	96.17 %
	790.8 g/l / 6.60 lb/gal
Solids content:	2.5 %
• Other information	No further relevant information available.

10 Stability and reactivity

• *Reactivity* No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)		
Oral	LD50	104 mg/kg
		312 mg/kg
Inhalative	LC50/4h	3.12 mg/l

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

(Contd. on page 8)

US

Printing date 05/13/2024

Reviewed on 05/13/2024

Trade name: Ferric Chloride Alcoholic Solution

(Contd. of page 7)

- \cdot on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 9)

Printing date 05/13/2024

Reviewed on 05/13/2024

(Contd. of page 8)

Trade name: Ferric Chloride Alcoholic Solution

• *Recommended cleansing agent:* Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, IMDG, IATA	UN1993
UN proper shipping name DOT IMDG, IATA	Flammable liquids, n.o.s. (Methanol) FLAMMABLE LIQUID, N.O.S. (Methanol)
Transport hazard class(es)	
DOT	
RAMMABLE LOOD	
Class Label	3 Flammable liquids 3
IMDG, IATA	
Class Label	3 Flammable liquids 3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category	Warning: Flammable liquids 338 F-E, <u>S-E</u> (SGG1) Acids B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Printing date 05/13/2024

Reviewed on 05/13/2024

Trade name: Ferric Chloride Alcoholic Solution

(Contd. of page 9)

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (METHANOL), 3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• Sara

· Suru			
· Section 355 (extr	remely hazardous substances):		
None of the ingre	edients is listed.		
· Section 313 (Specific toxic chemical listings):			
CAS: 67-56-1 M	lethanol		
• TSCA (Toxic Su	bstances Control Act):		
Methanol		ACTIVE	
Hydrochloric Act	id	ACTIVE	
· Hazardous Air P	Pollutants		
CAS: 67-56-1	Methanol		
CAS: 7647-01-0	Hydrochloric Acid		
· Proposition 65			
· Chemicals know	n to cause cancer:		
None of the ingre	edients is listed.		
• Chemicals known to cause reproductive toxicity for females:			
None of the ingredients is listed.			
· Chemicals known to cause reproductive toxicity for males:			
None of the ingredients is listed.			
· Chemicals know	n to cause developmental toxicity:		
CAS: 67-56-1 M	lethanol		
· Carcinogenic ca	tegories		
· EPA (Environme	ental Protection Agency)		
None of the ingre	edients is listed.		
· TLV (Threshold	Limit Value)		
None of the ingredients is listed.			
· NIOSH-Ca (Nat	ional Institute for Occupational Safety and Health)		
None of the ingre	edients is listed.		
G 1 G 1 G 1 G 1 G			

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

(Contd. on page 11)

⁻ US

Printing date 05/13/2024

Trade name: Ferric Chloride Alcoholic Solution

· Hazard-determining components of labeling:

Reviewed on 05/13/2024

(Contd. of page 10)

Methanol Ferric Chloride Hexahydrate Hydrochloric Acid · Hazard statements Highly flammable liquid and vapor. Toxic if swallowed, in contact with skin or if inhaled. Causes severe skin burns and eve damage. Causes damage to the central nervous system and the visual organs. May cause damage to organs through prolonged or repeated exposure. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center/doctor. Specific treatment (see on this label). If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed: Call a POISON CENTER or doctor/physician. Call a poison center/doctor if you feel unwell. Get medical advice/attention if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

Date of Preparation / Last Revision:

• Date of preparation / last revision

Revision 1.2, 05/13/2024: Reviewed SDS for accuracy. MH/STN Revision 0.0, 06-13-2023: Creation date for SDS. STN 05/13/2024

• Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 12)

⁻ US

Reviewed on 05/13/2024

Safety Data Sheet acc. to OSHA HCS

Printing date 05/13/2024

Trade name: Ferric Chloride Alcoholic Solution

	(Contd. of page 11)
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Flammable Liquids 2: Flammable liquids – Category 2	
Acute Toxicity - Oral 3: Acute toxicity – Category 3	
Skin Corrosion 1A: Skin corrosion/irritation – Category 1A	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) – Category 1	
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2	
• * Data compared to the previous version altered.	
	US