Printing date 07/19/2024

Reviewed on 07/19/2024

NS

1 Identification

*

- · Product identifier
- Trade name: <u>N,N-Dimethylethanolamine 99.5%</u>
- · Article number: D4801
- CAS Number: 108-01-0
- **EC number:** 203-542-8
- Index number: 603-047-00-0
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Aqua Solutions, Inc.
 6913 Highway 225 DEER PARK, TX 77536 USA
 800-256-2586
- Information department: Technical Coordinator Sherman Nelson shermann@aquasolutions.org
- *Emergency telephone number:* Chemtrec: 800-424-9300 Canutec: 613-996-6666

2 Hazard(s) identification

· Classification of the substa	nce or mixture
GHS02 Flame	
Flammable Liquids 3	H226 Flammable liquid and vapor.
GHS06 Skull and	crossbones
Acute Toxicity - Inhalation	3 H331 Toxic if inhaled.
GHS05 Corrosio	n
Skin Corrosion 1B	H314 Causes severe skin burns and eye damage.
Eye Damage 1	H318 Causes serious eye damage.
GHS07	
Acute Toxicity - Oral 4	H302 Harmful if swallowed.
Acute Toxicity - Dermal 4	H312 Harmful in contact with skin.
• Label elements • GHS label elements The su	bstance is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: N,N-Dimethylethanolamine 99.5%

(Contd. of page 1) · Hazard pictograms GHS05 GHS02 GHS06 · Signal word Danger · Hazard statements Flammable liquid and vapor. Harmful if swallowed or in contact with skin. *Toxic if inhaled.* Causes severe skin burns and eye damage. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific measures (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 2Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *3 *Health* = *3FIRE Fire = 22 Reactivity = 0**REACTIVITY** 0 · Other hazards · Results of PBT and vPvB assessment

· *PBT:* Not applicable.

(Contd. on page 3)

US

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: N,N-Dimethylethanolamine 99.5%

• **vPvB:** Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- CAS: 108-01-0 N,N-Dimethylethanolamine
- · Identification number(s)
- EC number: 203-542-8
- · Index number: 603-047-00-0

4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Immediately call a doctor.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*

• Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

⁻ US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: N,N-Dimethylethanolamine 99.5%

Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. • **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- PAC-1: 3.7 ppm
- · PAC-2: 12 ppm
- · PAC-3: 72 ppm

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: N,N-Dimethylethanolamine 99.5%

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



*

Tightly sealed goggles

· Body protection: Protective work clothing

Information on basic physical and c General Information	hemical properties
Appearance:	
Form:	Liquid
Color:	Light yellow
Odor:	Ammonia-like
Odor threshold:	Not determined.
pH-value:	20
Change in condition	
Melting point/Melting range:	-70 °C (-94 °F)
Boiling point/Boiling range:	134-136 °C (273.2-276.8 °F)
Flash point:	39 °C (102.2 °F)
Flammability (solid, gaseous):	Flammable.
Auto igniting:	220 °C (428 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Not determined.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	8.16 hPa (6.1 mm Hg)

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: N,N-Dimethylethanolamine 99.5%

		(Contd. of page 3
· Density at 20 °C (68 °F):	0.886 g/cm ³ (7.39367 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not determined.	
\cdot Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/	water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

OralLD50500 mg/kg (ATE)DermalLD501,100 mg/kg (ATE)

Inhalative LC50/4h 3 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.

· Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer) Substance is not listed.
- · NTP (National Toxicology Program) Substance is not listed.
- · OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

(Contd. on page 7)

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: N,N-Dimethylethanolamine 99.5%

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN2051	
UN proper shipping name DOT, IMDG, IATA	N,N-Dimethylethanolamine	
Transport hazard class(es)		
DOT		
CORROSIVE 8 3		
Class	8 Corrosive substances	

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: N,N-Dimethylethanolamine 99.5%

	(Contd. of page
Label	8, 3
IMDG	
Class	8 Corrosive substances
Label	8/3
IATA	
8	
Class	8 Corrosive substances
Label	8 (3)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code).	
EMS Number:	F-E,S-C
Stowage Category	Α
Segregation Code	SG35 Stow "separated from" SGG1-acids
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
~ ·	On cargo aircraft only: 30 L
IMDG	
Limited quantities (LQ)	11.
Excepted quantities (EQ)	Code: E2
(-z)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2051 N,N-DIMETHYLETHANOLAMINE, 8 (3), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances): Substance is not listed.

- Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE

· Hazardous Air Pollutants Substance is not listed.

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: N,N-Dimethylethanolamine 99.5%

· Proposition 65

- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- *GHS label elements* The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger · Hazard statements Flammable liquid and vapor. Harmful if swallowed or in contact with skin. Toxic if inhaled. Causes severe skin burns and eye damage. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. *Use explosion-proof electrical/ventilating/lighting/equipment.* Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific measures (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)

US

Printing date 07/19/2024

Reviewed on 07/19/2024

Trade name: N,N-Dimethylethanolamine 99.5%	5%
--	----

	(Contd. of page 9)
Department issuing SDS: Environment protection department.	
Contact:	
Date of Preparation / Last Revision:	
Date of preparation / last revision	
Revision 1.2 07/18/2024: Reviewed SDS for accuracy. MH/STN	
· ·	
Creation date for SDS 10-15-2015. STN	
07/19/2024 / -	
Abbreviations and acronyms:	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flammable Liquids 3: Flammable liquids – Category 3	
Acute Toxicity - Oral 4: Acute toxicity – Category 4	
Acute Toxicity - Inhalation 3: Acute toxicity – Category 3	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
* Data compared to the previous version altered.	
- •	US -